



Representative Image

## Catalog No. MGU321

Description: 30A GD DISC 3P NONFUSE TYP1 240V

UPC No 783164459609

Home > Safety Switches > General Duty

- Designed for residential and light commercial applications where duty is not severe.
- Listed to UL standard 98 enclosed and dead front switches.
- Suitable for use as service equipment when installed in accordance with the National Electrical Code.
- Certified to CSA standard 22.2 no. 4-04 enclosed and dead front switches.
- Meets or exceeds NEMA KS1 standard for enclosed switches - type GD.
- Fusible and non-fusible switches available.
- Quick-make, quick-break mechanism (30-200 amp).
- 60/75°C conductor rating.

### Descriptors

Category	General Duty
GO Schedule	131AM

### Specifications

Voltage	240 Vac
Amperage	30 A
Poles	3
Wires	3
Fusing	Non-Fusible
Enclosure Type	NEMA 1 (Indoor)
Wire Range	14-8 CU;12-8 AL
240 Vac, NEC Std, 1-ph	3.0 hp
240 Vac, NEC Std, 3-ph	7.5 hp

### Classifications

CSA Certified	CUL
UL Listed	Yes

### Dimensions

Height	10.3 in
Depth	3.3 in
Width	6.4 in

## Publications

Title	Publication No.	Publication Type
<a href="#">Midwest Safety Switch Quick Selection Guide</a> Midwest Safety Switch Quick Selection Guide	MET-041	Application and Technical
<a href="#">Midwest Safety Switches</a> Rev. B. 12 pages. Rugged, reliable and easy to install	MET-029	Brochures
<a href="#">Safety Switch Outline Drawing</a> 60A General Duty Disconnect, NEMA Type 3R Enclosure	1013093SH4	Drawings-Outline and Dimensional
<a href="#">Midwest Safety Switches Line Card</a>	MEA-010	Brochures

2 pages. Midwest offers a variety of Safety Switches to meet many common applications from residential to commercial. Our General Duty switches are designed for residential and light commercial applications where duty is not severe. The Heavy Duty switches are designed for commercial and industrial applications where safety and superior reliability are essential.

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.