

CABLE TIES AND ACCESSORIES

NYLON CABLE TIES

WHITE NYLON AND BLACK UV STABILIZED
ALL CABLE TIES PACKAGED IN PLASTIC BAGS



STOCK NO.	UPC NO.	MIN. TENSILE STRENGTH	MAX. BUNDLE DIAMETER	OVERALL LENGTH	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER
-----------	---------	-----------------------	----------------------	----------------	--------------	-----------	--------------------------------

WHITE NYLON BENT TIP CABLE TIE - 100 PACK



CT1	22600	18 LBS	$\frac{3}{4}$	4	.10	100	2.51/c
CT2	22605	18 LBS	$1\frac{3}{8}$	6	.12	100	4.44/c
CT3	22610	40 LBS	$1\frac{1}{4}$	5	.15	100	4.39/c
CT6	22615	50 LBS	2	7	.30	100	5.72/c
CT4	22620	50 LBS	$2\frac{3}{4}$	11	.50	100	11.61/c
CT5	22625	50 LBS	$4\frac{1}{2}$	14	.55	100	13.65/c

WHITE NYLON 1000 AND 500

CT1B	22601	18 LBS	$\frac{3}{4}$	4	1.0	1000	22.70/m
CT2B	22606	18 LBS	$1\frac{3}{8}$	6	1.2	1000	40.17/m
CT3B	22611	40 LBS	$1\frac{1}{4}$	5	1.5	1000	39.54/m
CT6B	22616	50 LBS	2	7	3.0	1000	51.50/m
CT4B	22621	50 LBS	$2\frac{3}{4}$	11	2.5	500	104.54/m
CT5B	22626	50 LBS	$4\frac{1}{2}$	14	2.75	500	122.62/m

BLACK WEATHER-RESISTANT UV-STABILIZED CABLE TIE




CT1UV	22645	18 LBS	$\frac{3}{4}$	4	.10	100	2.73/c
CT6UV	22650	50 LBS	2	7	.30	100	6.10/c
CT4UV	22655	50 LBS	$2\frac{3}{4}$	11	.50	100	12.21/c
CT5UV	22660	50 LBS	$4\frac{1}{2}$	14	.55	100	14.36/c

BLACK UV 1000 AND 500


CT1UVB	22646	18 LBS	$\frac{3}{4}$	4	1.0	1000	24.53/m
CT6UVB	22651	50 LBS	2	7	3.0	1000	54.88/m
CT4UVB	22656	50 LBS	$2\frac{3}{4}$	11	2.5	500	109.76/m
CT5UVB	22661	50 LBS	$4\frac{1}{2}$	14	2.75	500	129.06/m

WHITE NYLON - 100 & 50 PACK MOUNTING TAB CABLE TIE



MCT10	22700	30 LBS	$\frac{3}{4}$	5	.10	100	11.53/c
MCT12	22710	50 LBS	2	7	.30	100	13.41/c
MCT13	22715	50 LBS	3	11	.70	100	21.09/c
MCT14	22720	120 LBS	4	14	.40	100	30.47/c

HEAVY DUTY - 50 PACK WHITE NYLON ADJUSTABLE CLAMPS



HCT19	22800	120 LBS	$4\frac{1}{4}$	14	.75	50	30.08/c
HCT21	22810	175 LBS	$5\frac{7}{8}$	24	.80	50	61.20/c
HCT22	22815	175 LBS	$9\frac{3}{4}$	36	.90	50	72.48/c

CABLE TIES AND ACCESSORIES



ASSORTED CABLE TIES IN A BAG

A handy assortment of popular sizes
in one convenient package so
you're ready for any job!



PACKAGED IN PLASTIC BAGS

FOUR POPULAR SIZES IN EACH BAG

BENT TIP TIES

AVAILABLE IN WHITE NYLON OR BLACK UV STABILIZED

STOCK NO.	UPC NO.	DESCRIPTION OF CONTENTS	STD. PKG.	WT. PER BAG	SUGGESTED TRADE LIST PRICE PER EACH
WHITE NYLON					
CTA1	22825	Bag of 100 Cable Ties includes: 25 CT1 4" White Nylon Ties 25 CT6 7" White Nylon Ties 25 CT4 11" White Nylon Ties 25 CT5 14" White Nylon Ties	1 Bag	.30	10.68/ea
BLACK UV STABILIZED					
CTUVA1	22826	Bag of 100 Cable Ties includes: 25 CT1UV 4" Black Weather Resistant Ties 25 CT6UV 7" Black Weather Resistant Ties 25 CT4UV 11" Black Weather Resistant Ties 25 CT5UV 14" Black Weather Resistant Ties	1 Bag	.30	11.77/ea

E



Maximum loop tensile strength:
Roll - 50 lbs Loop ties - 40 lbs



VELCRO® CABLE TIES

PACKAGED IN PLASTIC BAGS



One Step Beyond features:

- Eliminates the potential for damage to fiber optics or cables caused by overcinching or accidental cutting.
- Easy to install and adjust without installation tools.
- Reusable

APPLICATIONS

- Wire and cable assemblies
- Fiber optic installations
- Network installations
- Electrical/electronics products

STOCK NO.	UPC NO.	DESCRIPTION	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER EACH
VR12	22801	Velcro® Roll - 1/2" x 15'	1.6 oz	One Roll	13.41/ea
VR34	22802	Velcro® Roll - 3/4" x 15'	2.2 oz	One Roll	16.57/ea
VT8	22803	Velcro® Loop Tie - 1" tab 1/2" width x 8"	1.1 oz	10 Loop Ties	13.87/ea
VT12	22804	Velcro® Loop Tie - 1" tab 1/2" width x 12"	1.6 oz	10 Loop Ties	19.13/ea

CABLE TIES AND ACCESSORIES



CABLE TIE TOOL

FEATURES A SHORT SQUEEZE STROKE

The cut-off feature ensures a consistently flush, burr-free edge



Polycarbonate Construction

STOCK NO.	UPC NO.	SIZE	WT. EACH	STD. PKG.	EACH	SUGGESTED TRADE LIST PRICE EACH
RT2	23215	Accepts Cable Tie series CT-1 through MCT14	.50	1	30.54	46.62/ea



CABLE CLAMPS

WHITE NYLON PLASTIC

PACKAGED IN POLY BAGS

Clamps are designed with bevelled inside edges to prevent damage to cables from chafing. Molded to shape and size.




STOCK NO.	UPC NO.	WIRE SIZE	MOUNTING SCREW DIA.	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
NCC0	23100	1/8	3/16	0.10	100	6.59/c
NCC2	23105	1/4	3/16	0.20	100	9.27/c
NCC4	23110	3/8	3/16	0.25	100	11.31/c
NCC6	23115	1/2	3/16	0.25	100	12.78/c



CABLE CLAMPS

STEEL ZINC PLATED

PACKAGED IN POLY BAGS



STOCK NO.	UPC NO.	WIRE SIZE	MOUNTING SCREW DIA.	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
SCC316	21546	3/16	3/16	0.60	100	15.48/c
SCC14	21541	1/4	3/16	0.58	100	15.86/c
SCC38	21543	3/8	3/16	1.00	100	17.49/c
SCC12	21540	1/2	3/16	0.50	50	19.18/c
SCC58	21544	5/8	3/16	0.75	50	22.34/c
SCC34	21542	3/4	1/4	0.50	25	24.08/c
SCC78	21545	7/8	1/4	0.63	25	25.72/c

Helpful Hints From Metallics:

Did You forget to ask?

GOT FASTENERS?

"We work hard to improve both Distributor Profit and Customer Satisfaction."

www.metallicsonline.com

103

CABLE TIES AND ACCESSORIES

NEOPRENE WRAPPED STEEL CABLE CLAMPS



Light to medium duty steel cable clamp with neoprene cushion for electrical insulation and vibration absorption

- Neoprene meets specifications MILR-3065 and AMS-3209
- Steel clamps are electroplated for corrosion resistance
- Silver with black neoprene
- Mounts to steel, wood or concrete
- Reusable

PACKAGED IN POLY BAGS



STOCK NO.	UPC NO.	MAX WIRE DIAMETER	MOUNTING SCREW DIA.	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
SPN316	51165	3/16" "	3/16	.15	25	91.52/c
SPN14	51170	1/4" "	3/16	.20	25	66.20/c
SPN38	51175	3/8" "	3/16	.20	20	91.50/c
SPN12	51180	1/2" "	3/16	.25	20	91.50/c
SPN58	51185	5/8" "	3/16	.30	20	91.50/c
SPN34	51190	3/4" "	1/4	.37	20	228.60/c
SPN78	51195	7/8" "	1/4	.25	10	228.60/c
SPN1	51200	1" "	1/4	.29	10	228.60/c

E



4-WAY CABLE TIE MOUNTING CLIP

NYLON MOUNT WITH ACRYLIC ADHESIVE
Clean or wipe surface before mounting

PACKAGED IN POLY BAGS




STOCK NO.	UPC NO.	SIZE	MOUNTING SCREW DIA.	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
WHITE						WHITE
MP25	23005	3/4" sq.	#6	.25	100	23.79/c
MP20	23000	1" sq.	#8	.75	100	28.67/c
BLACK UV						BLACK UV
MP25UV	23020	3/4" sq.	#6	.25	100	26.19/c
MP20UV	23015	1" sq.	#8	.75	100	31.53/c

SCREW MOUNT FLAT CABLE TIE HOLDER

NYLON 6/6

- Mounts with #6 or #8 Pan or Flat Head screw
- Accepts cable ties up to 3/16" width in any length


PACKAGED IN POLY BAGS



Cable Tie Not Included

STOCK NO.	UPC NO.	MAX. CABLE TIE WIDTH	MOUNTING SCREW	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
FTHS01	51070	3/16"	#6 or #8	.11	25	42.96/c

CABLE TIES AND ACCESSORIES



Cable Tie
Not Included

MASONRY MOUNT FLAT CABLE TIE HOLDER


BLACK UV STABILIZED NYLON 6/6

PACKAGED IN POLY BAGS

- Tap into 1/4" pre-drilled hole
- Affix wire and cable permanently
- Accepts cable ties up to 3/16" wide and any length



STOCK NO.	UPC NO.	PRE-DRILLED HOLE SIZE	MAX. CABLE TIE WIDTH	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
FTHM14	51060	1/4"	3/16"	.09	25	30.52/c



Cable Tie
Not Included


RIVET MOUNT FLAT CABLE TIE HOLDER

YELLOW NYLON 6/6


PACKAGED IN POLY BAGS

Accepts a variety of cable tie lengths.

- Punch into pre-drilled hole (.196")
- Has built-in rivet
- One piece construction



STOCK NO.	UPC NO.	RIVET HOLE DIAMETER	MAX. CABLE TIE WIDTH	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
FTHR01	51065	.196	3/16"	.09	50	14.06/c



KWIK-KLIP "C" STYLE CABLE CLAMP

GRAY PVC

PACKAGED IN POLY BAGS


- Great for routing all types of wire
- Adhesive backing mounts quickly and easily
- Clean or wipe surface before mounting with a solvent cleaner/degreaser



STOCK NO.	UPC NO.	MAX. CABLE CAPACITY "A"	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
KKC14	51040	1/4"	.08	20	81.05/c
KKC38	51045	3/8"	.10	20	90.45/c
KKC12	51050	1/2"	.13	10	100.80/c
KKC34	51055	3/4"	.15	10	143.90/c

America's Source For Premier And Innovative Fasteners

CABLE TIES AND ACCESSORIES



KWIK-KLIP "U" STYLE CABLE CLAMP

GRAY PVC

PACKAGED IN POLY BAGS

- Great for routing all types of wire
- Adhesive backing mounts quickly and easily
- Clean or wipe surface with a solvent cleaner/degreaser before mounting.



STOCK NO.	UPC NO.	MAX. CABLE CAPACITY "A"	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
KKU14	51020	1/4"	.08	20	81.35/c
KKU38	51025	3/8"	.10	20	90.75/c
KKU12	51030	1/2"	.13	10	100.80/c
KKU34	51035	3/4"	.15	10	142.80/c

ADJUSTABLE KWIK-KLIP

NYLON 6/6

PACKAGED IN POLY BAGS

- Holds cables from 5/16" to 1" in diameter
- Handles dozens of routing jobs
- Locks securely and can be easily re-opened for routing changes
- Adhesive backing for easy, quick installation
- Clean or wipe surface with a solvent cleaner/degreaser before mounting




STOCK NO.	UPC NO.	BUNDLE RANGE DIAMETER "A"	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
AKK516	51000	5/16" - 13/32"	.01	10	88.30/c
AKK1532	51005	15/32" - 9/16"	.02	10	110.40/c
AKK3764	51010	37/64" - 3/4"	.03	10	152.30/c
AKK78	51015	7/8" - 1"	.04	10	172.20/c

TIE-ON-BASE WIRE ROUTING CLIP

NYLON 6/6


Cable tie and mounting clip all in one!

- Adhesive base has slot to guide strap under locking mechanism
- Release tab allows for load to be removed, replaced or changed when necessary
- Tensile strength 40 lbs.
- One size fits a variety of applications
- Clean or wipe surface with a solvent before mounting.



STOCK NO.	UPC NO.	MAX CABLE CAPACITY "A"	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
TOB1	51125	1-1/8"	.07	10	67.60/c

CABLE TIES AND ACCESSORIES



KURLY-LOK CABLE WRAP WITH ADHESIVE BASE

NYLON 6/6



PACKAGED IN POLY BAGS



For easy cable routing in a variety of applications.

- Adhesive backing for quick and easy installation.
- Wires can be routed and re-routed after installation.
- Clean or wipe surface with a solvent cleaner/degreaser before mounting.

STOCK NO.	UPC NO.	MAX CABLE CAPACITY "A"	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
KLB38	51075	3/8"	.02	10	49.90/c
KLB12	51080	1/2"	.03	10	55.30/c
KLB78	51085	7/8"	.04	10	85.80/c



TWIST-LOK CABLE WRAP

NYLON 6/6

PACKAGED IN POLY BAGS



Simply twist to secure wire bundles. Reusable.

STOCK NO.	UPC NO.	MAX CABLE CAPACITY "A"	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
TL516	51090	5/16"	.01	25	9.92/c
TL38	51095	3/8"	.02	25	10.68/c
TL12	51105	1/2"	.03	25	11.56/c
TL78	51110	7/8"	.04	25	13.96/c



VINYL HOLE GROMMET

BLACK FLEXIBLE VINYL


PACKAGED IN POLY BAGS

Installs instantly. Simply snap into hole in panel box, etc., to protect cable.



STOCK NO.	UPC NO.	INSIDE DIA./ OUTSIDE DIA.	HOLE SIZE	PANEL THICKNESS	WT. PER PKG.	STD. PKG.	SUGGESTED TRADE LIST PRICE PER 100
HG14	51130	1/4 x 9/16	.37	3/32	.01	10	23.70/c
HG38	51135	3/8 x 43/64	.49	1/16	.02	10	39.20/c
HG12	51140	1/2 x 55/64	.69	1/16	.03	10	47.10/c
HG58	51145	5/8 x 55/64	.75	1/16	.04	10	52.30/c
HG4764	51150	47/64 x 1 15/64	.99	1/16	.04	10	94.01/c
HG5564	51155	55/64 x 1 3/16	1.00	1/16	.05	10	119.40/c
HG3132	51160	31/32 x 1 1/2	1.25	1/16	.06	10	144.20/c

CABLE TIES AND ACCESSORIES



WIRE HARNESS WRAP



BLACK POLYETHYLENE/U.V. STABILIZED


- Wraps around cables to bundle and provide protection.
- Flexible enough to bend around corners, retains elasticity.
- Free assembly tool included with every 100' roll.

STOCK NO.	UPC NO.	DIAMETER "A"	CABLE BUNDLE RANGE	WT. PER ROLL	STD. PKG.	SUGGESTED TRADE LIST PRICE PER EA
HW14	51115	1/4"	3/16"-1"	4.5	100 ft. roll	51.33/ea
HW12	51120	1/2"	3/4"-4"	6.0	100 ft. roll	107.43/ea

WHITE WIRE HARNESS WRAP AVAILABLE BY SPECIAL ORDER

Early in 2006 we held idea sessions.

E



Let Us Never Forget Our End Customers.

In the preparation of our Fastener Catalogue, Metallics hired contractor/owner consultants from electrical to plumbing to HVAC, to give presentations on the fastener items they most wanted to buy from a distributor. This Quick Reference Catalogue reflects their input.

Our Metallics executives don't sit in closed offices dreaming of what might sell. We consult the end user for their input and opinions. We know it's the only way. Call us for any suggestions.

