

HEX ROD COUPLINGS

STEEL ZINC • 18-8 STAINLESS • 316 STAINLESS • GALVANIZED

PART#	UPC#	ROD SIZE	HEX SIZE	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC							
RCT2	41351	8-32	1/4	3/4	1.16	100	51.91/c
RCT25	21700	10-24	1/4	3/4	1.44	100	65.30/c
RCT26	21705	1/4-20	3/8	7/8	1.02	50	47.68/c
RCTL26 (1 3/4 LONG)	23326	1/4-20	3/8	1 3/4	3.06	50	143.62/c
RCT27	21710	5/16-18	1/2	7/8	1.21	50	58.22/c
RCT28	21715	3/8-16	1/2	1 1/8	1.87	50	65.12/c
RCTL28 (1 3/4 LONG)	23328	3/8-16	1/2	1 1/8	5.71	50	111.46/c
RCT35	21701	3/8-16	1/2	1 3/4	11.98	100	77.21/c
RCT28V	61028	3/8-16	1/2	1 1/8	17.79	500	192.34/m
RCT28M	21718	3/8-16	1/2	1 1/8	36.90	1000	227.13/m
RCT29	21720	1/2-13	11/16	1 1/4	1.46	25	81.08/c
RCTL29 (1 3/4 LONG)	23329	1/2-13	11/16	1 3/4	2.95	25	355.16/c
RCT29C	27182	1/2-13	11/16	1 1/4	5.90	100	26.10/c
RCT30	21725	5/8-11	13/16	2	2.24	25	249.28/c
RCT31	21728	3/4-10	1	1 1/4	7.19	25	679.88/c
RCT33	21730	7/8-9	1 1/4	2 1/4	29.95	100	1,055.39/c
18-8 STAINLESS							
RCT26SS	10644	1/4-20	3/8	7/8	1.02	50	1,068.44/c
RCT27SS	10645	5/16-18	1/2	7/8	1.40	50	1,310.84/c
RCT28SS	21726	3/8-16	1/2	1	1.87	50	1,715.76/c
RCT29SS	21727	1/2-13	11/16	1 1/4	1.52	25	2,118.76/c
RCT30SS	22830	5/8-11	13/16	1 1/2	9.68	50	4,259.46/c
316 STAINLESS							
RCT28SS316	94828	3/8-16	1/2	1	1.89	50	2,214.44/c
RCT29SS316	94829	1/2-13	11/16	1 1/4	2.85	50	3,054.30/c
RCT30SS316	94830	5/8-11	13/16	1 1/2	4.48	50	3,795.00/c
GALVANIZED							
RCT26G	21719	1/4-20	3/8	7/8	2.85	50	64.70/c
RCT28G	21716	3/8-16	1/2	1 3/4	3.15	50	111.28/c
RCT29G	21726	1/2-13	11/16	1 3/4	3.15	50	231.84/c
RCT30G	21717	5/8-11	13/16	2 1/8	4.24	25	235.00/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



REDUCING HEX ROD COUPLING

STEEL ZINC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
RCTR28	21706	3/8-16 to 1/4-20	2.02	50	113.68/c
RCTR27	21704	3/8-16 to 5/16-18	2.35	50	102.68/c
RCTR29	21707	1/2-13 to 3/8-16	1.75	25	83.76/c
RCTR5812	21708	5/8-11 to 1/2-13	2.62	25	588.00/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



THREADED ROD

DOMESTIC • STEEL ZINC • 304 STAINLESS • 316 STAINLESS • GALVANIZED

Threaded rod sold only in full bundle quantities where listed.

MADE IN USA

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	TUBE QTY.	SUGGESTED TRADE LIST PRICE PER
DOMESTIC STEEL ZINC						
TRS610D	21669	1/4-20 x 10'	60.50	1	500 feet	14.31/ea
TRS8/6D	21644	3/8-16 x 6'	43.75	1	150 feet	17.02/ea
TRS810A	21669	3/8-16 x 10'	72.75	1	250 feet	18.13/ea
TRS9/6BD	21652	1/2-13 x 6'	38.76	1	72 feet	20.32/ea
STEEL ZINC						
TRS4/6	90357	8-32 x 6'	1.6	1	30 feet	13.66/ea
TRS5/3	21612	10-24 x 3'	5.20	1	75 feet	4.65/ea
TRS6/3	21613	1/4-20 x 3'	18.00	1	150 feet	2.76/ea
TRS6/113	21641	1/4-20 x 4'	24.00	1	2000 feet	9.06/ea
TRS6/6B	21640	1/4-20 x 6'	36.50	1	300 feet	4.02/ea
TRS610	21606	1/4-20 x 10'	60.50	1	500 feet	10.61/ea
TRS7/3	21614	5/16-18 x 3'	20.65	1	105 feet	4.39/ea
TRS7/6	21610	5/16-18 x 6'	42.00	1	210 feet	8.36/ea
TRS710	21604	5/16-18 x 10'	68.95	1	350 feet	15.24/ea
TRS87	21647	3/8-16 x 7"	.17	1	7"	11.69/ea
TRS8/3	21617	3/8-16 x 3'	21.50	1	75 feet	4.99/ea
TRS8/6B	21645	3/8-16 x 6'	43.75	1	150 feet	6.44/ea
TRS810	21616	3/8-16 x 10'	72.75	1	250 feet	16.24/ea
TRS812	11549	3/8-16 x 12'	42.00	1	144 feet	25.38/ea
TRS9/3	21618	1/2-13 x 3'	31.40	1	60 feet	9.06/ea
TRS9/6B	21650	1/2-13 x 6'	38.76	1	72 feet	11.87/ea
TRS910	21621	1/2-13 x 10'	65.04	1	120 feet	24.83/ea
TRS912	21694	1/2-13 x 12'	76.32	1	144 feet	37.72/ea
TRS106	21607	5/8-11 x 6'	30.00	1	48 feet	36.70/ea
TRS1010	21685	5/8-11 x 10'	67.04	1	80 feet	61.17/ea
TRS1012	21695	5/8-11 x 12'	80.56	1	96 feet	63.54/ea
TRS11-6	21580	3/4-10 x 6'	37.50	1	30 feet	54.96/ea
TRS1110	21690	3/4-10 x 10'	47.90	1	50 feet	94.99/ea
TRS1112	21691	3/4-10 x 12'	74.84	1	60 feet	60.53/ea
TRS1210	21624	7/8-9 x 10'	68.20	1	40 feet	52.73/ea
TRS1310	21634	1-8 x 10'	22.31	1	30 feet	67.85/ea
TRS1410	21635	1 1/4-7 x 10'	35.00	1	10 feet	116.21/ea
TRS1510	21636	1 1/2-6 x 10'	51.00	1	10 feet	170.18/ea
304 STAINLESS						
TRS6/3SS	90631	1/4-20 x 3'	.59	1	3 feet	6.48/ea
TRS6/6SS	10619	1/4-20 x 6'	.75	1	6 feet	18.90/ea
TRS612SS	21693	1/4-20 x 12'	3.00	1	12 feet	21.24/ea
TRS7/3SS	21664	5/16-18 x 3'	.59	1	3 feet	4.42/ea
TRS7/6SS	10618	5/16-18 x 6'	1.20	1	6 feet	31.06/ea
TRS8/6SS	10616	3/8-16 x 6'	1.80	1	6 feet	35.76/ea
TRS812SS	11550	3/8-16 x 12'	3.60	1	12 feet	61.87/ea
TRS5/6SS	90538	7/16 -14 x 6'	.75	1	6 feet	31.08/ea
TRS9/6SS	10617	1/2-13 x 6'	3.18	1	6 feet	72.51/ea
TRS912SS	21692	1/2-13 x 12'	6.36	1	12 feet	125.00/ea
TRS106SS	21677	5/8-11 x 6'	5.00	1	6 feet	43.60/ea
TRS11/6SS	90366	3/4-10 x 6'	7.50	1	6 feet	63.28/ea
TRS133SS	15573	1-8 x 3'	6.63	1	3 feet	87.72/ea
316 STAINLESS						
TRS8/6-316	21646	3/8-16 x 6'	1.75	1	6 feet	55.35/ea
TRS9/6-316	10680	1/2-13 x 6'	3.18	1	6 feet	55.35/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST. DOMESTIC ROD AVAILABLE BY REQUEST.

CONTINUED ON NEXT PAGE

CONTINUED



THREADED ROD

DOMESTIC • STEEL ZINC • 304 STAINLESS • 316 STAINLESS • GALVANIZED

Threaded rod sold only in full bundle quantities where listed.

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	TUBE QTY.	SUGGESTED TRADE LIST PRICE PER
GALVANIZED						
TRS8/6HDG	21643	3/8-16 x 6'	43.75	1	150 feet	13.97/ea
TRS810HDG	21649	3/8-16 x 10'	72.75	1	250 feet	23.85/ea
TRS9/6HDG	21651	1/2-13 x 6'	81.25	1	150 feet	24.94/ea
TRS910G	21622	1/2 -13 x 10'	63.96	1	120 feet	63.63/ea
TRS106G	21676	5/8 -11 x 6'	30.00	1	48 feet	52.50/ea
PLAIN						
TRS6/6PL	21642	1/4 -20 x 6'	.73	1	300 feet	5.76/ea
TRS910PL	21625	1/2 -13 x 10'	5.33	1	120 feet	41.63/ea
BLACK OXIDE						
TRS8-6BLK	22881	3/8 -16 x 6'	1.72	1	150 feet	176.47/ea
TRS106BLK	21687	5/8 x 6'	30.00	1	48 feet	33.06/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST. DOMESTIC ROD AVAILABLE BY REQUEST.



KNOCK-ON SPRING STEEL BEAM CLAMP

Knock-On beam clamp for flanges 1/8 -1/4 thick, such as I-beam flanges.
Made of high quality spring steel.

PART#	UPC#	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MHOK24C	81923	3.29	100	120.18/c
MHOK24M	81924	34.20	1000	1,071.84/m

G



KNOCK-ON SPRING STEEL BEAM CLAMP

Knock-On beam clamp for flanges 5/16 -1/2 thick, such as I-beam flanges.
Made of high quality spring steel.

PART#	UPC#	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MHOK58C	81929	2.00	100	129.92/c
MHOK58M	81930	20.00	1000	1,169.28/m

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

Zinc Steel





Malleable Iron

BEAM CLAMPS

STEEL ZINC • MALLEABLE IRON • STAINLESS

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC					
BC14	81525	1/4-20	1.16	10	210.10/c
BC38	81530	3/8-16	2.86	10	409.10/c
BC38C	81531	3/8-16	28.60	100	409.00/c
MALLEABLE IRON					
MBC14	81535	1/4-20	2.00	10	198.70/c
MBC38	81537	3/8-16	6.81	10	875.90/c
MBC12	81539	1/2-13	13.20	10	1,108.90/c
MBC58	81538	5/8-11	14.19	25	603.28/c
STAINLESS					
BC14SS	19686	1/4-20	1.00	10	1,018.20/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



SILVERHAWK™ TOP BEAM CLAMP

STEEL ZINC

MADE IN USA

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SHUBC38	81532	3/8	1.88	10	372.80/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



SLIP-ON LOCK NUT KIT

STEEL ZINC

PART#	UPC#	QTY.	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SLNK1	22040	25 pcs	1/4 & 3/8	1.98	1	306.98/ea kit
SLNK2	22041	50 pcs	3/8	2.00	1	306.98/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



SLIP-ON LOCK NUTS

STEEL ZINC

For Threaded Rod.

PART#	UPC#	SIZE	HEX SIZE	ACROSS CORNERS	HEIGHT	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SLN14	22030	1/4-20	.625	.715	.375	.11	5	719.80/c
SLN516	22032	5/16-18	.750	.865	.375	.17	5	817.20/c
SLN38	22034	3/8-16	.875	1.01	.490	.27	5	934.20/c
SLN38C	22120	3/8-16	.875	1.01	.490	5.37	100	793.38/c
SLN12	22036	1/2-13	1.068	1.23	.625	.48	5	1,102.20/c
SLN12C	22122	1/2-13	1.068	1.23	.625	9.99	100	1,049.58/c
SLN58	22043	5/8-11	1.31	1.52	.650	.75	5	1,635.00/c
SLN58C	22125	5/8-11	1.31	1.52	.650	14.99	100	1,641.78/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



Square



Octagonal

SWIVEL FIXTURE HANGERS

STEEL ZINC

For 4" Square and Octagonal Boxes.

PART#	UPC#	BOX	PIPE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MSC50	81541	Sq. box/pivot threaded	1/2 npt pipe	.71	1	41.39/ea
MSC75	81543	Sq. box/pivot threaded	3/4 npt pipe	.68	1	41.39/ea
MSC50R	81545	Oct. box/pivot threaded	1/2 npt pipe	.63	1	41.39/ea
MSC75R	81547	Oct. box/pivot threaded	3/4 npt pipe	.59	1	41.39/ea

PAINTED WHITE AVAILABLE BY SPECIAL QUOTE. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



SQUARE



OCTAGONAL

SWIVEL FIXTURE HANGERS

STEEL ZINC

- 20° swing from vertical
- Both load rated at 50 lbs.
- Rugged hinge construction
- **Hands-free fixture hanger**
- Single Electrician Installation
- Fits 4" square and round electrical boxes
- Fits 3/4" pipe and includes a reducing bushing for 1/2" pipe

PART#	UPC#	SHAPE	WT. EACH	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MSCU	81607	Square	.78	1	61.78/ea
MSCUR	81609	Round	.72	1	61.78/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

G



J-BOLTS

STEEL ZINC • 18-8 STAINLESS STEEL • GALVANIZED

MADE IN USA

PART#	UPC#	THREAD LENGTH	THREAD SIZE/ OVERALL LENGTH	INSIDE HOOK DIA.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC							
BTJ1	81055	1½	¼ -20 x 2⁵⁄₁₆	⁷⁄₁₆	.31	10	98.30/c
BTJ4	81061	1½	¼ -20 x 4	⁷⁄₁₆	.52	10	180.80/c
BTJ2	81057	2	⁵⁄₁₆ -18 x 3	½	.66	10	181.70/c
BTJ3	81059	2¼	³⁄₈ -16 x 3¾	⁵⁄₈	1.18	10	322.70/c
BTJ7	20322	2¼	³⁄₈ -16 x 7	⁵⁄₈	2.03	10	314.40/c
18-8 STAINLESS STEEL							
BTJ3SS	53355	2¼	³⁄₈ -16 x 3¾	⁵⁄₈	1.18	10	747.50/c
BTJ7SS	98333	2¼	³⁄₈ -16 x 7	⁵⁄₈	2.03	10	898.00/c
GALVANIZED							
BTJ6G	81656	2	½ -13 x 3 ½	½	4.95	10	2,492.00/c

HEXAGON NUTS AND WASHERS ORDERED SEPARATELY. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



J-BOLT KIT

STEEL ZINC

PART#	UPC#	QTY.	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
BTJK516	20325	25	⁵⁄₁₆ x 3	J-Bolts	2.13	1	54.96/ea kit
		25	⁵⁄₁₆ –18	Hex Lock Nuts Steel Zinc			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



HOOK AND HOOK TURNBUCKLES

MALLEABLE IRON BODY • STEEL ZINC HOOKS

MADE IN USA

PART#	UPC#	THREAD DIAMETER	OVERALL LENGTH CLOSED	OVERALL LENGTH OPEN	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
TBH14	81577	¼-20	5½	7⁵⁄₈	.18	1	13.14/ea
TBH516	81579	⁵⁄₁₆-18	6¾	9¼	.33	1	20.66/ea
TBH38	81581	³⁄₈-16	7½	10½	.52	1	29.78/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

G



EYE BOLTS WITH HEX NUTS

STEEL ZINC • 18-8 STAINLESS • PLAIN

PART#	UPC#	THREAD LENGTH	THREAD SIZE	OVERALL LENGTH	INSIDE EYE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC								
JEB6	80992	1¼	10-24	2	³⁄₈	2.17	100	33.42/c
JEB24	82245	1¾	10-24	3	³⁄₈	2.17	50	112.50/c
JEB1	80993	¾	¼-20	2	½	4.34	100	35.39/c
JEB2	80994	1¼	¼-20	2½	½	4.90	100	38.51/c
JEB3	80995	1¾	¼-20	3	½	5.36	100	43.75/c
JEB4	82220	2	¼-20	3½	½	5.86	100	48.87/c
JEB5	82225	2¾	¼-20	4	½	6.22	100	49.96/c
JEB9	82229	3	¼-20	5	½	7.45	100	98.50/c
JEB15	82236	3	¼-20	6	½	8.41	100	181.52/c
JEB32	82253	2¾	⁵⁄₁₆-18	2³⁄₈	½	8.03	100	126.67/c
JEB33	82254	¼	⁵⁄₁₆-18	3	½	2.43	25	305.68/c
EB12	22223	1½	³⁄₈-16	2	1	14.60	100	213.16/c
EB13	22224	1½	³⁄₈-16	3	1	14.80	100	245.97/c
JEB14	82235	2½	³⁄₈-16	4	1¾	8.84	50	265.70/c
JEB8	81190	3	³⁄₈-16	5	1¾	5.13	25	154.54/c
JEB11	82231	3	³⁄₈-16	6	1¾	5.85	25	790.04/c
EB17	22247	3⁷⁄₈	³⁄₈-16	8	1¾	7.50	25	216.34/c
EB16	22211	3	⁷⁄₁₆-14	8	1	3.98	20	721.00/c
EB10	22230	4	⁷⁄₁₆-14	10	1	5.20	10	873.60/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

CONTINUED ON NEXT PAGE

CONTINUED




EYE BOLTS WITH HEX NUTS

STEEL ZINC • 18-8 STAINLESS • PLAIN

PART#	UPC#	THREAD LENGTH	THREAD SIZE	OVERALL LENGTH	INSIDE EYE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC								
EB19	22219	1 5/8	1/2-13	2	1	1.74	25	708.76/c
JEB124	77824	3	1/2-13	4	1	3.57	10	610.10/c
JEB100*	82248	3	1/2-13	4	1	4.01	10	1,716.00/c
EB18	22248	4	1/2-13	12	1	3.70	20	2,811.90/c
18-8 STAINLESS								
JEB1SS	94451	3/4	1/4-20	2	1/2	4.25	100	701.52/c
JEB3SS	94453	1 3/4	1/4-20	3	1/2	5.48	100	791.42/c
JEB3XXSS	99580	1 3/4	1/4-20	3	1/2	1.10	20	791.42/c
JEB5SS	94455	2 3/4	1/4-20	4	1/2	6.22	100	497.83/c
JEB13SS	94463	2 3/8	3/8-16	3 7/8	3/4	4.01	25	858.76/c
EB14SS	22214	2	3/8-16	4	3/4	18.07	100	1,109.65/c
JEB124SS	98187	1 1/4	1/2-13	4	2 3/16	10.55	25	4,230.28/c

*PLAIN STEEL FORGED SHOULDER PATTER — OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



EYEBOLT ASSORTMENT KIT

STEEL ZINC

PART#	UPC#	DESCRIPTION	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
EBK1 (50 pcs)	22237	(5) 3/8-16 x 3" Eye Bolt w/Nut Zinc (5) 3/8-16 x 4" Eyebolt w/Nut Zinc (5) 3/8-16 x 5" Eyebolt w/Nut Zinc (5) 3/8-16 x 6" Eyebolt w/Nut Zinc (10) 1/4-20 x 2" Eyebolt w/Nut Zinc (5) 10-24 x 2" Eyebolt w/Nut Zinc (10) 2 x .135" Screw Hooks Zinc (5) 4 1/8 x .255" Screw Hooks Zinc	6.12	1	74.75/ea

G



FEMALE THREADED RING NUT

GALVANIZED

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
TRNG12	61971	1/2-13	.29	1	23.98/ea



With Lag Screw Thread

SCREW EYES

DOMESTIC • STEEL ZINC

MADE IN USA

PART#	UPC#	OVERALL LENGTH	HOLE DIAMETER	THREAD DIAMETER	THREAD LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
DOMESTIC STEEL ZINC								
JSE1	80996	1 5/16	1/2	#8	1/2	.83	100	17.56/c
JSE2	80997	1 5/16	5/8	1/4	3/4	1.58	100	39.51/c
JSE3	80998	2 3/16	11/16	9/32	7/8	4.06	100	53.17/c
JSE4	81415	2 5/8	3/4	5/16	1	6.82	100	103.71/c
JSE13	81423	8	1 1/8	9/16	2 5/8	4.71	10	4,058.90/c
SE6	22416	8	7/16	7/16	2 7/8	11.50	25	978.43/c
STEEL ZINC								
JSE5	81416	3 3/4	1/2	1/4	3/4	6.65	100	247.27/c
JSE7	81414	5 1/2	3/4	7/16	2 1/8	8.27	25	526.85/c
SE8	22418	5 1/4	1	1/2	2 1/2	13.00	50	411.48/c
SE10	22420	8	1 1/8	9/16	2 5/8	11.50	25	727.40/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

S-HOOKS

STEEL ZINC • 18-8 STAINLESS


Steel Zinc


18-8 Stainless

PART#	UPC#	LENGTH	WIRE DIAMETER	WT. PER PKG.	USE WITH	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC							
JSHK1A	81006	¾	.071	.35	JC14	100	13.61/c
JSHK0	81043	7/8	.092	.38	JC14	100	11.38/c
JSHK6	26261	1	.120	.76	JC12/JC14	100	21.94/c
SHK6B	26262	1	.120	7.17	JC12/JC14	1000	108.45/m
JSHK1	81005	1¼	.105	.74	JC12/JC14	100	14.11/c
SHK15M	73957	1¼	.105	34.23	JC12/JC14	5000	105.56/m
JSHK2	81007	1½	.135	1.39	JC10/JC12	100	34.24/c
JSHK2A	81008	1¾	.186	3.12	JC10/JC12	100	51.25/c
JSHK3	81009	2	.243	5.63	JC10	100	154.71/c
SHK120	22303	2¾	.190	5.01	JC10/JC12	100	166.17/c
JSHK4	82256	3	.312	6.16	JC10	50	191.12/c
JSHK5	82260	3½	.375	5.56	JC10	25	367.48/c
18-8 STAINLESS							
JSHK0ASS	82301	¾	.092	.38	JC14	100	129.61/c
JSHK1SS	82401	1¼	.148	1.17	JC12/JC14	100	148.93/c
JSHK2SS	82306	1½	.184	2.30	JC12/JC14	100	168.36/c
JSHK2ASS	82265	1¾	.192	3.21	JC10/JC12	100	373.44/c
JSHK3SS	82270	2	.250	6.20	JC10	100	710.18/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



S-HOOK KIT

STEEL ZINC

Assorted 95 Piece Kit

PART#	UPC#	QTY	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SHK1K (95 pcs)	22316	50 Pcs	JSHK1	1.5	1	16.82/ea kit
		25 Pcs	JSHK2			
		20 Pcs	JSHK2A			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



SCREW HOOKS

STEEL ZINC

With Lag Screw Thread

PART#	UPC#	LENGTH	WIRE DIAMETER	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JSH1	83500	2	.135	1.20	100	32.48/c
JSH2	83505	3 3/8	.192	3.92	100	62.77/c
SH3	22510	4 1/8	.244	8.00	100	105.46/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



Metallics Avanti Screw Manufacturing Facility in Bristol, CT

MADE IN USA

None of our competitors selling to the Electrical, Plumbing and HVAC Distribution trade can claim they manufacture screws.

There is no doubt: We know the American fastener market and are ahead of our competitors. Our Avanti Screw, Inc., fastener manufacturing facility in Bristol, CT, provides you an American fastener company who makes a portion of its product, sold through electrical, plumbing and HVAC distributors.



TIE WIRE

LOW TENSILE STEEL • 18-8 STAINLESS • PVC COATED

PART#	UPC#	GAUGE	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
LOW TENSILE STEEL						
MTW9	16118	9	85'	5.00	1	40.00/ea coil
MTW12	16120	12	165'	6.00	1	45.39/ea coil
MTW123M	16129	12	3000'	89.00	1	930.86/ea coil
MTW124M	16130	12	4000'	118.00	1	1,241.20/ea coil
MTW14	16127	14	290'	3.50	1	53.70/ea coil
MTW14M	16140	14	1000'	17.00	1	225.00/ea coil
MTW16	16125	16	350'	70.60	20 Coils (min. purchase)	19.33/ea coil
MTW17	22307	16/Galvanized	500'	66.00	12 Spools (min. purchase)	37.24/ea coil
MTW1725	22308	16/Galvanized	350'	71.60	20 Coils (min. purchase)	27.92/ea coil
MTW18	22313	18	350'	13.00	1	19.33/ea coil
18-8 STAINLESS						
MTW16SS1LB	22293	16	96'	1.00	1	108.77/ea coil
MTW16SSP	22292	16	1152'	2.40	1	407.33/ea coil
PVC COATED						
MTW9163	22324	16 Gauge PVC Coated Rebar			20 Coils/box	22.34/ea coil

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



PRE-TIED CEILING WIRE

SINGLE LOOP • STRAIGHT NO LOOP • PIN & CLIP • CLIP ONLY

PART#	UPC#	LENGTH	TYPE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SWL612	16174	6'	single loop	20.00	100 pcs	193.17/c
SWL1212	16177	12'	single loop	39.00	100 pcs	329.28/c
SWL1612	16179	16'	single loop	52.00	100 pcs	447.82/c
SWLS126	16182	6'	straight no loop	19.00	100 pcs	113.75/c
SWLS910	16180	10'	straight no loop	31.00	100 pcs	402.50/c
SWLS1210	16176	10'	straight no loop	31.00	100 pcs	192.50/c
SWLS912	16184	12'	straight no loop	30.00	100 pcs	641.52/c
SWLS1212	16178	12'	straight no loop	36.00	100 pcs	227.50/c
SWP612	26612	6'	pin & clip	20.00	100 pcs	206.67/c
SWP812	26714	8'	pin & clip	27.00	100 pcs	352.41/c
SWP1012	26716	10'	pin & clip	37.00	100 pcs	345.00/c
SWP1212	26717	12'	pin & clip	39.00	100 pcs	333.06/c
SWP1612	26721	16'	pin & clip	57.00	100 pcs	292.46/c
SWPC1212	26712	12'	clip only	34.00	100 pcs	328.65/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



TIE WIRE DISPENSER

MOUNTS ON TOOL BELT • METAL • PLASTIC

A Very Handy Way To Store & Dispense Tie Wire

PART#	UPC#	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWD1 (Plastic)	16101	1.07	1	71.33/ea
MWDM1 (Metal)	16120	2.00	1	124.10/ea



JACK CHAIN

STEEL GALVANIZED • 18-8 STAINLESS

PART#	UPC#	TRADE SIZE	SIZE ACROSS LINK	WORK LOAD/LIMIT	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL GALVANIZED							
JC6	21528	#6	1¼	88	28.50	100' box	231.63/ea
JC8	21511	#8	1⅛	60	20.50	100' box	209.42/ea
JC10	21515	#10	½	43	7.35	50' box	38.74/ea
JC10T	21513	#10	½	43	26.00	250' pail	193.70/ea
JC10F	21514	#10	½	43	77.00	500' pail	374.56/ea
JC10CB	21498	#10	½	43	15.00	100' box	39.20/ea
JC12	21500	#12	3/8	29	4.12	50' box	26.36/ea
JC12C	21505	#12	3/8	29	8.30	100' reel	56.91/ea
JC12CB	21507	#12	3/8	29	8.23	100' box	52.76/ea
JC12CCL	21512	#12	3/8	29	21.25	250' reel	127.20/ea
JC12M	21510	#12	3/8	29	82.30	1000' pail	518.17/ea
JC14	21518	#14	¼	16	5.50	100' box	50.81/ea
JC14M	21519	#14	¼	16	53.50	1000' reel	246.18/ea
JC16	21508	#16	5/64	11	3.00	100' box	105.35/ea
JC18CB	21535	#18	3/16	5	1.85	100' box	153.03/ea
18-8 STAINLESS							
JC10SS	21516	#10	½	43	7.66	50' box	281.40/ea
JC10CBSS	21517	#10	½	43	15.13	100' box	800.73/ea
JC12SS	21501	#12	3/8	29	4.36	50' box	342.13/ea
JC12CSS	21506	#12	3/8	29	8.72	100' box	694.84/ea
JC12MSS	21502	#12	3/8	29	89.20	1000' box	2,511.60/ea
JC16SS	21523	#16	5/64	11	3.08	100' box	359.97/ea
JC18SS	21534	#18	3/16	5	1.79	100' box	292.90/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

G



FIXTURE HANGING CHAIN

PLAIN STEEL FINISH WITH LACQUER

PART#	UPC#	LINK LENGTH	LINK WIDTH	LINK THICKNESS	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
FHC1	21410	2¼	¾	.148	44.15	(100) 3' Pieces	462.42/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



DOUBLE LOOP CHAIN

STEEL GALVANIZED • 18-8 STAINLESS

PART#	UPC#	TRADE SIZE	WIRE DIA.	WORK LOAD LIMIT	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL GALVANIZED							
DLC1	21550	#1	.105	155	11.10	100' Box	84.58/ea
DLC1S	21555	#1	.105	155	27.75	250' Spool	208.85/ea
DLC2	21556	#2	.092	115	8.00	100' Box	60.44/ea
DLC3	21560	#3	.080	90	6.80	100' Box	66.42/ea
DLC3S	21565	#3	.080	90	16.00	250' Spool	166.03/ea
DLC4	21586	#4	.072	70	5.00	100' Box	61.28/ea
DLC2/0	21557	#2/0	.135	255	42.50	250' Box	250.34/ea
18-8 STAINLESS							
SDLC1	21569	#1	.105	155	11.00	100' Box	256.75/ea
SDLC3	21570	#3	.080	90	6.34	100' Box	533.43/ea


OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



SASH CHAIN

PART#	UPC#	TRADE SIZE	SIZE ACROSS LINK	WORK LOAD/LIMIT	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL GALVANIZED							
JC35SC	21509	#35	.57	106	6.10	100'	210.11/ea
JC50SC	21526	#50	.67	225	11.05	100'	224.00/ea


OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



FIXTURE HOO KS

STEEL ZINC

For Hanging Industrial Light Fixtures



PART#	UPC#	MOUNT	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
FHK1	21400	Top/End Mount	4.50	100	58.13/c
FHK2	21405	Side Mount	4.80	100	58.13/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



TIE WIRE ACOUSTICAL TOGGLE BOLTS

STEEL ZINC

(1) Tie wire ¼ -20 toggle bolt
(1) ¼-20 nut
(1) ¼ washer
(1) ¼ toggle wing

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JTWA144	81402	¼	4	2.47	25	247.88/c
JTWA145	81404	¼	5	2.89	25	298.17/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

G



TIE WIRE WEDGE ANCHORS

STEEL ZINC WITH STAINLESS STEEL CLIP

For various overhead suspension applications

PART#	UPC#	DIAMETER	OVERALL LENGTH	MIN. DEPTH IN LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JTWA200	81408	¼	2	1 3/8	2.36	100	137.23/c
JTWA57	81409	5/16	1½	1	2.51	100	174.25/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



THREADED ROD TOGGLE

STEEL ZINC

Vertical Mount used for hanging threaded rod



SMDB2

SheetRock Toggle for ¼ Rod (Vertical Mount) **Use Nut Driver SMDB2**

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JSRT38	81390	3/8	3.0 2	25	383.92/c
SMDB2	41330	Driver for JSRT38	.10	1	29.70/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



HANGER BOLTS

STEEL ZINC • PLAIN

MADE IN USA

PART#	UPC#	DESCRIPTION	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC					
JHAB14	82747	8-32 x 1½	.63	100	54.17/c
JHAB9	81000	10-24 x 2	1.12	100	18.16/c
JHAB10	81001	¼-20 x 3	3.10	100	35.74/c
JHAB11	81002	3/8-16 x 3	7.65	100	78.06/c
JHAB13	84111	3/8-16 x 4	9.42	100	82.69/c
HAB15B	23289	3/8-16 x 4½	25.67	250	119.88/c
JHAB12	84110	3/8-16 x 6	7.31	50	309.26/c
HAB12B	23281	3/8-16 x 6	18.41	125	137.16/c
HAB17	23284	3/8-16 x 8	17.50	50	129.62/c
PLAIN					
HAB13PLB	20130	3/8-16 x 4	24.14	250	63.22/c
HAB15PLB	23283	3/8-16 x 4½	25.00	250	83.88/c
HAB12PLB	23282	3/8-16 x 6	18.00	125	110.16/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



HANGER BOLT DRIVERS

With ¼ Power Hex Shanks

Internal threads for driving hanger bolts and threaded rod

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
HABD14	23273	8-32	2 9/16	.06	1	32.33/ea
HABD9	23274	10-24	2 9/16	.06	1	60.00/ea
HABD10	23275	¼-20	2 9/16	.06	1	32.33/ea
HABD12	23280	3/8-16	2 9/16	.08	1	32.33/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.

G



ACOUSTICAL LAG SCREWS

STEEL ZINC

For use in tie wire and jack chain applications For Wood Application

PART#	UPC#	THREAD SIZE	OVERALL LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JALS14	81003	¼	3	1.19	50	50.76/c
JALS15	77915	¼	4	3.61	100	66.77/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



ACOUSTICAL DRILL SCREW

STEEL ZINC

Designed to penetrate 16-18 gauge steel stud for hanging acoustical ceilings

PART#	UPC#	THREAD SIZE	OVERALL LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JATEK1	82020	¼	2	1.05	50	119.41/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



WOOD



STEEL

ACOUSTICAL CEILING EYELET TIE WIRE

Hanging System for Wood and Steel

PART#	UPC#	EYE HOLE	DIA.	LENGTH	DRIVER	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
METAL								
JPFMMAC2231500	17378	3/16	¼	3	PFMD2201350	.48	25	184.16/c
JPFMMAC2231550	17379	3/16	¼	3¼	PFMD2201350	.25	25	226.56/c
WOOD								
JPFMWAC2251500	17355	3/16	¼	3	PFMD2201350	.42	25	89.24/c



JATEK150PP JATEK150SP JATEK175SD JATEK225SDC JATEK750SD JATEKELDX

I-LAG™ ACOUSTICAL SCREWS

For Metal

PART#	UPC#	MATERIAL	DIAMETER	LENGTH	THREAD LENGTH	POINT	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JATEK150PP	82405	Yellow Zinc	¼-14	2⅞	1¼	Punch	3.15	100	57.38/c
JATEK150SP	82404	Yellow Zinc	¼-14	2¾	1½	Sharp	3.20	100	57.38/c
ATEK175SD	82021	Yellow Zinc	¼-14	3¼	1¾	Self-Drill	31.77	1000	573.75/m
JATEK225SDC	82406	Yellow Zinc	¼-14	3¾	2¼	Self-Drill	3.25	100	78.75/c
JATEK750SD	82402	Yellow Zinc	¼-14	2	½	Self-Drill	2.00	100	56.15/c
JATEKELDX	82403	Blue Ruspert	¼-14	2¼	¾	Self-Drill	2.00	100	64.70/c



JATEKW300CSS JATEKW300 JATEKW300ZP JATEKW400ZP JATEKW500ZP JATEKW600ZP

I-LAG™ ACOUSTICAL SCREWS

For Wood

PART#	UPC#	MATERIAL	DIAMETER	LENGTH	THREAD LENGTH	POINT	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JATEKW300	82408	Steel Plain	¼-14	3	1½	Sharp	2.30	100	20.38/c
JATEKW300CSS	82407	316 SS	¼-14	3	1½	Sharp	2.50	100	123.75/c
JATEKW300ZP	82409	Steel Zinc	¼-14	3	1½	Sharp	2.30	100	24.13/c
JATEKW400ZP	82410	Steel Zinc	¼-14	4	1½	Sharp	3.20	100	32.50/c
JATEKW500ZP	82411	Steel Zinc	¼-14	5	1½	Sharp	4.00	100	39.38/c
JATEKW600ZP	82412	Steel Zinc	¼-14	6	1½	Sharp	4.80	100	111.63/c



ACOUSTICAL LAG & ACOUSTICAL DRILL SCREW DRIVER

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
ALSD	22050	7/16 x 2 3/16	.13	1	14.52/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



EYE COUPLING

STEEL ZINC

For use in tie wire or jack chain applications

PART#	UPC#	DIAMETER	OVERALL LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JECN163	72140	¼-20	1	1.63	100	64.12/c
JEC44	81004	¼-20	1½	2.29	100	96.66/c
EC44M	81401	¼-20	1½	23.10	1000	668.40/m
EC44B	90310	¼-20	1½	57.75	2500	534.71/m
JEC55	21733	3/8-16	2	6.14	100	151.13/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



WIRE ROPE CLIP WITH NUTS

MALLEABLE GALVANIZED

- For use only in light-duty applications
- Meets performance requirements of Federal Specifications FF-C-450, Type 1, Class 2

MADE IN USA

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWRC18	40096	1/8	.65	10	504.00/c
MWRC316	40118	3/16	.68	10	236.90/c
MWRC14	40119	1/4	1.22	10	277.20/c
MWRC516	40120	5/16	1.22	10	307.40/c
MWRC38	40121	3/8	1.85	10	428.40/c
MWRC716	40123	7/16	2.40	10	539.30/c
MWRC12	40125	1/2	3.33	10	645.10/c
MWRC916	40126	9/16	5.15	10	806.40/c
MWRC58	40127	5/8	5.59	10	841.70/c
MWRC34	40129	3/4	8.08	10	1,199.50/c
MWRC78	40131	7/8	14.00	10	1,688.40/c
MWRC1	40132	1	15.00	10	2,182.30/c
MWRC118	40133	1 1/8	26.30	10	3,548.20/c
MWRC138	40135	1 3/8	44.10	10	7,076.20/c
MWRC112	40137	1 1/2	48.80	10	7,933.00/c
MWRC134	40138	1 3/4	89.50	10	16,364.90/c
MWRC2	40139	2	128.50	10	22,690.10/c




RIZE KWIK-LOC™ SYSTEM

A fast and easy way to hang signs, florescent fixtures, speakers, busbars, cable trays, and piping just to name a few.

No Tools Needed and KWIK-LOCS™ are reusable!

Kwik-Loc™ with 3/32 cable will safely suspend 150 lbs vertical.

NOTE: Suspension at angles does reduce safe working load.



WEIGHT CHART

SIZE	VERTICAL	15°	30°	45°	60°
3/32	150 lbs	144 lbs	129 lbs	105 lbs	75 lbs

RIZE Kwik-Loc™ System can be purchased in kits or individually

PART#	UPC#	DIAMETER LOOP CABLE	CABLE LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
RLCK5	23055	3/32	5'	.15	1	22.39/ea
RLCK10	23060	3/32	10'	.23	1	26.25/ea
MKL100	23082	Kwik-Loc™ only for 1/16 & 3/32	-	.05	1	8.54/ea
RLC5	23065	3/32	5'	.10	1	14.06/ea
RLC10	23070	3/32	10'	.18	1	18.24/ea
RLC500	23066	3/32	550'	5.51	1	305.37/ea
KL600	51088	Kwik-Loc™ for WC8 Cable	-	.20	1	11.20/ea

LISTED
Luminaire Fitting
14HE

All Kwik-Locs have been tested to UL 1598 and are listed under File # E246601



ROLL STEEL CABLE

PART#	UPC#	DIAMETER	SIZE	CABLE LENGTH	WORKLOAD	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
RWC8	21752	1/4	7 x 19	250'	1100 lb	20.50	1	912.30/ea

HANGERMATE®+

Rod Hanging System for Concrete, Wood and Steel

Threaded Rod Anchor System



CONCRETE | WOOD | METAL | DUAL DIRECTION | PIVOT

PART#	UPC#	ROD SIZE	DIA.	LENGTH	DRIVER	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
VERTICAL CONCRETE								
JPFMCV2211100	17329	1/4-20	1/4	1 5/8	PFMD2201250	.88	25	311.32/c
JPFMCV2211200	17330	3/8-16	1/4	1 5/8	PFMD149100	1.25	25	311.32/c
JPFMCV2211250	17331	3/8-16	1/4	2 1/2	PFMD149100	1.50	25	358.84/c
EXTERNAL THREAD								
JPFMCVE1421000	17332	3/8-16	1/4	1 5/8	DWD22862	1.25	25	353.12/c
JPFMCVE1421050	17333	3/8-16	1/4	2 1/2	DWD22862	1.50	25	403.12/c
PFMA2201050	17340	Adaptor which converts hanger from 3/8 to accept 1/2.					25	437.88/c
DUAL DIRECTION CONCRETE								
JPFMCDD2271050	17335	3/8-16	5/16	2 1/4	PFMD2201300	2.53	25	308.20/c
ANGLED CONCRETE								
JPFMCP2281300	17334	3/8-16	1/4-20	2	PFMD2201250	2.00	25	456.18/c
VERTICAL WOOD								
JPFMWV2251000	17342	1/4-20	1/4	2	PFMD2201150	1.75	25	248.04/c
JPFMWV2251050	17348	3/8-16	1/4	1	PFMD2201150	1.65	25	271.48/c
JPFMWV2251100	17347	3/8-16	1/4	2	PFMD2201150	1.80	25	251.24/c
JPFMWV2251150	17346	3/8-16	5/16	2 1/2	PFMD2201150	2.28	25	354.00/c
JPFMWV2251200	17345	3/8-16	1/4	3	PFMD2201150	2.15	25	295.56/c
JPFMWV2251250	17343	3/8-16	1/4	4	PFMD2201150	2.38	25	357.16/c
JPFMWV2251300	17344	1/2-13	5/16	2 1/2	PFMD2201150	2.03	25	354.00/c
HORIZONTIAL WOOD								
JPFMWH2261000	17349	1/4-20	1/4	1	PFMD2201150	1.85	25	309.48/c
JPFMWH2261050	17350	3/8-16	1/4	1	PFMD2201150	1.58	25	303.12/c
JPFMWH2261100	17351	3/8-16	1/4	2	PFMD2201150	1.75	25	296.80/c
JPFMWH2261150	17352	3/8-16	5/16	2 1/2	PFMD2201150	1.85	25	309.56/c
JPFMWP2281100	17353	3/8-16	1/4	2	PFMD2201250	1.63	25	471.48/c
DUAL DIRECTION WOOD								
JPFMWDD2271000	17354	3/8-16	5/16	2 1/4	PFMD2201300	2.53	25	137.90/c
VERTICAL STEEL								
JPFMMV2231000	17358	1/4-20	1/4-20	1	PFMD2201200	1.84	25	260.72/c
JPFMMV2231100	17359	3/8-16	1/4-20	1	PFMD2201200	1.84	25	274.04/c
JPFMMV223110N	17360	3/8-16	1/4-20	1	PFMD2201200	1.90	25	277.16/c
JPFMMV2231150	17361	3/8-16	1/4-20	1 1/2	PFMD2201200	1.80	25	311.32/c
JPFMMV223115N	17362	3/8-16	1/4-20	1 1/2	PFMD2201200	1.92	25	333.52/c
JPFMMV2231200	17363	3/8-16	1/4-20	1 1/2	PFMD2201200	1.92	25	289.84/c
JPFMMV223120N	17364	3/8-16	1/4-20	1 1/2	PFMD2201200	1.92	25	305.68/c
JPFMMV2231250	17365	3/8-16	1/4-20	2	PFMD2201200	1.94	25	320.20/c
HORIZONTIAL STEEL								
JPFMMH2241100	17366	3/8-16	1/4-20	1	PFMD2201200	1.90	25	308.20/c
JPFMMH224110N	17367	3/8-16	1/4-20	1	PFMD2201200	1.90	25	322.48/c
JPFMMH2241150	17368	3/8-16	1/4-20	1 1/2	PFMD2201200	1.80	25	308.80/c
JPFMMH224115N	17369	3/8-16	1/4-20	1 1/2	PFMD2201200	1.92	25	341.60/c
JPFMMH2241200	17370	3/8-16	1/4-20	1 1/2	PFMD2201200	1.80	25	360.00/c
JPFMMH224120N	17371	3/8-16	1/4-20	1 1/2	PFMD2201200	1.93	25	375.80/c
DUAL DIRECTION STEEL								
JPFMD227110N	17375	3/8-16	1/4-20	1	PFMD2201300	2.23	25	345.52/c
JPFMD227120N	17376	3/8-16	1/4-20	1 1/2	PFMD2201300	2.28	25	365.24/c
JPFMD227130N	17377	3/8-16	1/4-20	1 1/2	PFMD2201300	2.28	25	365.24/c
ANGLED STEEL								
JPFMMP2281150	17372	3/8-16	1/4-20	1	PFMD2201250	1.63	25	471.20/c
JPFMMP2281200	17373	3/8-16	12-20	1 3/4	PFMD2201250	1.88	25	497.28/c
JPFMMP2281250	17374	3/8-16	1/4-14	1	PFMD2201250	1.63	25	454.84/c

HANGERMATE®+ DRIVERS

For Concrete, Wood and Steel Vertical and Horizontial Rod Hanger


Concrete Driver


Wood Socket Driver


Steel Socket Driver


Angled Driver


Dual Direction Driver


Ceiling Screw Eyelet Driver

PART#	UPC#	TYPE	HANGER/ROD SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
PFMA2201050	17340	Concrete, Steel	½" Rod (⅜" to ½") Adaptor	1.28	25	437.88/c
PFMD149100	17337	Concrete	Vertical – ⅜ Rod (Powers/Dewalt)	.39	1	28.48/ea
DWD22862	17339	Concrete	Vertical – ⅜ Rod (Powers/Dewalt)	.34	1	28.75/ea
PFMD1491100	41327	Concrete	Vertical – ⅜ Rod (Powers/Dewalt)	.31	1	25.20/ea
PFMD1491050	17336	Concrete	Vertical – ¼ Rod (Powers/Dewalt)	.31	1	29.27/ea
PFMD2201150	17356	Wood	Vertical/Horizontal – ¼ & ⅜ Rod (Powers/Dewalt)	.48	1	31.17/ea
PFMD2201200	17380	Steel	Vertical/Horizontal – ¼ & ⅜ Rod	.55	1	49.78/ea
PFMD2201250	17338	Wood, Steel, Concrete	Angled – ⅜ Rod (Powers/Dewalt)	.56	1	34.80/ea
PFMD2201300	17341	Wood, Steel, Concrete	Dual Direction – ⅜ Rod	.55	1	47.46/ea
PFMD2201350	17357	Wood, Steel	Acoustical Ceiling Eyelet Hanger Tie Wire	.50	1	49.04/ea

HORIZONTAL MOUNT THREADED ROD ANCHOR SYSTEM

Drill, Drive, Done!

STEEL ZINC

Saves time and cost from traditional hanging methods



PART#	JAR UPC#	ROD SIZE	DESCRIPTION	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WOOD						
JRWH25100	31853	¼-20	¼ x 1 Type 17 Point	2.00	25	221.76/c
JRWH37200	31855	⅜-16	¼ x 2 Type 17 Point	2.00	25	224.27/c
JRWH37212	31856	⅜-16	5/16 x 2½ Type 17 Point	2.00	25	302.40/c
METAL						
JRSH25100N	31830	¼-20	¼ x 1 #3 Drill Point with Nut	2.00	25	297.40/c
JRSH251125	31831	¼-20	12-20 x 1-1/2 #5 Drill Point	2.00	25	320.04/c
JRSH37100N	31833	⅜-16	¼ x 1 #3 Drill Point with Nut	2.00	25	249.48/c
JRSH37112N5	31834	⅜-16	12-20 x 1-1/2 #5 Drill Point with Nut	2.00	25	320.04/c
DRIVER						
RND62	31878	¼ & ⅜	Driver (For Wood and Metal Only)	.10	1	30.80/ea



SWIVEL HEAD THREADED ROD ANCHOR SYSTEM

STEEL ZINC

PART#	UPC#	DIAMETER	LENGTH	ROD SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WOOD							
JSHW3816	41400	¼-20	2	⅜-16	1.69	25	494.56/c
SMDB2	41332	⅜	–	⅜	.10	1	29.70/ea

APPLICATION — WOOD

VERTICAL MOUNT THREADED ROD ANCHOR SYSTEM

Drill, Drive, Done!



STEEL ZINC

Saves Time and Cost From Traditional Hanging Methods

PART#	JAR UPC#	ROD SIZE	DESCRIPTION	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WOOD						
JRWV25200	31859	1/4-20	1/4 x 2 Type 17 Point	2.00	25	206.68/c
JRWV37100	31861	3/8-16	1/4 x 1 Type 17 Point	2.00	25	209.16/c
JRWV37200	31862	3/8-16	1/4 x 2 Type 17 Point	2.00	25	211.68/c
JRWV37212	31863	3/8-16	5/16 x 2 1/2 Type 17 Point	2.00	25	214.20/c
METAL						
JRSV25100	31840	1/4-20	1/4 x 1 #3 Drill Point	2.00	25	264.60/c
JRSV37100N	31842	3/8-16	1/4 x 1 #3 Drill Point with Nut	2.00	25	277.24/c
JRSV37112	31843	3/8-16	1/4 x 1-1/2 #3 Drill Point	2.00	25	277.24/c
JRSV37112N	31844	3/8-16	1/4 x 1-1/2 #3 Drill Point with Nut	2.00	25	277.24/c
JRSV37112N5	31845	3/8-16	12-20 x 1-1/2 #5 Drill Point with Nut	2.00	25	292.32/c
JRSV37200	31847	3/8-16	1/4 x 2 #3 Drill Point	2.00	25	284.76/c
CONCRETE						
JTHD25112RH	31867	1/4-20	1/4 x 1-1/2 (Use 3/8 Socket)	1.00	25	289.80/c
JTHDB37158RH	31868	3/8-16	1/4 x 1-5/8 (Use 1/2 Socket)	1.72	25	171.60/c
JTHD50234RH	31873	1/2-13	1/2 x 2-3/4 (Use 11/16 Socket)	4.00	25	481.32/c
DRIVER						
RND62	31878	1/4 & 3/8	Driver (For Wood and Metal Only)	.10	1	30.80/ea

G

STEEL DECKING THREADED ROD ANCHOR SYSTEM

Drill, Drive, Done!



SMXB1

STEEL ZINC

Saves time and cost from traditional hanging methods





SMXK1



Step 1



Step 2



Step 3



Step 4



Completed Installation

Expands to provide direct Vertical attachment in:

- Metal Deck (16-22 gauge)
- Z Purlin (16-18 gauge)
- Install in seconds
- Retaining nut is not required

SWIVELS TO 89°

PART#	UPC#	MOUNT	ROD SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JSMX1	41435	Vertical	1/4-20	.44	5	1,640.60/c
JSMX125	41570	Vertical	1/4-20	2.02	25	1,640.60/c
JSMX2	41440	Vertical	3/8-16	.45	5	1,640.60/c
JSMX225	41572	Vertical	3/8-16	2.05	25	1,640.60/c
JSMXP35	41580	Vertical Swivel	3/8-16	.48	5	2,010.60/c
JSMXP3525	41625	Vertical Swivel	3/8-16	2.40	25	1,964.46/c
SMXK1	41445	*Installation tool		1.01	1	572.52/ea
SMXB1	41450	*25/64 Custom Drill Bit for Tool		.09	1	58.02/ea

Installation Kit Includes: Sleeve, bit receiver, hex wrench, and 25/64 drill bit

PLEASE CALL FOR TECHNICAL INFORMATION



VERTICAL MOUNT THREADED ROD ANCHOR SYSTEM

304 STAINLESS STEEL

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WOOD - 304 STAINLESS STEEL						
JSMW3816SS	41513	3/8-16	1/4 x 2	1.46	25	200.50/ea. pkg
DRIVER						
SMDB2	41332	3/8	–	.10	1	29.70/ea



WH WHWS NPWH SSCWH


BRIDLE RINGS WITH SADDLE

STEEL ZINC

Saddle bridle rings are an inexpensive alternative to cable trays and J hooks. They provide support to even sensitive voice and data cables without causing stress.

PART#	UPC#	LOOP SIZE	DIAMETER SCREW MOUNT	MACHINE SCREW THREAD	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MBR150NPWH	81719	1½	.26	–	1.80	10	933.90/c
MBR150SSCWH	81721	1½	–	–	2.00	10	938.70/c
MBR150WH	81714	1½	–	1/4-20 x 1	1.80	10	749.70/c
MBR150WHWS	81717	1½	–	16 x 1	1.80	10	749.70/c
MBR200NPWH	81720	2	.26	–	1.80	10	1,379.70/c
MBR200SSCWH	81722	2	–	–	2.00	10	1,379.70/c
MBR200WH	81715	2	–	1/4-20 x 1	1.80	10	812.70/c
MBR200WHWS	81718	2	–	16 x 1	1.80	10	812.70/c
MBR400WH	81716	4	–	1/4-20 x 1	1.80	10	1,568.70/c

G



MBR125 MBR150WS

BRIDLE RINGS

STEEL ZINC

PART#	UPC#	LOOP SIZE	THREAD SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MACHINE SCREW THREAD						
MBR125	81557	1¼	1/4 -20	.72	10	242.60/c
MBR125B	81564	1¼	1/4 -20	1.75	25	174.68/c
MBR150	81559	1½	1/4 -20	.81	10	242.60/c
MBR200	81561	2	1/4 -20	.97	10	242.60/c
WOOD SCREW THREAD						
MBR100WS	81560	1	.230	.58	10	121.10/c
MBR150WS	81563	1½	.230	.79	10	351.70/c
MBR200WS	81565	2	.230	.98	10	351.70/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST