

QUADRIVE CONCRETE SCREW ANCHORS

"STOP THE SNAPPING"
It's a Screw and an Anchor

Large fillet under head to fit 3⁄16" and 1⁄4" holes provides greater driving strength

Fluted, interrupted threads aid tapping into masonry products

Hilo threads for faster application

Silver color to match conduit, strap and concrete

A coating is applied after heat-treating to provide anti-corrosion protection. The coating is a RoHs compliant mechanical zinc coating that offers **2000** hours to 15% red rust corrosion in salt spray testing performed to ASTMB117 specifications.

Metallics offers our Distributor/Contractor users an alternative to the blue color of standard concrete screws. Silver color is cosmetically appealing when used with zinc plated or stainless steel brackets, electrical fixtures or conduit.

We will be glad to send a sample bag of 10 pieces to our Distributors for their customer trials.
Please specify size!

Also available in Flat Head.

The QuaDrive

Square Drive + Hex + Slotted + Phillips = QuaDrive

America's Newest Drive – Designed, Developed and Manufactured Only By Metallics/Avanti Screw

MADE IN USA

Made by
Avanti Screw, Inc.,
A Metallics Affiliate

Metallics

An AMERICAN Source For Premier and Innovative Fasteners and Anchors

Hex Phillips Slotted Square Drive

Four drives in one head



QUADRIVE CONCRETE SCREW ANCHOR KITS

STEEL MECHANICAL ZINC /CORROSION RESISTANT

MADE IN USA

Manufactured by Avanti Screw, Inc., A Metallics Affiliate

PART#	UPC#	SIZE/ITEM	QTY.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
QCSHK1 (112 pcs) 3/16" Kit	39200	3/16 X 1¼ – 4 Drives	50	1.33	1/25	60.99/ea kit
		3/16 X 1¾ – 4 Drives	35			
		3/16 X 2¼ – 4 Drives	25			
		5/32 X 3½ Masonry Drill	1			
		¼ Drill Chuck	1			
QCSHK2 (112 pcs) ¼" Kit	39204	¼ X 1¼ – 4 Drives	50	2.11	1/25	77.24/ea kit
		¼ X 1¾ – 4 Drives	35			
		¼ X 2¼ – 4 Drives	25			
		3/16 X 3½ Masonry Drill	1			
		5/16 Drill Chuck	1			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



The Gold Standard of Concrete Screws

Metallics/Avanti Screw is Manufacturing

QUADRIVE CONCRETE SCREW ANCHOR

STEEL MECHANICAL ZINC/ CORROSION RESISTANT

FOUR DRIVES IN ONE HEAD

Hex, Slotted, Phillips & Square Drives

One Masonry Drill Packaged with Every Jar.



Cuts threads in structural concrete, hollow block, brick and mortar. A unique double lead and cutting thread speeds installation.

Made by Avanti Screw, Inc., A Metallics Affiliate

MADE IN USA

PART#	UPC#	DIAMETER	LENGTH	DRILL STOCK NO.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
1/4" HEAD							
QCSH1	39145	3/16	1¼	CD1	.79	100/500	40.56/c
QCSH2	39146	3/16	1¾	CD1	1.12	100/500	40.83/c
QCSH3	39147	3/16	2¼	CD2	1.39	100	58.36/c
5/16" HEAD							
QCSH10	39148	¼	1¼	CD5	1.43	100/500	49.14/c
QCSH20	39149	¼	1¾	CD5	1.86	100/500	54.60/c
QCSH30	39150	¼	2¼	CD6	2.29	100	61.86/c
QCSH40	39151	¼	2¾	CD6	2.77	100	73.60/c

ONE MASONRY DRILL AND INSERT BIT PACKAGED WITH EVERY JAR.

1000 BULK PACK IN CARTON – CONCRETE SCREWS ONLY

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
QCSH1B	39152	3/16	1¼	8.30	1000	344.85/m
QCSH2B	39153	3/16	1¾	15.10	1000	346.60/m
QCSH3B	39154	3/16	2¼	18.00	1000	495.83/m
QCSH10B	39155	¼	1¼	10.35	1000	417.11/m
QCSH20B	39156	¼	1¾	17.80	1000	464.10/m
QCSH30B	39157	¼	2¼	22.47	1000	525.18/m
QCSH40B	39158	¼	2¾	34.50	1000	625.00/m

MASONRY DRILLS NOT INCLUDED IN 1000 PACK.

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



FLAT HEAD SQUARE DRIVE CONCRETE ANCHOR SCREW

STEEL MECHANICAL ZINC /CORROSION RESISTANT

MADE IN USA

Manufactured by
Avanti Screw, Inc.,
A Metallics Affiliate

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
FSCS1	39651	3/16	1¼	.65	100/500	57.29/c
FSCS2	39652	3/16	1¾	.85	100/500	60.03/c
FSCS3	39653	3/16	2¼	2.25	100	61.78/c
FSCS10	39660	¼	1¼	1.30	100/500	62.58/c
FSCS20	39665	¼	1¾	1.70	100	65.16/c
FSCS30	39670	¼	2¼	2.35	100	69.93/c
FSCS40	39675	¼	2¾	2.80	100	76.21/c



QUADRIVE CONCRETE SCREW ANCHOR DISPLAY

MADE IN USA

Manufactured by
Avanti Screw, Inc.,
A Metallics Affiliate

CDQCSH10 Contains:

- 27 jars of the most common size Concrete Screw ¼ x 1¼" QuaDrive.
- 100 pieces per jar.
- Free counter display and free shipping.





QUADRIVE SOCKET DRIVER

QUADRIVE SOCKET DRIVERS - FOR QUADRIVE CONCRETE SCREWS

PART#	UPC#	HEAD SIZE	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
1591910	39091	¼	2⅝	.26	1	18.34/ea
1513910	39092	5/16	2⅝	.53	1	19.62/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST. SAFETY GLASSES SHOULD BE WORN FOR ANY DRIVING APPLICATIONS.



MASONRY DRILL BITS FOR CONCRETE SCREWS

Can be used with our QuaDrive and Blue Concrete Screws

PART#	UPC#	DIAMETER	LENGTH	SCREW DIA.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
CD1	31250	5/32	3½	3/16	.02	1	5.36/ea
CD2	31255	5/32	4½	3/16	.02	1	6.32/ea
CD3	31260	5/32	5½	3/16	.02	1	7.19/ea
CD5	31265	3/16	3½	¼	.02	1	5.47/ea
CD6	31270	3/16	4½	¼	.02	1	6.47/ea
CD7	31275	3/16	5½	¼	.03	1	9.18/ea
CD8	31280	3/16	6½	¼	.05	1	11.79/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Hex

Slotted

HEX INDENTED SLOTTED WASHER HEAD BLUE CONCRETE SCREW ANCHOR KITS

STEEL MECHANICAL ZINC /CORROSION RESISTANT

PART#	UPC#	SIZE/ITEM	WT. PER PKG.	QTY.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
CSH316RF (112 pcs)	87370	3/16 x 1 1/4	1.29	50	1/25	51.66/ea kit
		3/16 x 1 3/4		35		
		3/16 x 2 1/4		25		
		3 1/2 x 5/32 masonry drill		1		
		MT208 1/4 chuck		1		
CSH14RF (112 pcs)	87365	1/4 x 1 1/4	2.00	50	1/25	57.24/ea kit
		1/4 x 1 3/4		35		
		1/4 x 2 1/4		25		
		3 1/2 x 3/16 masonry drill		1		
		MT210 5/16 chuck		1		

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

MADE IN USA



Hex

Slotted

BLUE CONCRETE SCREW ANCHOR

It's A Tapping Screw Anchoring System

DOMESTIC STAINLESS STEEL • STEEL MECHANICAL ZINC /CORROSION RESISTANT

One Masonry Drill Packaged with Every Jar.



INDENTED HEX SLOTTED WASHER HEAD



Cuts threads in structural concrete, hollow block, brick and mortar. A unique double lead and cutting thread speeds installation.

PART#	UPC#	DIAMETER	LENGTH	DRILL STOCK NO.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
1/4" HEX DRIVER							
CSH1F	87101	3/16	1 1/4	CD1	.80	100/500	25.52/c
CSH2F	87102	3/16	1 3/4	CD1	1.03	100/500	25.82/c
CSH3F	87103	3/16	2 1/4	CD2	1.32	100	31.76/c
CSH4F	87104	3/16	2 3/4	CD2	1.62	100	34.34/c
CSH5F	87105	3/16	3 1/4	CD3	1.88	100	37.22/c
CSH6F	87106	3/16	4	CD3	2.35	100	40.76/c
DOMESTIC 5/16" HEX DRIVER							
CSH10D	87111	1/4	1 1/4	CD5	1.28	100	61.63/c
5/16" HEX DRIVER							
CSH10F	87110	1/4	1 1/4	CD5	1.28	100/500	28.08/c
CSH10FM	77510	1/4	1 1/4	CD5	12.15	1000	314.19/m
CSH20F25	87122	1/4	1 3/4	CD5	.45	25	39.52/c
CSH20F	87120	1/4	1 3/4	CD5	1.71	100	31.42/c
CSH20FM	87121	1/4	1 3/4	CD5	16.23	1000	276.97/m
CSH30F	87130	1/4	2 1/4	CD6	2.14	100	34.02/c
CSH30FM	87131	1/4	2 1/4	CD6	20.23	1000	299.26/m
CSH40F	87140	1/4	2 3/4	CD6	2.57	100	38.50/c
CSH50F	87150	1/4	3 1/4	CD7	3.11	100	47.47/c
CSH50FM	87303	1/4	3 1/4	CD7	31.15	1000	354.25/m
CSH60F	87160	1/4	4	CD7	3.62	100	84.89/c
CSH70F	87170	1/4	5	CD7	4.46	100	123.60/c
CSH80F	87180	1/4	6	CD8	6.48	100	261.26/c
410 STAINLESS – 5/16" HEX DRIVER							
CSH1SS	90259	3/16	1 1/4	CD1	.79	100/500	155.25/c
CSH10SS	90260	1/4	1 1/4	CD5	1.38	100/500	156.49/c
CSH20SS	90270	1/4	1 3/4	CD5	1.67	100	276.50/c
CSH30SS	87100	1/4	1 3/4	CD5	1.02	100	299.00/c
CSH80SS	90265	1/4	6	CD8	6.48	100	895.84/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



FLAT HEAD PHILLIPS BLUE CONCRETE SCREW ANCHOR

STEEL MECHANICAL ZINC /CORROSION RESISTANT • STAINLESS STEEL

One Masonry Drill Packaged with every jar.

PART#	UPC#	DIAMETER	LENGTH	DRILL STOCK NO.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
#2 PHILLIPS BIT							
CSF1F	87201	3/16	1¼	CD1	.78	100/500	23.11/c
CSF2F	87202	3/16	1¾	CD1	1.05	100/500	25.84/c
CSF3F	87203	3/16	2¼	CD2	1.35	100	28.39/c
CSF4F	87204	3/16	2¾	CD2	1.52	100	31.76/c
CSF5F	87205	3/16	3¼	CD3	1.80	100	35.14/c
CSF6F	87206	3/16	4	CD3	2.02	100	39.62/c
#3 PHILLIPS BIT							
CSF10F	87210	¼	1¼	CD5	1.25	100/500	27.93/c
CSF20F	87220	¼	1¾	CD5	1.75	100/500	30.15/c
CSF30F	87230	¼	2¼	CD6	2.11	100	40.43/c
CSF40F	87240	¼	2¾	CD6	2.15	100	45.15/c
CSF50F	87250	¼	3¼	CD7	2.88	100	56.79/c
CSF60F	87260	¼	4	CD7	3.70	100	123.98/c
CSF70F	87270	¼	5	CD7	4.50	100	167.55/c
410 STAINLESS – #2 PHILLIPS BIT							
CSF2SS	96602	3/16	1¾	CD1	1.05	100/500	145.70/c
CSF4SS	96604	3/16	2¾	CD2	1.50	100	192.99/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



CONCRETE SCREW INSTALLATION KIT

8 PIECE KIT

KIT INCLUDES:

1 - Drill Driver
1 - Drill Adapter
2 - Hex Drivers
1 - Phillips Bit Holder
2 - Phillips Bits
1 - Allen Hex Key

PART#	UPC#	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
IT1000	31200	-	Installation Tool (complete kit)	.95	1	67.65/ea kit
REPLACEMENT COMPONENTS FOR KIT — SOLD SEPARATELY —						
MHD14	31205	¼	Magnetic Hex Driver	.04	1	38.33/ea
MHD56	31210	5/16	Magnetic Hex Driver	.05	1	38.33/ea
PBH	31215	#2 & #3	Phillips Bit Holder	.01	1	47.21/ea
ITSLEVE	31203	-	Drill/Driver Adapter	.28	1	55.15/ea
PB2	31220	#2	Phillips Bit	.01	1	1.92/ea
PB3	31225	#3	Phillips Bit	.01	1	3.07/ea
HK1	31230	1/8	Allen Hex Key	.01	1	1.66/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

DOES NOT INCLUDE DRILL BIT



HEX HEAD CONCRETE SCREW ANCHOR

CARBON STEEL TAPPER® SILVER COATING

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
CARBON STEEL						
M2202SD	11512	5/16	2¼	3.66	100	74.66/c
M2220SD	11514	5/16	5	2.32	100	180.38/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HEX LARGE DIAMETER CONCRETE SCREW ANCHORS

STEEL ZINC • 410 STAINLESS • 304 STAINLESS

PART#	UPC#	ANCHOR DIAMETER	SOCKET SIZE	DRILL BIT DIAMETER	MIN. DEPTH	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC									
LCS14178	14462	1/4	3/8	1/4	1 3/4	1 7/8	3.60	100	159.50/c
LCS14234	14463	1/4	3/8	1/4	1 3/4	2 3/4	4.60	100	183.15/c
LCS14300	14465	1/4	3/8	1/4	1 3/4	3	2.80	50	188.10/c
LCS14350	14466	1/4	3/8	1/4	1 3/4	3 1/2	3.20	50	199.66/c
LCS1440	14467	1/4	3/8	1/4	1 3/4	4	3.60	50	210.66/c
LCS3816	14470	3/8	9/16	3/8	2 1/2	1 3/4	4.14	50	167.95/c
LCS3824	14471	3/8	9/16	3/8	2 1/2	2 1/2	4.20	50	233.80/c
LCS3830	14472	3/8	9/16	3/8	2 1/2	3	4.83	50	257.24/c
LCS3840	14473	3/8	9/16	3/8	2 1/2	4	7.83	50	275.98/c
LCS3850	14474	3/8	9/16	3/8	2 1/2	5	9.34	40	325.08/c
LCS3860	14475	3/8	9/16	3/8	2 1/2	6	7.11	30	194.03/c
LCS1230	14480	1/2	3/4	1/2	3 1/4	3	5.95	25	411.76/c
LCS1240	14481	1/2	3/4	1/2	3 1/4	4	7.50	25	449.04/c
LCS1250	14482	1/2	3/4	1/2	3 1/4	5	8.91	25	486.48/c
LCS1260	14483	1/2	3/4	1/2	3 1/4	6	8.29	20	693.10/c
LCS1265	14484	1/2	3/4	1/2	3 1/4	6 1/2	9.44	20	704.00/c
LCS1280	14485	1/2	3/4	1/2	3 1/4	8	5.68	10	1,061.50/c
LCS1212	14469	1/2	3/4	1/2	3 1/4	12	4.16	5	2,920.60/c
LCS1213	14477	1/2	3/4	1/2	3 1/4	13	4.49	5	2,964.60/c
LCS1214	14478	1/2	3/4	1/2	3 1/4	14	4.82	5	2,981.00/c
LCS1215	14479	1/2	3/4	1/2	3 1/4	15	5.15	5	3,052.60/c
LCS5840	14812	5/8	15/16	5/8	4	4	5.20	10	327.80/c
LCS5850	14813	5/8	15/16	5/8	4	5	6.19	10	358.60/c
LCS5860	14814	5/8	15/16	5/8	4	6	7.11	10	391.60/c
LCS5865	14815	5/8	15/16	5/8	4	6 1/2	7.71	10	334.40/c
LCS5880	14816	5/8	15/16	5/8	4	8	9.14	10	715.00/c
LCS5810	14817	5/8	15/16	5/8	4	10	4.85	5	741.40/c
LCS3440	14823	3/4	1 1/8	3/4	5 1/2	4	3.91	5	1,204.60/c
LCS3450	14824	3/4	1 1/8	3/4	5 1/2	5	4.60	5	1,347.60/c
LCS346	14476	3/4	1 1/8	3/4	5 1/2	6	12.0	10	1,562.50/c
LCS3470	14825	3/4	1 1/8	3/4	5 1/2	7	5.98	5	1,831.60/c
LCS3485	14826	3/4	1 1/8	3/4	5 1/2	8 1/2	6.95	5	2,326.60/c
LCS3410	14827	3/4	1 1/8	3/4	5 1/2	10	7.25	5	3,289.00/c
410 STAINLESS									
LCS3816SS	14468	3/8	9/16	3/8	2 1/2	1 3/4	3.70	50	471.00/c
LCS1240SS	92936	1/2	3/4	1/2	3 1/4	4	5.98	25	1,035.02/c
304 STAINLESS									
LCS3816SS	14468	3/8	9/16	3/8	2 1/2	1 3/4	3.70	50	471.00/c
LCS3830SS	15511	3/8	9/16	3/8	2 1/2	3	6.50	50	437.80/c
LCS3840SS	15512	3/8	9/16	3/8	2 1/2	4	8.50	50	479.60/c
LCS3850SS	15513	3/8	9/16	3/8	2 1/2	5	10.00	50	525.80/c
LCS3860SS	15514	3/8	9/16	3/8	2 1/2	6	12.00	50	567.60/c
LCS1230SS	14495	1/2	3/4	1/2	3 1/4	3	5.05	25	1,529.00/c
LCS1240SS	92936	1/2	3/4	1/2	3 1/4	4	5.98	25	1,035.04/c
LCS1250SS	15515	1/2	3/4	1/2	3 1/4	5	9.50	25	1,969.00/c
LCS1260SS	15516	1/2	3/4	1/2	3 1/4	6	8.80	20	2,183.50/c
LCS1265SS	15517	1/2	3/4	1/2	3 1/4	6 1/2	9.40	20	2,409.00/c
LCS1280SS	15518	1/2	3/4	1/2	3 1/4	8	5.70	10	2,728.00/c
LCS5840SS	15524	5/8	15/16	5/8	4	4	5.20	10	915.20/c
LCS5850SS	15525	5/8	15/16	5/8	4	5	6.20	10	1,047.20/c

CONTINUED ON NEXT PAGE

CONTINUED



HEX LARGE DIAMETER CONCRETE SCREW ANCHORS

STEEL ZINC • 410 STAINLESS • 304 STAINLESS

PART#	UPC#	ANCHOR DIAMETER	SOCKET SIZE	DRILL BIT DIAMETER	MIN. DEPTH	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
304 STAINLESS									
LCS5860SS	15526	5/8	15/16	5/8	4	6	7.10	10	1,179.20/c
LCS5865SS	15527	5/8	15/16	5/8	4	6 1/2	7.70	10	1,311.20/c
LCS5880SS	15528	5/8	15/16	5/8	4	8	9.10	10	1,485.00/c
LCS3440SS	15519	3/4	1 1/8	3/4	3 1/2	4	7.80	10	3,498.00/c
LCS3450SS	15520	3/4	1 1/8	3/4	3 1/2	5	9.20	10	3,932.50/c
LCS3460SS	15521	3/4	1 1/8	3/4	3 1/2	6	12.00	10	4,367.00/c
LCS3470SS	15522	3/4	1 1/8	3/4	3 1/2	7	12.00	10	4,807.00/c
LCS3485SS	15523	3/4	1 1/8	3/4	3 1/2	8 1/2	13.90	10	5,241.50/c

E



HEX LARGE DIAMETER CONCRETE SCREW ANCHORS

STEEL MECHANICALLY GALVANIZED

High strength screw anchor for concrete and masonry. Designed for optimum performance in both cracked concrete and uncracked concrete under both static and seismic conditions.

City of Los Angeles #RR25741 #RR25560 (CMU) Florida FL11506.7 Factory Mutual 3017082

PART#	UPC#	ANCHOR DIAMETER	SOCKET SIZE	DRILL BIT DIAMETER	MIN. DEPTH	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
LCSX3830	14490	3/8	9/16	3/8	2 1/2	3	6.05	50	136.40/c
LCSX3850	14492	3/8	9/16	3/8	2 1/2	3 1/2	7.61	40	597.09/c
LCSX3860	14493	3/8	9/16	3/8	2 1/2	6	9.48	40	316.80/c
LCSX1230	14496	1/2	3/4	1/2	3 1/4	3	5.97	25	307.00/c
LCSX1240	14497	1/2	3/4	1/2	3 1/4	4	6.38	25	922.42/c
LCSX1250	14498	1/2	3/4	1/2	3 1/4	5	9.00	25	933.74/c
LCSX1260	14499	1/2	3/4	1/2	3 1/4	6	11.03	25	444.40/c
LCSX1265	14501	1/2	3/4	1/2	3 1/4	6 1/2	11.80	25	534.60/c
LCSX1280	14504	1/2	3/4	1/2	3 1/4	8	11.36	20	879.75/c
LCSX5850	14506	5/8	15/16	5/8	4	5	6.19	10	646.80/c
LCSX5860	14507	5/8	15/16	5/8	4	6	7.11	10	671.00/c
LCSX5865	14508	5/8	15/16	5/8	4	6 1/2	7.71	10	972.40/c
LCSX5880	14509	5/8	15/16	5/8	4	8	9.14	10	1,108.80/c
LCSX3460	14512	3/4	1 1/8	3/4	5 1/2	6	10.56	10	1,029.60/c
LCSX3485	14513	3/4	1 1/8	3/4	5 1/2	8 1/2	12.80	10	1,256.20/c
LCSX3410	14514	3/4	1 1/8	3/4	5 1/2	10	14.50	10	1,676.40/c

Metallics An AMERICAN Source For Premier and Innovative Fasteners and Anchors

We believe Metallics has the largest ratio of American made to foreign produced product of any other American fastener company.

ULTIMATE ANCHOR KITS

Choose the right kit that's right for you! The right anchors for any job. Same price regardless of the kit you choose.

1 Kit For Any Job!

PART#	UPC#	QTY.	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
UAK1 (362 pcs)	33241	40	¼	Plastic Red Anchors	3.23	1	57.21/ea kit
		40	#10 x 1	Pan Head Tapping Screws CD			
		1	¼ x 4	Masonary Drill Bit			
		30	#6-8	Plastic Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		30	#8	Zinc Alloy Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		40	¼	Plastic Blue Anchors			
		40	#10 x 1	Pan Head Tapping Screws			
		40	¼ x 1¼	Blue Concrete Screw Anchors - Hex			
		1	5/32 x 3½	Drill Bit			
		20	3/16	Spring Wing Toggle			
		20	10-24 x 3	Mushroom Head Screws			
UAK2 (362 pcs)	33242	40	¼	Plastic Red Anchors	3.21	1	57.21/ea kit
		40	#10 x 1	Pan Head Tapping Screws CD			
		1	¼ x 4	Masonary Drill Bit			
		30	#6-8	Plastic Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		30	#8	Zinc Alloy Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		40	¼	Plastic Yellow Anchors			
		40	#10 x 1	Pan Head Tapping Screws			
		40	¼ x 1¼	Blue Concrete Screw Anchors - Hex			
		1	5/32 x 3½	Drill Bit			
		20	3/16	Spring Wing Toggle Heads			
		20	10-24 x 3	Mushroom Head Screws CD			
UAK3 (362 pcs)	33243	40	¼	Plastic Red Anchors	3.23	1	57.21/ea kit
		40	#10 x 1	Pan Head Tapping Screws CD			
		1	¼ x 4	Masonary Drill Bit			
		30	#6-8	Plastic Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		30	#8	Zinc Alloy Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		40	¼	Plastic Yellow Anchors			
		40	#10 x 1	Pan Head Tapping Screws CD			
		40	¼ x 1¼	Quadrine Concrete Silver Screw Anchors			
		1	5/32 x 3½	Drill Bit			
		20	3/16	Spring Wing Toggle			
		20	10-24 x 3	Mushroom Head Screws			
UAK4 (352 pcs)	33244	40	¼	Plastic Red Anchors	3.18	1	57.21/ea kit
		40	#10 x 1	Pan Head Tapping Screws CD			
		1	¼ x 4	Masonary Drill Bit			
		30	#6-8	Plastic Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		30	#8	Zinc Alloy Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		40	¼	Plastic Yellow Anchors			
		40	#10 x 1	Panhead Tapping Screws CD			
		40	¼ x 1¼	Blue Concrete Screw Anchors - Hex			
		1	5/32 x 3½	Drill Bit			
		30	¼ x 1	Metal Hammer Drive Nail in Anchors			

OTHER SIZES, MATERIALS AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

CONTINUED

ULTIMATE ANCHOR KITS

Choose the right kit that's right for you! The right anchors for any job. Same price regardless of the kit you choose.

1 Kit For Any Job!

PART#	UPC#	QTY.	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
UAK5 (352 pcs)	33245	40	¼	Plastic Red Anchors	3.23	1	57.21/ea kit
		40	#10 x 1	Pan Head Tapping Screws CD			
		1	¼ x 4	Masonary Drill Bit			
		30	#6-8	Plastic Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		30	#8	Zinc Alloy Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		40	¼	Plastic Yellow Anchors			
		40	#10 x 1	Pan Head Tapping Screws CD			
		20	10-24 x 3	Truss Head Machine Screws CD			
		20	3/16	Spring Wing Toggle			
		25	¼ x 2	Metal Hammer Drive Nail in Anchors			
UAK6 (315 pcs)	33246	40	¼	Plastic Red Anchors	3.68	1	57.21/ea kit
		40	#10 x 1	Pan Head Tapping Screws CD			
		1	¼ x 4	Masonary Drill Bit			
		30	#6-8	Plastic Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		40	¼	Plastic Blue Anchors			
		40	#10 x 1	Pan Head Tapping Screws CD			
		30	#6-8	Zinc Alloy Self-Drilling Wall Anchors			
		30	#8 x 1¼	Pan Head Tapping Screws CD			
		1	¼ x 4	Masonary Drill Bit			
		1	3/16 x 3½	Masonary Drill Bit			
		16	¼ x 4	Truss Head Machine Screws			
		16	¼-20	Spring Wing Toggle			

OTHER SIZES, MATERIALS AND QUANTITIES AVAILABLE BY REQUEST







EXTREME WALL ANCHOR KIT

The Last Anchor Kit You Will Ever Need!

Kit Contains: **See Page**

- **ZSA1** (40 pcs) Zinc Wall Anchor #8 Screw 194
- **ZSAL2** (50 pcs) Zinc Wall Anchor #6 Screw 194
- **MWCA** (25 pcs) WallClaw Anchor #8 Screw 181
- **PSA1** (25 pcs) Nylon Wall Anchor #8 Screw..... 195
- **PSA2** (50 pcs) Nylon Wall Anchor #6 Screw..... 195
- **EZT1** (20 pcs) Drill Type Toggle Anchors #10 Screw 196
- Includes (1) #2 Phillips Drive Bit

PART#	UPC#	WT. PER PKG	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
EWAK1	32990	2.97	1	95.00/ea kit

HEAVY DUTY ULTIMATE ANCHOR KITS

UAKHD1



Drop-In Anchor



Double Expansion Anchor

UAKHD2



Machine Screw Anchor



Wedge Anchor

UAKHD3



Lag Screw Short & Long Anchor



Double Expansion Anchor

UAKHD4



Drop-In Anchor



Sleeve Type Anchor

PART#	UPC#	QTY.	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
UAKHD1 (90 pcs)	33281	20	1/4-20	Drop-In Anchors	5.26	1	54.63/ea kit
		15	3/8-16	Drop-In Anchors			
		10	1/2-13	Drop-In Anchors			
		20	1/4-20	Double Expansion Anchors			
		15	5/16-18	Double Expansion Anchors			
		10	3/8-16	Double Expansion Anchors			
UAKHD2 (90 pcs)	33282	20	1/4-20	Machine Screw Anchors	5.26	1	57.62/ea kit
		15	5/16-18	Machine Screw Anchors			
		10	3/8-16	Machine Screw Anchors			
		20	1/4 x 1 1/4	Wedge Anchors			
		15	1/4 x 2 1/4	Wedge Anchors			
		10	3/8 x 2 1/4	Wedge Anchors			
UAKHD3 (71 pcs)	33283	10	1/4	Lag Screw Short & Long Anchors	4.52	1	71.24/ea kit
		10	5/16	Lag Screw Short & Long Anchors			
		6	3/8	Lag Screw Short & Long Anchors			
		20	1/4	Double Expansion Anchors			
		15	5/16	Double Expansion Anchors			
		10	3/8	Double Expansion Anchors			
UAKHD4 (90 pcs)	33284	20	1/4-20	Steel Drop-In Anchors	4.71	1	36.00/ea kit
		15	3/8-16	Steel Drop-In Anchors			
		10	1/2-13	Steel Drop-In Anchors			
		20	1/4 x 1 3/8	Sleeve Type Anchors			
		15	5/16 x 1 1/2	Sleeve Type Anchors			
		10	3/8 x 1 7/8	Sleeve Type Anchors			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

1 Kit For Any Job!

E

MANUFACTURING CAPABILITIES

Diameter range #2 thru 5/16" / 1.5mm thru 8mm • Length range 1/8" thru 3" / 3.5mm thru 75mm
Materials: Steel, Brass, Stainless, Aluminum, Bronze.

NEED BULK SCREWS...

Let Us Make Them For You!

AVANTI

A METALLICS AFFILIATE

P.O. Box 1600 • 231 Cross Street
Bristol, CT 06011-1600
Tel: 800-984-8945 • Fax: 800-984-8946

CAPABILITIES LIST

MADE IN USA

PLANT SIZE:	100,000 SQUARE FEET
LOCATION:	Bristol, Connecticut
EQUIPMENT:	27 Hi-Speed Cold Headers 8 Burr-Free Screw Slotters 3 Shank Slotters 2 Pointers 14 High Speed Thread Rollers
ADDITIONAL PLANT INFO:	Modern shipping facility utilizing digital scale counting machines. In-house packaging facilities - boxing, sorting, baggings. All material boxed, palletized & labeled with your needs in mind for domestic or export shipping.
SECONDARY WORK:	All plating & heat treating is done on the outside and certified for your guarantee.
INFORMATION SYSTEMS:	Our facility has new and upgraded Technology to meet your customers specific requirements.

WALL DOG™ ANCHORS

Universal Light Duty Anchors

All steel, one-piece screw anchors, features high-profile threads for easy fastening into wallboard and other masonry base materials

- Installs in a variety of base materials
- Installs directly through fixtures into wallboard – no second step is required
- When removed the Wall Dog leaves a much smaller hole than toggles or other systems
- Thread design prevents spinning and stripping
- Heat treated point penetrates metal and wood studs
- Two finished heads, oval and pan
- Two colors, chrome & white head
- No pilot hole required for wallboard
- Can be easily backed out of hole
- No hole spotting required





Four Heads in One!

Hex · Phillips · Slotted · Square Drive

COMBO HEX WASHER HEAD LIGHT DUTY WALL DOG™ ANCHORS

STEEL ZINC

PART#	UPC#	ANCHOR LENGTH	DRILL BIT SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWDH114J	28014	1¼	3/16	.91	100/500	26.15/ea
MWDH114K	28015	1¼	3/16	.91	100	26.15/ea
MWDH1141M	28016	1¼	3/16	9.10	1000	248.63/m



Phillips

WAFER PHILLIPS HEAD LIGHT DUTY WALL DOG™ ANCHORS

STEEL ZINC

PART#	UPC#	ANCHOR LENGTH	DRILL BIT SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWDWW112J	28017	1½	3/16	.89	100/500	38.90/ea
MWDWW112K	28018	1½	3/16	.89	100/500	38.90/ea
MWDWW1121M	28019	1½	3/16	8.90	1000	273.92/m
MWDWW2J	28020	2	3/16	1.15	100/500	42.08/ea
MWDWW2K	28021	2	3/16	1.15	100/500	42.08/ea
MWDWW21M	28022	2	3/16	11.50	1000	399.72/m
MWDWW214J	28023	2¼	3/16	1.25	100/500	51.43/ea
MWDWW214K	28024	2¼	3/16	1.25	100/500	51.43/ea
MWDWW2141M	28025	2¼	3/16	12.50	1000	488.75/m
MWDWW212J	28026	2½	3/16	1.35	100/500	63.97/ea
MWDWW212K	28027	2½	3/16	1.35	100/500	63.97/ea
MWDWW2121M	28028	2½	3/16	13.50	1000	607.67/m



Square Drive

SQUARE HEAD LIGHT DUTY ROBERTSON WALL DOG™ ANCHORS

STEEL ZINC

PART#	UPC#	ANCHOR LENGTH	DRILL BIT SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWDS114J	28030	1¼	3/16	.89	100/500	30.60/ea
MWDS114K	28029	1¼	3/16	.89	100/500	30.60/ea
MWDS1141M	28031	1¼	3/16	8.90	1000	291.13/m



Phillips

OVAL/PHILLIPS HEAD LIGHT DUTY WALL DOG™ ANCHORS

STEEL ZINC

PART#	UPC#	ANCHOR LENGTH	COLOR	DRILL BIT SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWDOZ114J	28032	1¼	Zinc	3/16	.80	100/500	26.15/ea
MWDOZ114K	28033	1¼	Zinc	3/16	.80	100/500	26.15/ea
MWDOZ1141M	28034	1¼	Zinc	3/16	8.00	1000	248.63/m
MWDOW114J	28035	1¼	White	3/16	.90	100/500	30.18/ea
MWDOW114K	28036	1¼	White	3/16	.90	100/500	30.18/ea
MWDOW1141M	28037	1¼	White	3/16	9.00	1000	286.88/m
MWDOBLK114J	28038	1¼	Black	3/16	.80	100/500	26.78/ea
MWDOBLK114K	28039	1¼	Black	3/16	.80	100/500	26.78/ea
MWDOBLK1141M	28040	1¼	Black	3/16	8.00	1000	254.37/m
MWDOBR114J	28041	1¼	Brass	3/16	.82	100/500	25.42/ea
MWDOBR114K	28042	1¼	Brass	3/16	.82	100/500	25.42/ea
MWDOBR1141M	28043	1¼	Brass	3/16	8.20	1000	242.25/m



Phillips

PAN/PHILLIPS HEAD LIGHT DUTY WALL DOG™ ANCHORS

STEEL ZINC

PART#	UPC#	ANCHOR LENGTH	COLOR/ TYPE	DRILL BIT SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWDPZ114J	28044	1¼	Zinc	3/16	.79	100/500	21.68/ea
MWDPZ114K	28045	1¼	Zinc	3/16	.79	100/500	21.68/ea
MWDPZ1141M	28046	1¼	Zinc	3/16	7.90	1000	200.18/m
MWDPW114J	28047	1¼	White	3/16	.79	100/500	24.02/ea
MWDPW114K	28048	1¼	White	3/16	.79	100/500	24.02/ea
MWDPW1141M	28049	1¼	White	3/16	7.90	1000	229.50/m
MWDPBLK114J	28059	1¼	Black	3/16	.79	100/500	24.11/ea
MWDPBLK114K	28060	1¼	Black	3/16	.79	100/500	24.11/ea
MWDPBLK1141M	28061	1¼	Black	3/16	7.90	1000	229.50/m
MWDPBR114J	28063	1¼	Brass	3/16	.91	100/500	53.55/ea
MWDPBR114K	28062	1¼	Brass	3/16	.91	100/500	53.55/ea
MWDPBR1141M	28064	1¼	Brass	3/16	9.10	1000	510.00/m
MWDPW112J	28050	1½	White	3/16	.89	100/500	43.78/ea
MWDPW112K	28051	1½	White	3/16	.89	100/500	43.78/ea
MWDPW1121M	28052	1½	White	3/16	8.90	1000	415.87/m
MWDPBZ112J	28053	1½	Bronze	3/16	.91	100/500	28.05/ea
MWDPBZ112K	28054	1½	Bronze	3/16	.91	100/500	28.05/ea
MWDPBZ1121M	28055	1½	Bronze	3/16	9.10	1000	267.75/m
MWDPBLKP112J	28056	1½	Black	3/16	.89	100/500	38.13/ea
MWDPBLKP112K	28057	1½	Black	3/16	.89	100/500	38.13/ea
MWDPBLKP1121M	28058	1½	Black	3/16	8.90	1000	365.50/m



SPRING WING TOGGLE BOLTS

STEEL ZINC • 18-8 STAINLESS

Bolts and Wings in One Package

ROUND • FLAT • TRUSS

PART#	JAR UPC#	DIAMETER	LENGTH	DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC							
ROUND HEAD							
J1501 (Slot/Phil)	80809	1/8 6/32	2	1/8 WING USE 7/16 DRILL	.72	50	33.92/c
J1502 (Slot/Phil)	80810	1/8 6/32	3		.80	50	39.04/c
J1503 (Slot/Phil)	81203	1/8 6/32	4		1.09	50	41.78/c
J1504 (Slot)	81204	1/8 6/32	6		2.60	50	77.92/c
J1505 (Slot/Phil)	80811	3/16 10-24	2	3/16 WING USE 9/16 DRILL	1.40	50	40.94/c
J1506 (Slot/Phil)	80812	3/16 10-24	3		1.71	50	45.44/c
1506M (Slot/Phil)	74806	3/16 10-24	3		33.20	1000	407.32/m
15065M (Slot/Phil)	75208	3/16 10-24	3		166.04	5000	383.66/m
J1507 (Slot/Phil)	81207	3/16 10-24	4		1.95	50	47.52/c
1507B (Slot/Phil)	62100	3/16 10-24	4		39.39	1000	472.84/m
J1508 (Slot)	81208	3/16 10-24	5		2.35	50	51.08/c
J1509 (Slot)	81209	3/16 10-24	6		2.60	50	58.86/c
J1511 (Slot/Phil)	80813	1/4 1/4-20	3	1/4 WING USE 3/4 DRILL	2.93	50	51.48/c
J1511XXV (Slot/Phil)	28740	1/4 1/4-20	3		1.48	25	45.48/c
J1512 (Slot/Phil)	10396	1/4 1/4-20	4		3.53	50	57.34/c
1512CB (Slot/Phil)	21847	1/4 1/4-20	4		17.25	250	42.78/c
1512V (Slot/Phil)	60712	1/4 1/4-20	4		36.60	500	62.77/c
1512B (Slot/Phil)	62104	1/4 1/4-20	4		73.22	1000	567.84/m
J1513 (Slot)	81213	1/4 1/4-20	5		3.93	50	67.02/c
J1514 (Slot)	81214	1/4 1/4-20	6		4.47	50	76.45/c
J1597 (Slot/Phil)	81249	1/4 1/4-20	6		4.29	50	72.56/c
J1515 (Slot)	10406	5/16 5/16-18	3	5/16 WING USE 7/8 DRILL	2.62	25	115.96/c
J1516 (Slot)	10407	5/16 5/16-18	4		3.05	25	122.92/c
J1517 (Slot)	81217	5/16 5/16-18	5		3.55	25	174.32/c
J1518 (Slot)	81218	5/16 5/16-18	6		4.03	25	195.16/c
J1519 (Slot/Phil)	81219	3/8 3/8-16	3	3/8 WING USE 1" DRILL	3.72	25	136.60/c
J1520 (Slot/Phil)	81220	3/8 3/8-16	4		4.28	25	152.92/c
J1521 (Slot)	81221	3/8 3/8-16	5		5.06	25	186.64/c
J1522 (Slot/Phil)	81222	3/8 3/8-16	6		5.60	25	203.60/c
J1523 (Slot)	81223	1/2 1/2-13	4	3/16 WING USE 9/16 DRILL	3.95	10	394.10/c
J1524 (Slot)	81224	1/2 1/2-13	5		4.25	10	558.30/c
J1525 (Slot)	81225	1/2 1/2-13	6		4.85	10	404.40/c
18-8 STAINLESS							
ROUND HEAD							
J1507SS (Slot)	96907	3/16 10-24	4	3/16 WING USE 9/16 DRILL	2.11	50	221.18/c
J1511SS (Slot)	96911	1/4 1/4-20	3	1/4 WING USE 3/4 DRILL	2.91	50	108.68/c
J1512SS (Slot)	96912	1/4 1/4-20	4	1/4 WING USE 3/4 DRILL	3.37	50	656.52/c
J1520SS (Slot)	96920	3/8 3/8-16	4	3/8 WING USE 1" DRILL	4.36	25	2,789.36/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

CONTINUED

SPRING WING TOGGLE BOLTS



Slotted

Phillips

STEEL ZINC • 18-8 STAINLESS

Bolts and Wings in One Package

ROUND • FLAT • TRUSS

PART#	JAR UPC#	DIAMETER	LENGTH	DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC							
FLAT HEAD							
J1528 (Slot)	81228	1/8 6/32	2	1/8 WING USE 7/16 DRILL	.69	50	45.24/c
J1529 (Slot)	80814	1/8 6/32	3		.87	50	47.24/c
J1530 (Slot)	81230	1/8 6/32	4		.97	50	39.92/c
J1531 (Slot)	81231	3/16 10-24	2	3/16 WING USE 9/16 DRILL	1.48	50	51.48/c
J1532 (Slot)	81232	3/16 10-24	3		1.68	50	54.34/c
J1533 (Slot)	81233	3/16 10-24	4		2.10	50	73.84/c
J1534 (Slot)	81234	3/16 10-24	5		2.24	50	84.90/c
J1535 (Slot)	81235	3/16 10-24	6		2.62	50	88.34/c
J1536 (Slot)	81236	1/4 1/4-20	3	1/4 WING USE 3/4 DRILL	2.82	50	125.30/c
J1537 (Slot)	81237	1/4 1/4-20	4		3.31	50	49.98/c
J1538 (Slot)	81238	1/4 1/4-20	5		3.96	50	88.52/c
J1539 (Slot)	81239	1/4 1/4-20	6		4.46	50	87.62/c
J1540 (Slot)	81240	5/16 5/16-18	3	5/16 WING USE 7/8 DRILL	2.55	25	128.92/c
J1541 (Slot)	81241	5/16 5/16-18	4		2.88	25	136.48/c
J1542 (Slot)	81242	5/16 5/16-18	5		3.22	25	174.32/c
J1543 (Slot)	81243	5/16 5/16-18	6		3.79	25	195.14/c
J1544 (Slot)	81244	3/8 3/8-16	3	3/8 WING USE 1" DRILL	3.49	25	151.78/c
J1545 (Slot)	81245	3/8 3/8-16	4		4.22	25	169.92/c
J1546 (Slot)	81246	3/8 3/8-16	5		4.90	25	202.36/c
J1547 (Slot)	81247	3/8 3/8-16	6		5.75	25	207.44/c
TRUSS HEAD							
J1548 (Slot)	80815	1/8 6/32	2	1/8 WING USE 7/16 DRILL	.75	50	33.92/c
J1549 (Slot/Phil)	80816	1/8 6/32	3		.82	50	39.04/c
J1550 (Slot/Phil)	80817	1/8 6/32	4		1.01	50	41.78/c
J1551 (Slot/Phil)	80818	3/16 10-24	3	3/16 WING USE 9/16 DRILL	1.70	50	45.44/c
J1551XXV (Slot/Phil)	20190	3/16 10-24	3		.90	25	30.50/c
J1552 (Slot/Phil)	10397	3/16 10-24	4		2.04	50	47.52/c
J1553 (Slot/Phil)	10399	1/4 1/4-20	3	1/4 WING USE 3/4 DRILL	3.05	50	53.38/c
J1554 (Slot/Phil)	10398	1/4 1/4-20	4		3.50	50	57.34/c
TRUSS HEAD							
J1560 (Square)	80819	1/8 6/32	2	1/8 WING USE 7/16 DRILL	.84	50	67.96/c
J1561 (Square)	80820	1/8 6/32	3		.95	50	39.04/c
J1562 (Square)	80821	1/8 6/32	4		1.10	50	41.78/c
J1563 (Square)	80822	3/16 10-24	2	3/16 WING USE 9/16 DRILL	1.58	50	40.94/c
J1564 (Square)	80823	3/16 10-24	3		1.85	50	45.44/c
J1565 (Square)	81265	3/16 10-24	4		2.08	50	47.52/c
J1566 (Square)	81266	1/4 1/4-20	3	3/16 WING USE 9/16 DRILL	3.03	50	76.26/c
J1567 (Square)	81267	1/4 1/4-20	4		3.55	50	50.74/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

E



SPRING WING TOGGLE HEADS

STEEL ZINC • 18-8 STAINLESS

PART#	JAR UPC#	THREAD DIAMETER	DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC						
J1590	80824	6-32	7/16	.71	100/500	26.45/c
J1591	80864	8-32	7/16	1.04	100	39.64/c
J1592	80825	10-24	9/16	1.38	100	25.32/c
J1593	80826	1/4-20	3/4	2.25	100	28.67/c
J1594	80827	5/16-18	7/8	4.20	100	53.66/c
J1595	80828	3/8-16	1	1.47	25	78.08/c
J1596	80829	1/2-13	1 1/4	4.42	25	181.04/c
18-8 STAINLESS						
J1592SS	96992	10-24	9/16	.74	50	1,190.32/c
J1593SS	96993	1/4-20	3/4	.94	50	370.30/c
J1595SS	13294	3/8-16	1	1.54	25	1,698.32/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



MUSHROOM HEAD TOGGLE BOLT KIT

STEEL ZINC

- (50) 6/32" x 3" Mushroom Head Combo Drive Screw
- (50) 6/32" Spring Wing Toggle
- (34) 10-24" x 3" Mushroom Head Combo Drive Screw
- (34) 10-24" Spring Wing Toggle
- (20) 1/4-20" x 4" Mushroom Head Combo Drive Screw
- (20) 1/4-20" Spring Wing Toggle

PART#	UPC#	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
TBMK1	70060	3.73	1	60.16/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



MASTER ANCHOR™

THE WORLD'S STRONGEST FASTENER™

MADE IN USA

MASTER ANCHOR™:
- **Never loosens!**
- Installs in all hollow walls - in just minutes!
- **Rated up to 300 lbs. in drywall.**
- Handles vector forces 360°.
- Objects can be easily removed or replaced.



Carbide Tipped Apache 200™ Drill Bit:
- Industrial Carbide Rated at 200 Holes in Ceramic Wall Tile.
- Designed for Ceramic, Marble and Plaster.
- **Guaranteed to NEVER Walk.**
- Fits standard and cordless drills.

PART#	UPC#	ITEM	QTY.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MAW35SD	39696	Master Anchor with 10-32 x 3-1/2 Truss HD MS Stainless Steel	2 Screws 2 Anchors	.11	1	26.68/ea kit
MAWD34	39685	3/4 Carbide Tipped Apache Drill	1	.14	1	56.16/ea



TRIPLE GRIP ANCHOR MULTIPACK KIT

Heavy-duty anchor for all materials

PART#	UPC#	CONTENTS	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
TGAMPK (63 pcs)	72654	(15) #6 Anchors with 6 x 1 1/4 SMS (15) #8 Anchors with 8 x 1 1/4 SMS (15) #10 Anchors with 10 x 1 1/2 SMS (15) #12 Anchors with 12 x 1 1/2 SMS (1) 1/4 Drill (1) 5/16 Drill (1) 3/8 Drill	.79	1	44.17/ea kit



COBRA TRIPLEGRIP™ MULTI-PURPOSE ANCHORS & KITS

MAXIMUM LOAD CAPACITY

ANCHOR	DRILL BIT	DRYWALL 5/8"		CONCRETE 3000 psi	
		PULL	SHEAR	PULL	SHEAR
6	1/4	60 lbs.	91 lbs.	240 lbs.	400 lbs.
8	1/4	64 lbs.	102 lbs.	275 lbs.	500 lbs.
10	5/16	88 lbs.	154 lbs.	400 lbs.	800 lbs.
12	3/8	132 lbs.	204 lbs.	500 lbs.	900 lbs.

Requires: Drill and #2 Phillips

Slotted

Phillips

PART#	UPC#	DIAMETER	LENGTH	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
TGA6	72655	6	-	Triple Grip Anchors	.14	100	18.98/c
TGA8	72657	8	-	Triple Grip Anchors	.11	100	19.41/c
TGA10	72659	10	-	Triple Grip Anchors	.20	100	21.94/c
TGA12	72661	12	-	Triple Grip Anchors	.30	100	41.31/c
TGA6K	72665	6	-	Triple Grip Anchors	.65	100	26.59/c
		6	1¼	Pan Head Sheet Metal Screws			
		1/4	4	(1) Masonry Drill			
TGA8K	72667	8	-	Triple Grip Anchors	.81	100	27.11/c
		8	1¼	Pan Head Sheet Metal Screws			
		1/4	4	(1) Masonry Drill			
TGA10K	72669	10	-	Triple Grip Anchors	1.33	100	32.15/c
		10	1½	Pan Head Sheet Metal Screws			
		5/16	4	(1) 5/16 x 4" Masonry Drill			
TGA12K	72671	12	-	Triple Grip Anchors	1.20	50	34.62/c
		12	1½	Pan Head Sheet Metal Screws			
		3/8	4	(1) Masonry Drill			
TGA6J	72675	6	-	Triple Grip Anchors	.66	100	26.59/c
		6	1¼	Pan Head Sheet Metal Screws			
		1/4	4	(1) ¼ x 4" Masonry Drill			
TGA8J	72677	8	-	Triple Grip Anchors	.83	100	27.11/c
		8	1¼	Pan Head Sheet Metal Screws			
		1/4	4	(1) Masonry Drill			
TGA10J	72679	10	-	Triple Grip Anchors	1.31	100	32.15/c
		10	1½	Pan Head Sheet Metal Screws			
		5/16	4	(1) 5/16 x 4" Masonry Drill			
TGA12J	72681	12	-	Triple Grip Anchors	1.01	50	34.62/c
		12	1½	Pan Head Sheet Metal Screws			
		3/8	4	(1) Masonry Drill			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

Note: *Part numbers with a "K" are packaged in plastic boxes. Part numbers with a "J" are packaged in plastic jars.*



SUPER WALL PLATE SCREW KIT

- 50 Wall plate screws in white, ivory, and almond.
- 100 Screws to secure electrical device to electrical box.
- 50 Quick Fix GB spacers to shim electrical device so wall plate is flush to wall.

PART#	UPC#	DIAMETER	LENGTH	SCREW TYPE/ITEM	STD. PKG. UM	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
SWPK1 (300 pcs)	20360	6-32	½	Slotted Oval Head White Painted Screw	50	.98	42.24/ea kit
		6-32	½	Slotted Oval Head Ivory Painted Screw	50		
		6-32	½	Slotted Oval Head Almond Painted Screw	50		
		6-32	¾	Slotted Flat Head Machine Screw	50		
		6-32	1	Slotted Flat Head Machine Screw	50		
		-	-	Quick Fix GB Stackable Spacers	50		

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



PLASTIC TOGGLES

Stays in place if screw is removed. Ideal product for sheetrock.

PART#	UPC#	SIZE & WALL DIA.	DRILL PER PKG.	SCREW PKG.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JCPT1	80970	3/8	5/16	#8	.55	100	36.76/c
JCPT2	80971	1/2	5/16	#8	.57	100	41.11/c
JCPT3	80972	5/8	5/16	#8	.59	100	42.58/c

ORDER SCREWS SEPARATELY – #8 DIAMETER – SEE SECTION – SCREWS – OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



PLASTIC TOGGLE ANCHOR KITS

Plastic Toggles • Pan Head "Combo" Sheet Metal Screws

PART#	UPC NO.	SIZE/WALL THICKNESS	DRILL SIZE	QTY.	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
PTK1	20480	3/8	5/16	50	3/8	Plastic Toggles	.67	1	20.49/ea kit
				50	8 x 1 1/2	Pan Combo Screws			
PTK2	20485	1/2	5/16	50	1/2	Plastic Toggles	.67	1	22.77/ea kit
				50	8 x 1 1/2	Pan Combo Screws			
PTK3	20490	5/8	5/16	50	5/8	Plastic Toggles	.65	1	23.44/ea kit
				50	8 x 1 1/2	Pan Combo Screws			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HOLLOW BLOCK T-ANCHORS

STEEL ZINC

PART#	UPC#	DIAMETER	LENGTH	THREAD LENGTH	DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JTA14134	80830	1/4	1 3/4	1	5/16	.93	25	368.80/c
JTA14212	80831	1/4	2 1/2	1 3/4	5/16	.90	25	387.16/c
JTA14314	80832	1/4	3 1/4	2 5/8	5/16	1.31	25	399.52/c
JTA516212	80833	5/16	2 1/2	1 5/8	5/16	1.60	25	402.72/c
JTA516314	80834	5/16	3 1/4	2 3/8	5/16	2.03	25	418.16/c
JTA516334	80835	5/16	3 3/4	2 7/8	5/16	2.31	25	439.52/c
JTA38314	80836	3/8	3 1/4	2 1/4	3/8	2.88	25	479.64/c
JTA38334	81143	3/8	3 3/4	2 3/4	3/8	3.05	25	491.84/c
JTA38412	81146	3/8	4 1/2	3 1/2	3/8	3.59	25	537.96/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Slotted

Phillips

HOLLOW WALL SCREW ANCHORS

Includes Combo Head Machine Screw

STEEL ZINC

PART#	UPC#	SIZE & WALL THICKNESS	GRIP RANGE	DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
J1001	80839	1/8 X-Short	1/16 - 1/4	5/16	.91	100	47.06/c
J1002	80840	1/8 Short	1/8 - 1/2	5/16	1.36	100	48.00/c
J1003	80841	1/8 Long	5/8 - 7/8	5/16	1.81	100	51.65/c
J1004	80842	3/16 Short	1/8 - 5/8	7/16	3.45	100	94.82/c
J1005	80843	3/16 Long	5/8 -1 3/16	7/16	2.15	50	116.04/c
1008	18635	3/16 X-Long	1 1/4-1 3/4	7/16	4.85	100	204.44/c
J1006	80844	1/4 Short	1/8 - 5/8	1/2	2.81	50	137.78/c
J1007	80845	1/4 Long	5/8 - 1 3/16	1/2	3.65	50	156.48/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HOLLOW WALL SCREW ANCHORS DRIVE POINT

Includes Combo Head Machine Screw

STEEL ZINC

PART#	UPC#	SIZE & WALL THICKNESS	GRIP RANGE	DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
J6721	80837	1/8 Short	1/8 - 1/2	5/16	1.37	100/500	61.47/c
J6726	80838	1/8 Long	1/8 - 13/16	5/16	1.84	100	63.12/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



RAPID-SET® TOOLS

The fastest, easiest and most reliable way to install machine screw lead (caulk-in) anchors

- For machine screw lead (caulk-in) anchor sizes 1/4" and 3/8".
- Designed for use with power tools.
- Automatically sets anchor just below the surface.
- Maximizes expansion of bottom portion of lead sleeve.

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MRST1420	25110	1/4-20	.14	1	140.49/ea
MRST3816	25112	3/8-16	.26	1	199.75/ea

**Note: Rapid-Set Tools draw the anchor's internal insert up into the anchor's outer sleeve; this installation process eliminates the need to maintain a back bearing surface (required by hammer setting tools).*

E



MACHINE SCREW LEAD ANCHORS

One Setting Tool Included in Each Jar of Anchors

PART#	UPC#	SIZE	HOLE SIZE	ANCHOR LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
J1401	83155	6-32	5/16	17/32	.81	100	54.63/c
J1402	80846	8-32	5/16	17/32	.91	100	54.97/c
J1403	80847	10-24	3/8	11/16	1.78	100	55.70/c
J1405	80849	12-24	1/2	5/8	3.82	100	78.68/c
J1406	80850	1/4-20	1/2	7/8	3.80	100	62.72/c
1406M	11122	1/4-20	1/2	7/8	36.07	1000	563.24/m
J1407	80851	5/16-18	5/8	1 1/16	6.69	100	157.94/c
1407M	11123	5/16-18	5/8	1 1/16	65.00	1000	900.00/m
J1408	80852	3/8-16	3/4	1 5/16	5.14	50	159.30/c
1408M	11124	3/8-16	3/4	1 5/16	103.13	1000	1,492.65/m
J1409	80853	1/2-13	7/8	1 9/16	8.97	50	193.98/c
1409V	11127	1/2-13	7/8	1 9/16	44.50	500	230.25/c
1409M	11125	1/2-13	7/8	1 9/16	89.00	1000	2,302.47/m
1410	17845	5/8-11	1 1/8	2	20.12	50	604.20/c
1411	17847	3/4-10	1-1 1/4	1 3/4	12.82	25	1,024.64/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

Not recommended for cement ceiling applications. Please note that machine screw anchors have a lead outer gripping shell. In applications where lead is considered dangerous, we do not recommend their use.

The QuaDrive

Square Drive + Hex + Slotted + Phillips = QuaDrive

America's Newest Drive - Designed, Developed and Manufactured by Metallics/Avanti Screw

Screws MADE IN USA

ONLY METALLICS/Avanti Screw

ONLY METALLICS

America's newest Drive designed, developed and manufactured by Metallics/Avanti Screw

THE QUADRIVE



MACHINE SCREW LEAD ANCHOR SETTING TOOLS

STEEL ZINC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
1401ST	17900	6-32	.04	1	7.51/ea
1402ST	17905	8-32	.07	1	6.41/ea
1403ST	17910	10-24	.08	1	7.68/ea
1405ST	17920	12-24	.16	1	11.10/ea
1406ST	17925	1/4-20	.17	1	8.51/ea
1407ST	17930	5/16-18	.27	1	9.09/ea
1408ST	17935	3/8-16	.38	1	9.58/ea
1409ST	17940	1/2-13	.58	1	18.51/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



MULTI-PURPOSE ANCHORS

STEEL ZINC



Tamper-Proof – mushroom head

- Light-Duty Hammer-Drive Concrete and Masonry Anchors
- Specified for anchorage into concrete, block and brick
- As simple as using a nail – drive into predrilled holes in concrete

PART#	UPC#	SIZE	DRILL BIT SIZE	TOTAL LENGTH	MIN. EMBEDMENT	CLEARANCE HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
RD4158	74488	1 1/2	1/4	1 1/2	1 1/4	5/16	2.43	100	46.13/c
RD4200	74490	2	1/4	2	1 1/4	5/16	2.83	100	56.38/c
RD4212	74492	2 1/2	1/4	2 1/2	1 1/4	5/16	3.24	100	68.55/c
RD4300	74494	3	1/4	3	1 1/4	5/16	3.64	100	77.09/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



TD4112 PD4112/PD8134 FD8234

MULTI-PURPOSE ANCHORS

STEEL ZINC

Tie Wire Anchors - For acoustical ceilings and suspended electrical fixtures.
Pipe Hanging Anchors - For sprinkler, water lines, steam/gas and electrical conduits. Available in 1/4-20 and 3/8-16 internal thread.
Forming Anchors - For wood attachments to concrete.

PART#	UPC#	SIZE	ANCHOR TYPE	DRILL BIT SIZE	INT. THREAD	MIN. EMBEDMENT	FIXTURE HOLE SIZE	HOLE SIZE I.D.	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
TD4112	73918	–	Tie Wire	1/4	–	1 1/8	–	9/32	3.21	100	186.21/c
PD4112	73924	1/4-20	Pipe Hanging	3/16	1/4-20	1 1/4	–	–	2.56	100	173.86/c
PD8134	73925	3/8-16	Pipe Hanging	1/4	3/8-16	1 1/2	–	–	5.84	100	210.11/c
FD8234	73915	2 3/4	Duplex	1/4	–	1 1/4	5/16	–	3.64	100	180.01/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Anchor Tool

SNAKE+™ INTERNAL THREAD SELF-TAPPING ANCHORS

STEEL ZINC

No Hammer Required!

PART#	UPC#	THREAD SIZE	SIZE MIN. HOLE DEPTH	DRILL SIZE INTERNAL THREAD DEPTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
M6400SD	24197	1/4-20	2	22/32	2.43	100	188.69/c
M6401SD	24187	3/8-16	1 5/8	11/16	2.70	50	212.08/ea
M6403SD	24188	1/2-13	2 1/2	29/32	8.20	50	611.90/ea
M6407SD	24192		3/8 Setting Tool		.41	1	19.91/ea
M6404SD	24189		1/2 Setting Tool		.42	1	31.39/ea



LAG SCREW SHIELDS

ALLOY ZINC DIE CAST

Medium-Duty Application

A secure die cast expansion anchor of zinc rustproof alloy. Most effective for holding in brittle or soft masonry. The ideal product for mortar joints.

PART#	UPC#	LAG SCREW DIAMETER	HOLE SIZE	ANCHOR LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SHORT							
J1201	80854	1/4	1/2	1	1.06	50	76.86/c
J1202	80855	5/16	1/2	1 1/4	1.21	50	70.36/c
J1203	80856	3/8	5/8	1 3/4	2.19	50	113.40/c
J1204	80857	1/2	3/4	2	1.46	25	183.60/c
J1205	80858	5/8	7/8	2	2.74	25	281.84/c
J1206	83081	3/4	1	2	3.98	25	326.36/c
LONG							
J1207	80859	1/4	1/2	1 1/2	1.48	50	81.24/c
J1208	80860	5/16	1/2	1 3/4	1.45	50	82.84/c
J1209	80861	3/8	5/8	2	3.38	50	153.00/c
J1210	80862	1/2	3/4	3	2.98	25	233.72/c
J1211	80863	5/8	7/8	3 1/2	5.37	25	446.64/c
J1212	83086	3/4	1	3 1/2	6.13	25	602.00/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



DROP-IN ANCHORS

DOMESTIC • STEEL ZINC • 18-8 STAINLESS • 316 STAINLESS • MINI

MADE IN USA

E

PART#	UPC#	SIZE	HOLE SIZE	ANCHOR LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
DOMESTIC STEEL ZINC W/TOOL							
JDIA14D	77173	1/4-20	3/8	1	3.01	100	197.65/c
JDIA38D	77177	3/8-16	1/2	1 9/16	3.54	50	352.00/c
JDIA12D	50064	1/2-13	5/8	2	6.41	50	686.88/c
STEEL ZINC W/NO TOOL							
JDIA14L (Lipped)	28742	1/4-20	3/8	1	2.35	100	77.50/c
JDIA14	81870	1/4-20	3/8	1	2.29	100	64.20/c
DIA14CB	21860	1/4-20	3/8	1	5.83	250	26.88/c
DIA14M	17869	1/4-20	3/8	1	22.91	1000	173.14/m
JDIA38	81875	3/8-16	1/2	1 9/16	3.26	50	88.20/c
DIA38CB	21862	3/8-16	1/2	1 9/16	16.30	250	85.00/c
DIA38M	17879	3/8-16	1/2	1 9/16	58.00	1000	494.76/m
JDIA38L (Lipped)	28743	3/8-16	1/2	1 9/16	3.18	50	90.76/c
JDIA12	81880	1/2-13	5/8	2	6.41	50	145.70/c
DIA12M	17884	1/2-13	5/8	2	115.80	1000	574.08/m
JDIA12L (Lipped)	28741	1/2-13	5/8	2	6.05	50	145.00/c
JDIA58	81881	5/8-11	7/8	2 1/2	8.91	25	415.24/c
DIA58C	17887	5/8-11	7/8	2 1/2	35.60	100	272.20/c
JDIA34	81873	3/4-10	1	3 3/16	13.58	25	773.00/c
DIA34B	17889	3/4-10	1	3 3/16	27.16	50	409.40/c
MINI STEEL WITH LIP W/TOOL							
JDIA14MINI	77185	1/4-20	3/8	5/8	1.71	100	53.13/c
JDIA38MINI	81877	3/8-16	1/2	3/4	3.33	100	110.25/c
JDIA12MINI	77184	1/2-13	5/8	1	6.67	100	150.00/c
MINI STEEL W/NO TOOL							
M6335	24196	1/4-20	3/8	5/8	6.26	100	79.75/c
M6322	24191	3/8-16	1/2	3/4	3.03	50	108.76/c
18-8 STAINLESS W/TOOL							
JDIA14SS	81872	1/4-20	3/8	1	2.54	100	412.53/c
JDIA38SS	81876	3/8-16	1/2	1 9/16	3.50	50	557.92/c
JDIA12SS	81883	1/2-13	5/8	2	6.25	50	962.98/c
JDIA58SS	81882	5/8-11	7/8	2 1/2	8.36	25	1,956.32/c
316 STAINLESS W/TOOL							
JDIA141SS	90345	1/4-20	3/8	1	2.64	100	664.79/c
JDIA381SS	90349	3/8-16	1/2	1 9/16	6.45	100	847.18/c
JDIA121SS	90353	1/2-13	5/8	2	6.03	50	1,724.43/c
JDIA581SS	61179	5/8-11	5/8	2 1/2	8.15	25	2,288.00/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

DROP-IN ANCHOR SETTING TOOLS



STEEL ZINC

For Setting Drop-In Anchors

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
DIA14T	12181	1/4-20	.18	1	6.35/ea
DIA38T	12182	3/8-16	.24	1	8.24/ea
DIA12T	12183	1/2-13	.41	1	10.18/ea
DIA58T	12184	5/8-11	.51	1	18.99/ea
DIA34T	17890	3/4-10	1.03	1	17.60/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

SMART DROP-IN & DI+ SETTING TOOLS



STEEL ZINC • 304 STAINLESS • CARBON



Tool

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
TOOL					
M425SD	11056	1/4	.41	1	86.11/ea
M427SD	11057	3/8	.50	1	90.09/ea
304 STAINLESS STEEL W/NO TOOL					
M6206	24186	3/8	3.13	50	764.34/c
SMART DI AND CARBON					
M6304SD	24182	1/4	2.39	100	50.75/c
M6306SD	24184	3/8	3.31	50	60.36/c
M6308SD	23610	1/2	11.31	100	170.38/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

SINGLE EXPANSION ANCHORS



ZINC ALLOY

PART#	UPC#	THREAD DIAMETER	HOLE SIZE	ANCHOR BODY LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JSEA14	81195	1/4	1/2	1	2.57	100	80.51/c
JSEA516	81196	5/16	5/8	1 1/4	2.44	50	123.64/c
JSEA38	81197	3/8	3/4	1 1/2	2.32	50	130.54/c
JSEA12	81198	1/2	7/8	2	3.04	25	278.28/c
JSEA58	81200	5/8	1	2 5/8	5.06	25	517.28/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

HOLLOW SET DROP-IN ANCHOR



ZAMAC ALLOY CARBON STEEL
STAINLESS STEEL CONES



Solid Base

M9322



Hollow Base

M9323

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC NO/TOOL					
M9320	71659	1/4	1.30	100	1,006.05/c
TOOL FOR SOLID BASE MATERIAL					
M9322	11072	1/4	.99	1	43.37/ea
TOOL FOR HOLLOW BASE MATERIAL					
M9323	11073	1/4	.99	1	99.00/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



DOUBLE EXPANSION ANCHORS

ZINC ALLOY

PART#	UPC#	THREAD DIAMETER	HOLE SIZE	ANCHOR BODY LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JDEA14	80872	1/4	1/2	1	2.94	100	149.97/c
JDEA516	80873	5/16	5/8	1 1/4	2.82	50	206.20/c
JDEA38	80874	3/8	3/4	1 1/2	4.48	50	272.68/c
DEA38M	90491	3/8	3/4	1 1/2	84.00	1000	1,044.36/m
JDEA12	80875	1/2	7/8	2	3.70	25	429.84/c
JDEA58	82397	5/8	1	2 1/4	5.15	25	525.28/c
DEA34	17802	3/4	1 1/4	2 7/8	9.97	20	772.25/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



ROD COUPLING SLEEVE ANCHORS

Anchors Threaded Rod To Concrete Ceilings

PART#	UPC#	BOLT AND HOLE DIA.	BOLT LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
5810	17135	1/4	1 1/2	8.81	100	182.24/c
RCA381	32762	3/8	1 7/8	9.24	100	245.66/c
JRCA38150	81584	3/8	1 7/8	4.62	50	245.66/c
RCA12214	32760	1/2	2 1/4	9.93	50	199.70/c
JRCA12SLV25	81583	1/2	2 1/4	4.97	25	199.70/c
RCA12	32758	1/2	2 3/4	10.56	50	331.81/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



WOOD AND TAPPING SCREW LEAD ANCHORS

PART#	UPC#	SIZE	LENGTH	HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
J1301	80876	6-8	3/4	1/4	1.12	100/500	38.18/c
J1302	80877	6-8	1	1/4	1.47	100/500	44.63/c
J1303	80878	6-8	1 1/2	1/4	1.98	100/500	49.15/c
J1304	71907	10-14	3/4	5/16	1.43	100/500	60.45/c
J1305	80879	10-14	1	5/16	2.06	100/500	56.70/c
J1306	80880	10-14	1 1/2	5/16	2.97	100	78.00/c
J1307	80881	16-18	1	3/8	2.75	100	78.00/c
J1308	80882	16-18	1 1/2	3/8	3.59	100	106.00/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

Please note that wood and tapping screw lead anchors have a lead outer gripping shell. In applications where lead is considered dangerous, we do not recommend their use. Until U.S. Govt. Safety Regulations take a firm stand on their use, Metallics will continue to offer this product, As do many other fastener competitors.



FLAT HEAD SPLIT DRIVE ANCHORS

PART#	UPC#	JAR UPC#	SIZE	MASONRY DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JFSD141	81594	81594	1/4 x 1 1/2	1/4	1.22	50/250	99.24/c
JFSD142	81596	81596	1/4 x 2	1/4	1.58	50/250	112.96/c
JFSD1421	81598	81598	1/4 x 2 1/2	1/4	1.87	50/250	124.04/c
JFSD143	81600	81600	1/4 x 3	1/4	2.27	50	135.08/c
JFSD1431	81602	81602	1/4 x 3 1/2	1/4	1.35	25	148.76/c
JFSD144	81604	81604	1/4 x 4	1/4	1.50	25	162.56/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



*= acorn nuts

SLEEVE ANCHORS

STEEL ZINC • 18-8 STAINLESS



DRILL HOLE



INSERT ANCHOR



TIGHTEN

PART#	UPC#	DIAMETER	LENGTH	BOLT DIAMETER	FASTENS MATERIAL UP TO	DEPTH IN LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC – HEX (*ACORN)									
J5125	81137	1/4	5/8	3/16	1/4	1	.40	100/500	47.39/c
J2505	77405	1/4	5/8	3/16	1/4	1	1.57	100/500	54.33/c
J2513*	80883	1/4	1 3/8	3/16	3/8	1	2.50	100	54.73/c
J2522*	80884	1/4	2 1/4	3/16	1 1/4	1	3.14	100	77.68/c
J3114	80885	5/16	1 1/2	1/4	1/2	1	3.54	100	90.97/c
J3124	80886	5/16	2 1/2	1/4	1 1/2	1	5.29	100	119.20/c
J3717	80887	3/8	1 7/8	5/16	5/8	1 1/4	3.58	50	121.66/c
J3730	80888	3/8	3	5/16	1 3/4	1 1/4	5.15	50	157.00/c
J3732	77310	3/8	4	5/16	1 3/4	1 1/4	6.71	50	157.00/c
J5022	80889	1/2	2 1/4	3/8	3/4	1 1/2	3.24	25	172.16/c
J5026	80890	1/2	3	3/8	1 1/4	1 1/2	4.07	25	236.12/c
J5040	81131	1/2	4	3/8	2 1/2	1 1/2	5.02	25	375.40/c
J5060	81135	1/2	6	3/8	4 1/2	1 1/2	7.15	25	528.68/c
J6222	80891	5/8	2 1/4	1/2	1/4	2	6.00	25	330.60/c
J6242	81345	5/8	4 1/4	1/2	2 1/4	2	4.14	10	532.40/c
J6242L	17131	5/8	4 1/4	1/2	1/2	2	20.70	50	344.88/c
J6256	81350	5/8	6	1/2	3 3/4	2	5.30	10	650.80/c
J7524	80892	3/4	2 1/2	5/8	1/2	2	4.07	10	520.20/c
J7542	81360	3/4	4 1/4	5/8	1 3/4	2 1/2	3.23	5	803.00/c
J7542L	17133	3/4	4 1/4	5/8	1 3/4	2 1/2	32.30	50	797.54/c
J7562	81365	3/4	6 1/4	5/8	3 3/4	2 1/2	4.75	5	963.80/c
STEEL ZINC – FLAT HEAD									
J2513F	77213	1/4	1 3/8	3/16	3/8	1	2.31	100	84.15/c
J2520F	77220	1/4	2	3/16	1	1	2.28	100	128.27/c
J2530F	77225	1/4	3	3/16	2	1	3.40	100	134.15/c
J2552F	77252	1/4	5 1/4	3/16	4	1 1/4	5.90	100	193.19/c
J3726F	77271	3/8	2 3/4	5/16	1	1 1/2	8.80	100	393.25/c
J3733F	14804	3/8	5	5/16	3 1/2	1 1/2	6.82	50	175.50/c
J3735F	14805	3/8	6	5/16	4 1/2	1 1/2	8.41	50	207.90/c
STEEL ZINC – ROUND HEAD									
J2512R	81089	1/4	1 1/4	3/16	1/4	1	1.89	100	84.15/c
J2520R	82620	1/4	2	3/16	1	1	2.52	100	89.27/c
J2526R	82626	1/4	2 3/4	3/16	1	1	3.27	100	106.35/c
18-8 STAINLESS – HEX & (*ACORN)									
J2513SS*	82106	1/4	1 3/8	3/16	3/8	1	2.14	100	175.99/c
J2522SS*	82107	1/4	2 1/4	3/16	1 1/4	1	3.30	100	222.60/c
J3114SS	82108	5/16	1 1/2	1/4	1/2	1	4.50	100	238.04/c
J3124SS	82109	5/16	2 1/2	1/4	1 1/2	1	6.30	100	419.34/c
J3717SS	82111	3/8	1 7/8	5/16	5/8	1 1/4	3.62	50	370.06/c
J3730SS	82112	3/8	3	5/16	1 3/4	1 1/4	4.87	50	429.26/c
J5022SS	82113	1/2	2 1/4	3/8	3/4	1 1/2	3.12	25	730.88/c
J5026SS	82114	1/2	2 3/4	3/8	1 1/4	1 1/2	3.88	25	742.36/c
J5030SS	82116	1/2	3	3/8	1 1/2	2	4.02	25	762.64/c
J5040SS	82117	1/2	4	3/8	2 1/2	1 1/2	4.78	25	1,049.32/c
J6222SS	82102	5/8	2 1/4	1/2	1/4	2	6.09	25	2,024.76/c
J6230SS	82118	5/8	3	1/2	1/4	2	6.60	25	3,471.56/c
J6242SS	82119	5/8	4 1/4	1/2	2 1/4	2	4.00	10	1,644.60/c
J7524SS	82121	3/4	2 1/2	5/8	1/2	2	5.00	10	1,301.74/c
J7542SS	82123	3/4	4 1/4	5/8	1 3/4	2 1/2	3.50	5	1,837.20/c
J7554SS	82124	3/4	5 1/2	5/8	3 3/4	2 1/2	4.70	5	2,172.80/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



WEDGE ANCHORS

MADE IN USA

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS
DOMESTIC 316 STAINLESS • STEEL ZINC • 18-8 STAINLESS
316 STAINLESS • 304 STAINLESS STEEL • GALVANIZED

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
DOMESTIC STEEL ZINC								
JTS1134D	99918	1/4	1 3/4	1 3/16	1 1/8	3.12	100/500	89.44/c
JTS1214D	99919	1/4	2 1/4	1 7/16	1 1/8	3.68	100/500	92.81/c
JTS103D	99922	1/4	3 1/4	2 7/16	1 1/8	4.57	100/500	100.86/c
JTS516234D	99923	5/16	2 3/4	1 1/8	1 1/2	4.69	100/500	230.75/c
JTS5163D	99924	5/16	3	1 1/8	1 1/2	5.02	100/500	234.95/c
JTS5164D	99925	5/16	4	1 1/8	1 1/2	6.35	100/500	257.45/c
JTS3218D	99926	3/8	2 1/4	1 1/8	1 3/4	8.05	100/500	165.54/c
JTS3234D	99927	3/8	2 3/4	1 5/8	1 3/4	9.30	100/500	179.16/c
JTS303D	99928	3/8	3	1 7/8	1 3/4	9.92	100/500	184.50/c
TS3312D	99929	3/8	3 1/2	2 1/2	1 3/4	12.82	100	196.82/c
JTS312D	99942	3/8	3 3/4	2 5/8	1 3/4	5.85	50/250	204.18/c
TS385D	99943	3/8	5	3 7/8	1 3/4	7.45	50	242.10/c
TS387D	99944	3/8	7	5 7/8	1 3/4	10.05	50	345.75/c
JTS4234D	99945	1/2	2 3/4	1 1/4	2 1/4	9.10	50/250	318.83/c
JTS4334D	99946	1/2	3 3/4	2 5/16	2 1/4	11.00	50/250	349.43/c
JTS4414D	99947	1/2	4 1/4	2 13/16	2 1/4	6.12	25/125	372.28/c
TS4512D	99948	1/2	5 1/2	4 1/16	2 1/4	7.28	25	417.50/c
TS407D	99949	1/2	7	4 9/16	2 1/4	9.55	25	617.50/c
TS12812D	99950	1/2	8 1/2	6	2 1/4	20.82	25	737.50/c
TS1210D	99951	1/2	10	6	2 1/4	27.01	25	825.00/c
TS1212D	99952	1/2	12	6	2 1/4	35.00	25	950.00/c
JTS5312D	99953	5/8	3 1/2	1 7/8	2 3/4	9.22	25/125	603.50/c
JTS5412D	99954	5/8	4 1/2	2 7/8	2 3/4	10.48	25/125	667.00/c
TS505D	99955	5/8	5	3 3/8	2 3/4	11.60	25	727.50/c
TS506D	99956	5/8	6	4 3/8	2 3/4	9.00	25	832.50/c
TS507D	99957	5/8	7	5 3/8	2 3/4	21.00	25	980.00/c
TS508D	99958	5/8	8	6	2 3/4	22.00	25	1139.50/c
TS5810D	99959	5/8	10	6	2 3/4	25.00	25	1326.00/c
TS5812D	99960	5/8	12	6	2 3/4	31.00	25	1597.25/c
JTS6414D	99961	3/4	4 1/4	2 3/8	3 3/8	9.44	10	943.00/c
JTS6434D	99962	3/4	4 3/4	2 7/8	3 3/8	10.44	10	1028.50/c
JTS6512D	99963	3/4	5 1/2	3 5/8	3 3/8	12.05	10	1170.00/c
JTS6614D	99964	3/4	6 1/4	4 3/8	3 3/8	14.80	10	1264.00/c
TS347D	99965	3/4	7	5 1/8	3 3/8	15.02	10	1319.25/c
TS34812D	99966	3/4	8 1/2	6	3 3/8	17.01	10	1550.00/c
TS3410D	99967	3/4	10	6	3 3/8	19.08	10	1759.25/c
TS3412D	99968	3/4	12	6	3 3/8	21.00	10	2165.50/c
TS786D	99969	7/8	6	2 1/8	3 7/8	15.00	10	1852.50/c
TS788D	99970	7/8	8	2 1/8	3 7/8	17.01	10	2253.75/c
TS7810D	99971	7/8	2 1/8	2 1/4	3 7/8	19.20	10	2664.50/c
TS671D	99972	1	6	2 1/4	4 1/2	2.40	5	2372.50/c
TS6701D	99973	1	9	2 1/4	4 1/2	2.45	5	3222.50/c
TS6712D	99974	1	12	2 1/4	4 1/2	3.05	5	3958.75/c
DOMESTIC 18-8 STAINLESS								
JTS1134SSD	84201	1/4	1 3/4	1 5/16	1 1/8	3.10	100/500	242.05/c
JTS1214SSD	84202	1/4	2 1/4	1 7/16	1 1/8	3.70	100/500	271.25/c
JTS103SSD	99810	1/4	3 1/4	2 7/16	1 1/8	2.20	50/250	578.12/c
JTS3218SSD	84203	3/8	2 1/4	1 1/8	1 3/4	8.04	50/250	538.76/c
JTS3234SSD	84204	3/8	2 3/4	1 5/8	1 3/4	9.30	100/500	614.13/c
JTS303SSD	84205	3/8	3	1 7/8	1 3/4	5.07	50/250	645.00/c
JTS3312SSD	84206	3/8	3 1/2	2 1/2	1 3/4	12.81	100/500	717.50/c
JTS3121SSD	84207	3/8	3 3/4	2 5/8	1 3/4	5.99	50/250	755.00/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

CONTINUED

WEDGE ANCHORS



MADE IN USA

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS
DOMESTIC 316 STAINLESS • STEEL ZINC • 18-8 STAINLESS
316 STAINLESS • 304 STAINLESS STEEL • GALVANIZED

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
DOMESTIC 18-8 STAINLESS								
TS385SSD	84208	3/8	5	3 7/8	1 3/4	7.38	50	925.00/c
TS387SSD	84209	3/8	7	5 7/8	1	5.38	25	1450.00/c
JTS4234SSD	84210	1/2	2 3/4	1 1/4	2 1/4	4.11	25	1125.00/c
JTS4334SSD	84211	1/2	3 3/4	2 5/16	2 1/4	5.77	25	1340.00/c
JTS4414SSD	84212	1/2	4 1/4	2 13/16	2 1/4	6.20	25	1472.50/c
TS4512SSD	84213	1/2	5 1/2	4 1/16	2 1/4	7.62	25	1857.50/c
JTS407SSD	84214	1/2	7	4 9/16	2 1/4	9.98	25	2320.00/c
TS4812SSD	84215	1/2	8 1/2	6	2 1/4	20.82	25	2970.00/c
TS6618SSD	84216	1/2	10	6	2 1/4	26.00	25	3370.00/c
TS1212SSD	84217	1/2	12	6	2 1/4	33.00	25	4112.50/c
JTS5312SSD	81612	5/8	3 1/2	1 7/8	2 3/4	10.22	25	7243.52/c
TS5412SSD	84219	5/8	4 1/2	2 7/8	2 3/4	10.58	25	2527.50/c
TS505SSD	84220	5/8	5	3 3/8	2 3/4	11.60	25	2775.00/c
TS506SSD	84221	5/8	6	4 3/8	2 3/4	19.00	25	3202.50/c
TS587	84222	5/8	7	4 9/16	2 3/4	15.96	25	3865.00/c
TS508SSD	84223	5/8	8 1/2	6	2 3/4	22.68	25	4632.50/c
TS5810SSD	84224	5/8	10	6	2 3/4	25.00	25	5267.50/c
TS5812SSD	84225	5/8	12	6	2 3/4	31.00	25	6407.50/c
JTS6414SSD	84226	3/4	4 1/4	2 3/8	3 3/8	18.88	20	3830.00/c
JTS6434SSD	84227	3/4	4 3/4	2 7/8	3 3/8	13.27	20	4100.00/c
TS6512SSD	84228	3/4	5 1/2	3 5/8	3 3/8	24.10	20	4585.00/c
TS6614SSD	84229	3/4	6 1/4	4 3/8	3 3/8	29.60	20	5114.00/c
TS607SSD	84230	3/4	7	5 1/8	3 3/8	15.02	10	5543.00/c
TS3485SSD	84231	3/4	8 1/2	6	3 3/8	17.01	10	6520.00/c
TS3410SSD	84232	3/4	10	6	3 3/8	19.08	10	7812.50/c
TS3412SSD	84233	3/4	12	6	3 3/8	21.00	10	9500.00/c
DOMESTIC 316 STAINLESS								
JTS11341SSD	84234	1/4	1 3/4	1 5/16	1 1/8	3.10	100/500	375.00/c
JTS1024SSD	84235	1/4	2 1/4	1 7/16	1 1/8	3.70	100/500	425.00/c
JTS1034SSD	84236	1/4	3 1/4	2 7/16	1 1/8	5.54	100/500	537.50/c
JTS32181SSD	84237	3/8	2 1/4	1 1/8	1 3/4	8.04	100/500	864.63/c
JTS32341SSD	84238	3/8	2 3/4	1 5/8	1 3/4	9.30	100/500	993.25/c
JTS3031SSD	84239	3/8	3	1 7/8	1 3/4	10.14	100/500	1051.25/c
TS33121SSD	84240	3/8	3 1/2	2 1/2	1 3/4	12.81	100/500	1185.00/c
JTS31211SSD	84241	3/8	3 3/4	2 5/8	1 3/4	5.96	50/250	1240.00/c
TS3851SSD	84242	3/8	5	3 7/8	1 3/4	7.38	50/250	1570.00/c
TS3871SSD	84243	3/8	7	5 7/8	1 3/4	6.08	25/125	3067.50/c
JTS42341SSD	84244	1/2	2 3/4	1 1/4	2 1/4	4.11	25/125	1882.50/c
JTS43341SSD	84245	1/2	3 3/4	2 5/16	2 1/4	5.77	25/125	2302.50/c
JTS44141SSD	84246	1/2	4 1/4	2 13/16	2 1/4	6.21	25/125	2592.50/c
TS45121SSD	84247	1/2	5 1/2	4 1/16	2 1/4	7.62	25/125	2949.00/c
JTS4071SSD	84248	1/2	7	4 9/16	2 1/4	9.98	25/125	4803.75/c
TS48121SSD	84249	1/2	8 1/2	6	2 1/4	20.82	25/125	5415.00/c
TS66181SSD	84250	1/2	10	6	2 1/4	26.00	25/125	6302.50/c
TS12121SSD	84251	1/2	12	6	2 1/4	33.00	25/125	7284.63/c
JTS53121SSD	84252	5/8	3 1/2	1 7/8	2 3/4	10.22	25/125	3800.00/c
JTS54121SSD	84253	5/8	4 1/2	2 7/8	2 3/4	10.58	25/125	4007.50/c
TS5051SSD	84254	5/8	5	3 3/8	2 3/4	11.70	25/125	4310.00/c
TS5061SSD	84255	5/8	6	4 3/8	2 3/4	13.49	25/125	4619.00/c
TS5871SSD	84256	5/8	7	5 3/8	2 3/4	15.96	25/125	6905.00/c
TS5081SSD	84257	5/8	8 1/2	6	2 3/4	18.27	25/125	8050.00/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

CONTINUED

WEDGE ANCHORS



MADE IN USA

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS
DOMESTIC 316 STAINLESS • STEEL ZINC • 18-8 STAINLESS
316 STAINLESS • 304 STAINLESS STEEL • GALVANIZED

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
DOMESTIC 316 STAINLESS								
TS58101SSD	84258	5/8	10	6	2 3/4	21.36	25/125	9357.50/c
TS58121SSD	84259	5/8	12	6	2 3/4	27.00	25/125	10,855.00/c
JTS64141SSD	84260	3/4	4 1/4	2 3/8	3 3/8	13.09	20/100	6202.50/c
JTS64341SSD	84261	3/4	4 3/4	2 7/8	3 3/8	13.78	20/100	6677.50/c
TS65121SSD	84262	3/4	5 1/2	3 5/8	3 3/8	14.76	20/100	7090.00/c
TS66141SSD	84263	3/4	6 1/4	4 3/8	3 3/8	19.20	20/100	7847.50/c
TS6071SSD	84264	3/4	7	5 1/8	3 3/8	10.00	10/50	8475.00/c
TS34851SSD	84265	3/4	8 1/2	6	3 3/8	12.30	10/50	11,130.00/c
STEEL ZINC								
JTS1134	80893	1/4	1 3/4	1 5/16	1 1/8	3.12	100	91.40/c
JTS1214	80894	1/4	2 1/4	1 7/16	1 1/8	3.68	100	103.10/c
JTS103	80895	1/4	3 1/4	2 7/16	1 1/8	4.57	100	117.11/c
TS5234	32037	5/16	2 3/4	1 1/8	1 1/2	4.69	100	379.89/c
TS5164	98351	5/16	4	1 1/8	1 1/2	9.21	100	53.50/c
JTS3218	80896	3/8	2 1/4	1 1/8	1 3/4	8.05	100	148.99/c
JTS3234	81165	3/8	2 3/4	1 5/8	1 3/4	9.30	100	156.97/c
JTS303	80898	3/8	3	1 7/8	1 3/4	9.92	100	161.10/c
TS3312	32007	3/8	3 1/2	2 1/2	1 3/4	12.81	100	195.85/c
JTS312	80899	3/8	3 3/4	2 5/8	1 3/4	5.85	50	183.76/c
TS312CCL	27176	3/8	3 3/4	2 5/8	1 3/4	29.03	250	60.38/c
TS385	32014	3/8	5	3 7/8	1 3/4	7.45	50	84.60/c
TS3612	81615	3/8	6 1/2	4	1 3/4	9.85	50	287.75/c
JTS4234	81166	1/2	2 3/4	1 5/16	2 1/4	9.10	50	252.40/c
TS4234M	39236	1/2	2 3/4	1 5/16	2 1/4	182.00	1000	673.88/m
JTS4334	81770	1/2	3 3/4	2 5/16	2 1/4	11.00	50	282.22/c
TS4334C	27177	1/2	3 3/4	2 5/16	2 1/4	22.36	100	281.08/c
JTS4414	81622	1/2	4 1/4	2 13/16	2 1/4	6.12	25	293.13/c
TS4414C	27178	1/2	4 1/4	2 13/16	2 1/4	24.30	100	291.95/c
JTS4512	81623	1/2	5 1/2	4 1/16	2 1/4	7.28	25	363.73/c
TS407	32033	1/2	7	4 9/16	2 1/4	9.55	25	442.62/c
TS4812	32050	1/2	8 1/2	6	2 1/4	20.82	25	560.19/c
JTS5312	81630	5/8	3 1/2	1 7/8	2 3/4	9.22	25	469.64/c
JTS5412	81631	5/8	4 1/2	2 7/8	2 3/4	10.48	25	516.00/c
TS505	81632	5/8	5	3 3/8	2 3/4	11.60	25	554.80/c
TS506	81633	5/8	6	4 3/8	2 3/4	19.00	25	557.06/c
TS507	81634	5/8	7	5 3/8	2 3/4	6.38	10	441.70/c
TS508	32035	5/8	8 1/2	6	2 3/4	7.88	10	1,203.59/c
TS510	81628	5/8	10	6	2 3/4	8.54	10	623.50/c
TS512	81629	5/8	12	6	2 3/4	2.16	5	782.40/c
JTS6414	81640	3/4	4 1/4	2 3/8	3 3/8	12.09	20	706.33/c
JTS6434	32041	3/4	4 3/4	2 7/8	3 3/8	14.00	20	760.25/c
TS6512	32042	3/4	5 1/2	3 5/8	3 3/8	14.70	20	760.55/c
JTS6614	81643	3/4	6 1/4	4 3/8	3 3/8	8.25	10	919.18/c
JTS607	32053	3/4	7	5 1/8	3 3/8	15.02	10	658.70/c
TS6812	32054	3/4	8 1/2	6	3 3/8	17.01	10	764.80/c
TS610	32055	3/4	10	6	3 3/8	19.08	10	875.70/c
TS612	32056	3/4	12	6	3 3/8	21.00	5	1,202.80/c
TS786	32062	7/8	6	2 1/8	3 7/8	15.00	5	1,024.60/c
TS788	32063	7/8	8	2 1/8	3 7/8	17.01	5	1,245.60/c
TS7810	32078	7/8	10	2 1/8	3 7/8	19.20	5	1,496.40/c
TS106	32076	1	6	2 1/4	4 1/2	2.40	5	1,313.60/c
TS6701	32045	1	9	2 3/4	4 1/2	2.45	5	2,377.80/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

E

CONTINUED

WEDGE ANCHORS



DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS
DOMESTIC 316 STAINLESS • STEEL ZINC • 18-8 STAINLESS
316 STAINLESS • 304 STAINLESS STEEL • GALVANIZED

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC								
TS112	32078	1	12	2¾	4½	3.05	5	1,977.40/c
TS115	32079	1	15	2¾	4½	5.17	5	3,070.60/c
18-8 STAINLESS								
JTS1134SS	80900	¼	1¾	1 5/16	1⅛	1.55	50	243.16/c
JTS1214SS	80901	¼	2¼	1 7/16	1⅛	1.85	50	278.54/c
JTS103SS	80902	¼	3¼	2 7/16	1⅛	2.50	50	318.16/c
JTS144SS	71751	¼	4	2 7/16	1⅛	3.13	50	1,094.16/c
JTS3218SS	80903	⅜	2¼	1⅛	1¾	4.02	50	450.36/c
JTS3234SS	81157	⅜	2¾	1⅝	1¾	9.30	100	421.88/c
JTS303SS	80904	⅜	3	1⅞	1¾	5.07	50	531.68/c
TS3312SS	81158	⅜	3½	2½	1¾	12.82	100	533.25/c
JTS312SS	80905	⅜	3¾	2⅝	1¾	5.96	50	766.00/c
JTS385SS	95250	⅜	5	3⅞	1¾	7.38	50	775.04/c
JTS3612SS	95255	⅜	6½	4	1¾	5.19	25	1,368.12/c
JTS4234SS	82126	½	2¾	1¼	2¼	4.11	25	877.60/c
JTS4334SS	82127	½	3¾	2 5/16	2¼	5.77	25	1,017.00/c
JTS4414SS	32028	½	4¼	2 13/16	2¼	6.21	25	1,911.52/c
JTS4512SS	95260	½	5½	4 1/16	2¼	7.62	25	1,904.31/c
JTS407SS	82125	½	7	4 9/16	2¼	9.98	25	845.48/c
TS4085SS	81159	½	8½	6	2¼	20.82	25	1,811.32/c
JTS5312SS	82523	⅝	3½	1⅞	2¾	10.22	25	1,437.96/c
JTS5412SS	82524	⅝	4½	2⅞	2¾	10.58	25	1,618.60/c
TS505SS	82525	⅝	5	3⅜	2¾	11.70	25	1,719.60/c
TS506SS	82526	⅝	6	4⅜	2¾	13.49	25	1,781.88/c
TS507SS	82527	⅝	7	5⅜	2¾	15.96	10	2,146.90/c
TS508SS	82528	⅝	8½	6	2¾	18.27	10	3,237.70/c
TS510SS	82529	⅝	10	6	2¾	8.55	10	4,059.00/c
TS512SS	82530	⅝	12	6	2¾	5.42	5	4,872.60/c
JTS6414SS	90324	¾	4¼	2⅜	3⅜	9.44	10	1,652.85/c
JTS6434SS	32085	¾	4¾	2⅞	3⅜	13.27	20	2,868.70/c
TS6512SS	32086	¾	5½	3⅝	3⅜	24.10	20	3,359.30/c
TS6614SS	32048	¾	6¼	4⅜	3⅜	14.80	10	2,599.90/c
JTS607SS	90308	¾	7	5⅛	3⅜	15.02	10	4,495.50/c
TS6812SS	32087	¾	8½	6	3⅜	17.01	10	4,415.50/c
TS610SS	32088	¾	10	3¼	3⅜	19.08	10	5,180.50/c
TS612SS	32089	¾	12	2¼	3⅜	10.51	5	7,578.20/c
TS786SS	32066	⅞	6	2⅛	3⅞	15.00	5	5,661.20/c
TS106SS	32081	1	6	2¼	4½	2.40	5	7,649.80/c
TS109SS	32082	1	9	2¼	4½	2.45	5	8,924.80/c
TS112SS	32083	1	12	2¼	4½	3.05	5	10,917.60/c
316 STAINLESS								
JTS11340SS	81163	¼	1¾	1 5/16	1⅛	3.10	100	244.29/c
JTS1024SS	90292	¼	2¼	1 7/16	1⅛	3.70	100	180.92/c
JTS1034SS	90298	¼	3¼	2 7/16	1⅛	5.54	100	561.05/c
JTS1044SS	90314	¼	4	2 7/16	1⅛	7.97	100	495.94/c
TS32180SS	81291	⅜	2¼	1⅛	1¾	8.04	100	618.75/c
JTS32340SS	81292	⅜	2¾	1⅝	1¾	9.30	100	697.50/c
JTS3033SS	90305	⅜	3	1⅞	1¾	5.30	50	1,971.50/c
TS33120SS	81293	⅜	3½	2½	1¾	12.82	100	787.50/c
JTS3121SS	81164	⅜	3¾	2⅝	1¾	5.99	50	1,008.96/c
TS3850SS	81294	⅜	5	3⅞	1¾	7.38	50	981.16/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

CONTINUED



WEDGE ANCHORS

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS
DOMESTIC 316 STAINLESS • STEEL ZINC • 18-8 STAINLESS
316 STAINLESS • 304 STAINLESS STEEL • GALVANIZED

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
316 STAINLESS								
JTS43340SS	81308	1/2	3 3/4	2 5/16	2 1/4	5.77	25	1,487.64/c
JTS4414316SS	95261	1/2	4 1/4	2 13/16	2 1/4	6.55	25	10,580.00/c
TS45120SS	81309	1/2	5 1/2	4 1/16	2 1/4	5.77	25	1,874.64/c
TS4070SS	81310	1/2	7	4 9/16	2 1/2	5.77	25	2,331.12/c
JTS53120SS	81337	5/8	3 1/2	1 7/8	2 3/4	10.22	25	2,462.36/c
JTS54120SS	81338	5/8	4 1/2	2 7/8	2 3/4	10.58	25	2,784.28/c
TS5050SS	81339	5/8	5	3 3/8	2 3/4	11.70	25	2,974.12/c
TS5060SS	81340	5/8	6	4 3/8	2 3/4	13.49	25	3,255.20/c
TS5070SS	81341	5/8	7	5 3/8	2 3/4	15.96	10	3,604.30/c
TS5080SS	81342	5/8	8	2	2 3/4	18.20	10	4,354.45/c
TS64340SS	81353	3/4	4 3/4	2 7/8	3 3/8	13.27	20	4,509.45/c
TS65120SS	81354	3/4	5 1/2	3 5/8	3 3/8	24.10	20	5,020.60/c
TS66140SS	81355	3/4	6 1/4	4 3/8	3 3/8	29.60	20	2,744.35/c
TS6070SS	81356	3/4	7	5 1/8	3 3/8	30.04	20	5,992.80/c
GALVANIZED								
JTS1134G	81133	1/4	2 1/4	1 7/16	1 1/8	3.72	100	137.25/c
JTS103G	81134	1/4	3 1/4	2 7/16	1 1/8	4.60	100	147.38/c
JTS380G	81192	3/8	2 1/4	1 1/8	1 3/4	4.60	50	296.28/c
JTS3234G	81256	3/8	2 3/4	1 1/8	1 3/4	9.21	100	213.75/c
JTS383G	81193	3/8	3	1 1/8	1 3/4	5.08	50	321.92/c
JTS3312G	81256	3/8	3 1/2	1 1/8	1 3/4	12.83	100	237.38/c
TS312G	81258	3/8	3 3/4	1 1/8	1 3/4	11.70	100	236.81/c
TS385G	81259	3/8	5	1 1/8	1 3/4	14.90	100	288.00/c
JTS4234G	81167	1/2	2 3/4	1 1/4	2 1/4	8.11	50	341.44/c
JTS4414G	81380	1/2	4 1/4	2 13/16	2 1/4	6.35	25	278.04/c
JTS4512G	81381	1/2	5 1/2	4 1/16	2 1/4	7.31	25	370.52/c
TS407G	81382	1/2	7	4 9/16	2 1/4	9.57	25	453.32/c
TS4085G	81169	1/2	8 1/2	6	2 1/4	20.84	25	950.64/c
TS6618G	81383	1/2	10	6	2 1/4	20.81	20	541.40/c
JTS5312G	81194	5/8	3 1/2	1 7/8	2 3/4	9.44	25	820.42/c
JTS5412G	81636	5/8	4 1/2	2 7/8	2 3/4	10.25	25	686.24/c
TS505G	81392	5/8	5	3 3/8	2 3/4	11.73	25	677.40/c
TS506G	81393	5/8	6	4 3/8	2 3/4	13.51	25	758.40/c
TS507G	81394	5/8	7	5 3/8	2 3/4	15.98	10	877.30/c
TS508G	81395	5/8	8 1/2	6	2 3/4	18.33	10	1,147.40/c
JTS510G	81396	5/8	10	6	2 3/4	8.57	10	1,274.20/c
JTS6434G	81361	3/4	4 3/4	2 7/8	3 7/8	13.29	20	1,010.40/c
TS34512G	10472	3/4	5 1/2	3 5/8	3 7/8	24.12	20	805.84/c
JTS6614G	81362	3/4	6 1/4	4 3/8	3 7/8	14.83	10	1,199.50/c
JTS607G	81638	3/4	7	5 1/8	3 7/8	15.05	10	1,344.40/c
TS6812G	81363	3/4	8 1/2	6	3 7/8	17.03	10	1,661.60/c
TS610G	81364	3/4	10	6	3 7/8	19.11	10	1,945.90/c
TS788G	81412	7/8	8	2 1/8	3 7/8	17.16	5	2,508.00/c
TS106G	81425	1	6	2 1/4	4 1/2	2.42	5	3,623.20/c
TS109G	81426	1	9	2 1/4	4 1/2	2.48	5	7,246.20/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



POWERS® STUD PLUS SD1 HEX HEAD WEDGE TYPE EXPANSION ANCHOR

CARBON STEEL ZINC

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
M7206SD	23611	1/4	1 3/4	3.12	100	89.28/c
M7409SD1	39438	1/4	2	3.00	100	83.79/c
M7402SD1	39439	1/4	2 1/4	4.00	100	73.72/c
M7412SD1	39442	3/8	2 3/4	9.30	100	232.14/c
M7413SD1	23588	3/8	3	9.92	100	207.82/c



A superior alternative to traditional wedge anchors

HAMMER DRIVE WEDGE ANCHORS

STEEL ZINC • STAINLESS STEEL

- Installs six times faster than an ordinary wedge-type anchor.
- Easily installs through pre-drilled holes in plates and footings – no need for templates.
- No special tools required.
- Tensions during setting process.
- Deforms the concrete to set, eliminating creep and loss of pre-load.
- Faster, easier and more consistent installation.

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	DRILL SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
ZINC CHROMATE								
JHW14134	80907	1/4	1 3/4	5/8	1/4	1.72	50	171.60/c
JHW14238	80908	1/4	2 3/8	3/4	1/4	2.05	50	181.90/c
JHW5162	80909	5/16	2	3/4	5/16	2.70	50	222.80/c
JHW516234	80910	5/16	2 3/4	1	5/16	3.51	50	258.80/c
JHW38238	80911	3/8	2 3/8	1	3/8	4.35	50	281.70/c
JHW38312	80912	3/8	3 1/2	1 1/8	3/8	6.05	50	391.90/c
JHW38434	82630	3/8	4 3/4	1 1/8	3/8	8.30	50	568.66/c
JHW12234	82635	1/2	2 3/4	1/2	1/2	4.80	25	465.75/c
JHW12312	82640	1/2	3 1/2	1/2	1/2	5.92	25	489.72/c
JHW12434	82645	1/2	4 3/4	2	1/2	7.46	25	717.24/c
JHW126	82650	1/2	6	2	1/2	9.07	25	1,073.72/c
JHW584	82655	5/8	4	1 5/8	5/8	10.76	25	745.44/c
JHW58434	82660	5/8	4 3/4	1 5/8	5/8	12.22	25	1,032.36/c
JHW586	82665	5/8	6	2	5/8	6.03	10	1,273.50/c
JHW345	82670	3/4	5	2	3/4	7.36	10	1,380.60/c
JHW346	82675	3/4	6	2	3/4	8.39	10	2,023.40/c
JHW34712	82680	3/4	7 1/2	2	3/4	9.21	10	2,422.90/c
18-8 STAINLESS STEEL								
JHW38312SS	82915	3/8	3 1/2	1 1/8	3/8	6.15	50	891.35/c
JHW12312SS	82700	1/2	3 1/2	1/2	1/2	5.72	25	1,272.20/c
JHW126SS	82710	1/2	6	2	1/2	8.83	25	2,051.60/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

WEDGE ANCHORS STRONG-BOLT™

STEEL ZINC



For Cracked and Uncracked Concrete

Selection Guide

- Tri-Segmented clip is able to adjust independently increasing follow-up expansion should the hole increase in size as a result of a crack.
- 316 stainless clip with superior corrosion resistance.
- Head is stamped with Simpson Strong-Tie® "=" sign and size ID.
- Carbon-steel zinc plated stud with 316 stainless-steel clip.

PART#	THREAD LENGTH	(THREADS) PER INCH	DRILL SIZE	OVERALL LENGTH
SWA3830	1¼	16	⅜	3
SWA3836	2⅜	16	⅜	3¾
SWA3850	3⅝	16	⅜	5
SWA1236	2⅛	13	½	3¾
SWA1244	2⅞	13	½	4¼
SWA1254	3⅞	13	½	5½
SWA1270	5⅜	13	½	7
SWA5850	3 3/16	11	⅝	5
SWA5860	4 3/16	11	⅝	6
SWA5870	5 3/16	11	⅝	7
SWA5884	5¾	11	⅝	8½

TEST CRITERIA:

Strong-Bolt™ Wedge anchor has been tested in accordance with ICC-ES's *Acceptance Criteria for Mechanical Anchors in Concrete Elements (AC193) and ACI 355.2 for the following in cracked and uncracked concrete:*

- Static tension and shear loading in cracked and uncracked concrete
- Seismic and wind loading in cracked and uncracked concrete
- Performance in cracked concrete
- Performance in lightweight concrete over metal deck

CODES: ICC-ES ESR-1771; City of L.A. RR25705; Florida FL 11506.6

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SWA3830	14978	⅜	3	4.94	50	328.78/c
SWA3836	14981	⅜	3¾	5.92	50	415.74/c
SWA3850	14986	⅜	5	7.36	50	480.26/c
SWA1236	15451	½	3¾	5.77	25	584.72/c
SWA1244	15454	½	4¼	6.00	25	604.52/c
SWA1254	15458	½	5½	7.53	25	663.48/c
SWA1270	15463	½	7	9.32	25	736.87/c
SWA5850	16236	⅝	5	4.69	10	966.40/c
SWA5860	16239	⅝	6	5.37	10	1,070.30/c
SWA5870	16243	⅝	7	7.60	10	1,142.60/c
SWA5884	16247	⅝	8½	8.40	10	1,266.30/c

WALLCLAW® HAMMER-IN DRYWALL ANCHORS

NYLON



Phillips



INSTALLATION



REMOVAL



MADE IN USA

- No drilling required
- Installs in seconds
- Industrial strength
- Easy to remove
- Leaves only small slit
- Works in ½" and ⅝" Sheet Rock
- Commercial Loads – 90 lbs. (1/2") and 125 lbs. (5/8")
- Recommended Hanging (Shear) Loads Include Safety Factor
- Same WallClaw anchor works in both 1/2" and 5/8" drywall
- Accurate placement with the nail tip
- Clamps to back of wall for a secure hold
- Stronger - more surface area in contact with back of wall
- USA made
- Hammer-in drywall anchor
- Safety rating 1/2" drywall = 90 lbs
- Safety rating 5/8" drywall = 125 lbs
- Clamps to wall – both front and back
- Super strong engineered nylon
- Removable anchor (Reusable in the same hole)

PART#	UPC#	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MWCA25	83721	.28	25	97.36/c
MWCA50	83723	.52	50	61.20/c
MWCA100	83727	.99	100	42.40/c
MWCA500	83728	4.95	500	25.48/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

WALLCLAW ANCHORS IS A TRADEMARK OF WALLCLAW ANCHORS, LLC



HAND DRIVE PINS

STEEL ZINC

PART#	UPC#	HEAD SIZE	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JDPL1	81606	1/4	1/2	.12	50/250	28.30/c
JDP1	80916	1/4	1/2	.46	100/500	22.56/c
JDP2	80917	1/4	3/4	.56	100/500	24.08/c
JDP3	80918	1/4	1	.72	100/500	25.50 /c
JDP4	80919	1/4	1 1/4	.80	100/500	29.16 /c
JDP5	80920	1/4	1 1/2	.87	100/500	29.54 /c
JDP6	80921	1/4	2	1.18	100/500	38.69 /c
JDP7	80922	1/4	2 1/2	1.28	100/500	41.81 /c
JDP8	81595	1/4	3	1.32	100/500	57.09 /c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HAND DRIVE TOOL

For Hand Drive Pins

PART#	UPC#	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
HDT2	18720	.51	1	42.00/ea

E



HAMMER DRIVE NAIL-IN WHITE ANCHORS

STEEL ZINC/NYLON

PART#	UPC#	LENGTH	HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
ROUND HEAD						
J3161R	80956	1	3/16	.53	100/500	28.35/c
J141R	80957	1	1/4	.60	100/500	40.12/c
J1415R	80958	1 1/2	1/4	.89	100	42.46/c
J142R	80959	2	1/4	1.09	100	52.09/c
FLAT HEAD						
J3161F	80960	1	3/16	.50	100/500	28.35/c
J1434F	80961	3/4	1/4	.41	100/500	38.81/c
J141F	80962	1	1/4	.62	100/500	40.12/c
J1415F	80963	1 1/2	1/4	.87	100	42.46/c
J142F	80964	2	1/4	1.09	100	52.09/c
TRUSS - MUSHROOM HEAD						
J3161T	80965	1	3/16	.55	100/500	28.35/c
J1434T	80966	3/4	1/4	.50	100/500	38.81/c
J141T	80967	1	1/4	.63	100/500	40.12/c
J1415T	80968	1 1/2	1/4	.87	100	42.46/c
J142T	80969	2	1/4	1.21	100	52.10/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HAMMER DRIVE NAIL-IN ANCHORS

STEEL ZINC • 18-8 STAINLESS

PART#	UPC#	DIAMETER	LENGTH	HOLE SIZE	WT. PER PKG	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC							
JNA316	80923	3/16	7/8	3/16	.98	100/500	40.08/c
JNA140	80924	1/4	3/4	1/4	1.59	100/500	46.36/c
NA140M	19485	1/4	3/4	1/4	15.90	1000	322.01/m
JNA141	80925	1/4	1	1/4	1.95	100/500	47.28/c
NA141M	90322	1/4	1	1/4	19.50	1000	253.26/m

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

CONTINUED



HAMMER DRIVE NAIL-IN ANCHORS

STEEL ZINC • 18-8 STAINLESS

PART#	UPC#	DIAMETER	LENGTH	HOLE SIZE	WT. PER PKG	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
STEEL ZINC							
NA1415M	75044	¼	1	¼	97.50	5000	266.37/m
NA14110M	74476	¼	1	¼	195.00	10000	254.77/m
JNA1414	80926	¼	1¼	¼	2.11	100	52.19/c
NA1414V	19462	¼	1¼	¼	10.55	500	42.59/c
JNA1415	80927	¼	1½	¼	2.37	100	58.24/c
JNA142	80928	¼	2	¼	2.98	100	75.67/c
JNA143	80867	¼	3	¼	4.08	100	88.88/c
18-8 STAINLESS							
JNA141SS	90387	¼	1	¼	1.94	100	118.17/c
JNA1414SS	81987	¼	1¼	¼	2.25	100	118.18/c
JNA142SS	91381	¼	2	¼	3.33	100	254.22/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



#2 PHILLIPS MUSHROOM HEAD ZAMAC NAIL-IN ANCHOR

STEEL ZINC

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
M2842	81289	¼	1¼	2.19	100	50.00/c

Slotted

Phillips



ARROW ANCHOR KIT

For Hollow Wall

- Easy installation and removal
- Leaves only a small slit not a large hole
- Sheetrock or wallboard
- Use with #6 or #8 x 1" sheetmetal screw

AAK68 KIT CONTAINS

PART#	UPC#	QTY.	SIZE	ITEM	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
AAK68 AAJ68	18649	75	-	Hollow Wall Anchor	1.06	44.83/ea kit
		75	6/8 x 1	Phillips Combo T/S		
		1	#2 x 2	Phillips Power Bit		

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



ARROW ANCHORS

For Hollow Wall

PART#	UPC#	SIZE	DESCRIPTION OF CONTENTS	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
JAA68	18643	1/8 x ½ x 1 7/16	Hollow Wall Anchors	.77	48.95/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

ASSORTED PLASTIC ANCHORS



MADE IN USA

"Big Red" Conical Plastic Anchor

PART#	UPC#	LENGTH	SCREW SIZE	HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JRA1	80929	3/4	6-8	3/16	.10	100/500	5.71/c
JRA15	80930	7/8	8-10	3/16	.10	100/500	5.93/c
JRA2	80931	1	10-12	1/4	.18	100/500	6.82/c
RA22M	50086	1	10-12	1/4	2.53	2000	43.13/m
JRA3	80932	1 1/2	12-14	5/16	.31	100/500	12.87/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



"Denver Blue" Conical Plastic Anchor

PART#	UPC#	LENGTH	SCREW SIZE	HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JBA1	80933	3/4	6-8	3/16	.10	100/500	5.71/c
JBA15	80934	7/8	8-10	3/16	.09	100/500	5.93/c
JBA2	80935	1	10-12	1/4	.17	100/500	6.82/c
BA2M	19814	1	10-12	1/4	1.42	1000	52.92/m
JBA3	80936	1 1/2	12-14	5/16	.28	100/500	12.87/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



"Super Yellow" Plastic Wall Anchor

PART#	UPC#	LENGTH	SCREW SIZE	HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JSYA316	80940	1	6-8	3/16	.13	100/500	7.02/c
JSYA14	80941	1 1/4	8-10	1/4	.18	100/500	7.07/c
SYA14B	90205	1 1/4	8-10	1/4	13.21	10000	60.76/m
JSYA516	80942	1 5/8	12-14	5/16	.27	100/500	14.17/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



"Gray Ribbed" Plastic Anchor

PART#	UPC#	LENGTH	SCREW SIZE	HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JGA1	80953	7/8	6-8	3/16	.13	100/500	6.50/c
JGA2	80954	1	10-12	1/4	.18	100/500	7.32/c
JGA3	80955	1 1/4	14-16	5/16	.24	100/500	14.67/c
J1101	71901	Yellow 1	6-8	3/16	.03	100/500	7.18/c
J1105	71902	Red 1 1/2	8-10	15/64	.30	100/500	13.73/c
J1106	80945	Green 1	10-12	1/4	.25	100/500	6.84/c
J1107	80946	Green 1 1/4	10-12	1/4	.27	100/500	12.60/c
J1108	80947	Green 1 1/2	10-12	1/4	.35	100/500	19.25/c
J1109	71903	Green 2	10-12	1/4	.37	100/500	15.62/c
J1110	80948	Blue 1	14	5/16	.31	100/500	9.58/c
J1111	80949	Blue 1 1/2	14	5/16	.41	100/500	12.27/c
J1112	71904	Blue 2	14	5/16	.51	100/500	25.74/c
J1114	80950	Orange 1 1/2	16-5/16	3/8	.39	50/250	15.80/c
J1115	80951	Orange 2	16-5/16	3/8	.50	50	19.90/c
J1116	80952	Orange 2 1/2	16-5/16	3/8	.67	50	22.60/c
J1119	71905	Gray 3	7/16	3/8	.47	50	71.24/c
J1120	71906	Black 2 1/2	9/16	1/2	.59	50	106.94/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



"Expandet Nylon" Anchor

PART#	UPC#	COLOR/ LENGTH	SCREW SIZE	HOLE SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JELR2	80943	Red 1 1/2	8	1/4	.26	100/500	24.87/c
JELR3	80944	Blue 1 3/4	12	5/16	.48	100/500	42.15/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

E



ASSORTED PLASTIC ANCHOR KIT

WAKTRIO

Three Of The Most Popular Style Anchors – Screws Included
All In An E-Z To Store Plastic Case

3 Anchors in 1 Kit!

WAKTRIO KIT CONTAINS

PART#	UPC#	QTY.	SIZE	ITEM	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
WAKTRIO (300 pcs)	38990	25	6 x 1	Pan Combo Screw	.64	12.40/ea kit
		25	3/16	Red Plastic Anchors		
		25	10 x 1	Pan Combo Screw		
		25	1/4	Yellow Super Anchors		
		25	10 x 1	Pan Combo Screw		
		25	1/4	Red Plastic Anchors		

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



1/4" WALL ANCHOR KIT

- 500 pcs. – #10 x 1" Pan Head Combo Tapping Screws
- 500 pcs. – 1/4" Red Anchors
- 5 – 1/4" x 4" Masonry Drill Bits

PART#	UPC#	ITEM	DIAMETER	LENGTH	WT. PER PKG	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK14V	20218	Red Anchors	1/4	1	4.35	500	66.92/ea kit
		Pan Hd Combo Screws	#10	1		500	
		Masonry Drill	1/4	4		5	



RACEWAY ANCHOR KIT

Need to anchor your raceway?
This kit contains screws and anchors for mounting plastic or metal raceway to sheetrock, wood, metal or masonry walls.



PART#	UPC#	DESCRIPTION	WT. PER PKG.	SUGGESTED TRADE LIST PRICE PER
RWAK1 (177 pcs)	20350	(40) 3/16 Plastic Anchors	.74	26.40/ea kit
		(20) 1/4 Plastic Anchors		
		(15) Self Drilling Plastic Anchors		
		(40) #6 x 1 Flat Head Phillips Sheet Metal Screws		
		(20) #8 x 1½ Flat Head Phillips Sheet Metal Screws		
		(20) #10 x 1 Flat Head Phillips Sheet Metal Screws		
		(1) 3/16 x 4 Masonry Drill		
		(1) 1/4 x 4 Masonry Drill		



"BIG RED" CONICAL PLASTIC WALL ANCHOR KITS

NOW WITH QUADRIVE OPTION!



MASTER CARTONS CONTAIN:
25 KITS
18 JARS

PART#	UPC#	SIZE	QTY	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK13 **WAKJ13**	20200/kit 20570/jar	3/16	100 100 1	3/16 6 x 1 3/16	Red Plastic Anchors Pan Combo Screws Masonry Drill		.48 .49	1/25 1/18	16.17/ea kit
WAK2 **WAKJ2**	20245	3/16	100 100 1	3/16 8 x 3/4 3/16	Red Plastic Anchors Pan Combo Screws Masonry Drill		.54	1/25 1/18	19.80/ea kit
WAK16 **WAKJ16**	20280/kit 20281/jar	3/16	100 100 1	3/16 8 x 1 3/16	Red Plastic Anchors Pan Combo Screws Masonry Drill		.73 .68	1/25 1/18	16.17/ea kit
WAK16T **WAKJ16T**	20284/kit 20285/jar	3/16	100 100 1	3/16 8 x 1 3/16	Red Plastic Anchors **Pan Tri-Drive** Masonry Drill		.65 .69	1/25 1/18	17.53/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK16H **WAKJ16H**	20288/kit 20289/jar	3/16	100 100 1 1	3/16 8 x 1 1/4 3/16	Red Plastic Anchors Hex Slotted Screws 1/4 Head Hex Drive Masonry Drill		.75 .70	1/25 1/18	20.51/ea kit
WAK16R **WAKJ16R**	20292/kit 20293/jar	3/16	100 100 1	3/16 8 x 1 3/16	Red Plastic Anchors Pan Square Drive Screws Masonry Drill		.76 .76	1/25 1/18	16.17/ea kit
WAK16QD **WAKJ16QD**	38980/kit 38981/jar	3/16	100 100 1	3/16 8 x 1 3/16	Red Plastic Anchors **QuaDrive** 1/4 Masonry Drill		.79 .70	1/25 1/18	17.53/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK14D **WAKJ14D**	20208/kit 20760/jar	1/4	100 100 1 1	1/4 10 x 1 1/4 5/16	Red Plastic Anchors Hex Slotted Screws 5/16 Head Masonry Drill Driver		1.06 1.06	1/25 1/18	23.35/ea kit
WAK14 **WAKJ14**	20205/kit 20575/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors Pan Combo Screws Masonry Drill		.89 .93	1/25 1/18	16.17/ea kit
WAK14T **WAKJ14T**	20446/kit 20447/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors **Pan Tri-Drive** Masonry Drill, 000R2B Bit		1.00 .93	1/25 1/18	16.61/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK14H **WAKJ14H**	20207/kit 20580/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors Hex Slotted Screws 5/16 Head Masonry Drill		1.00 .93	1/25 1/18	18.93/ea kit
WAK14Q **WAKJ14Q**	20206/kit 20583/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors Hex Slotted Screws 1/4 Head Masonry Drill		.79 .83	1/25 1/18	18.93/ea kit
WAK14R **WAKJ14R**	20445/kit 20590/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors Pan Combo Screws Masonry Drill		.95 .93	1/25 1/18	17.44/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE



CONTINUED

"BIG RED" CONICAL PLASTIC WALL ANCHOR KITS

NOW WITH QUADRIVE OPTION!



MASTER CARTONS CONTAIN:
25 KITS
18 JARS

PART#	UPC#	SIZE	QTY	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK14SS **WAKJ14SS**	99414/kit 99420/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors Pan Slotted Screws S.S. Masonry Drill		.96 .94	1/25 1/18	42.83/ea kit
WAK14HSS **WAKJ14HSS**	99415/kit 99419/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors 5/16 Hex Slotted Screws S.S. Masonry Drill		1.04 1.02	1/25 1/18	46.13/ea kit
WAK14QD **WAKJ14QD**	39160/kit 39161/jar	1/4	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors **QuaDrive** 5/16 Masonry Drill		1.07 1.03	1/25 1/18	17.53/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK14SSPH **WAKJ14SSPH**	99418/kit 99417/jar	5/16	100 100 1	1/4 10 x 1 1/4	Red Plastic Anchors Pan Phillips Screws S.S. Masonry Drill		.96 .96	1/25 1/18	42.81/ea kit
WAK141 **WAKJ141**	23841/kit 20584/jar	1/4	100 100 1	1/4 10 x 1 1/4 1/4	Red Plastic Anchors Pan Combo Screws Masonry Drill		1.00 1.00	1/25 1/18	16.17/ea kit
WAK141H **WAKJ141H**	20588/kit	1/4	100 100 1	1/4 10 x 1 1/4 1/4	Red Plastic Anchors Hex Washer Head Screws Masonry Drill		1.02	1/25 1/18	18.44/ea kit
WAK14QD145 **WAKJ14QD145**	39174	1/4	100 100 1	1/4 10 x 1 1/4 1/4	Red Plastic Anchors **QuaDrive** 5/16 Masonry Drill		1.10	1/25 1/18	12.81/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK15R **WAKJ15R**	20450/kit 20615/jar	5/16	50 50 1	5/16 12 x 1 1/4 5/16	Red Plastic Anchors Pan Square Drive Screws Masonry Drill		1.00 .74	1/25 1/18	18.04/ea kit
WAK15D **WAKJ15D**	20416/kit	5/16	50 50 1 1	1/4 12 x 1 1/4 1/4 5/16	Red Plastic Anchors 5/16 Hex Slot Screw Masonary Driver Hex Driver		.81	1/25 1/18	14.23/ea kit
WAK15S **WAKJ15S**	39162/kit 39163/jar	1/4	50 50 1	1/4 12 x 1 1/4 1/4	Red Plastic Anchors Ind. Hex Slotted Screw Masonry Drill		.88 .81	1/25 1/18	14.40/ea kit
WAK15QD **WAKJ15QD**	39164/kit 39165/jar	1/4	100 100 1	1/4 12 x 1 1/4 1/4	Red Plastic Anchors **QuaDrive** 5/16 Masonry Drill		.83 .77	1/25 1/18	17.53/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK1415H **WAKJ1415H**	20497/kit	5/16	50 50 1	5/16 14 x 1 1/2 5/16	Red Plastic Anchors Hex Washer Head Screws Masonry Drill		1.02	1/25 1/18	19.91/ea kit
WAK15 **WAKJ15**	20210/kit 20605/jar	5/16	50 50 1	5/16 1/4 x 1 1/2 5/16	Red Plastic Anchors Pan Combo Screws Masonry Drill		1.05 .80	1/25 1/18	17.44/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

E



"DENVER BLUE" CONICAL PLASTIC WALL ANCHOR KITS

NOW WITH QUADRIVE OPTION!

In some areas of the country, tradesmen prefer blue to red. Same Product - Different Color

MASTER CARTONS CONTAIN:
25 KITS
18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK13B **WAKJ13B**	20201/kit 20571/jar	3/16	100 100 1	3/16 6 x1 3/16	Blue Plastic Anchors Pan Square Drive Screws Masonry Drill		.53 .54	1/25 1/18	16.17/ea kit
WAK13BV	20371/kit	3/16	500 500 1	3/16 6 x1 3/16	Blue Plastic Anchors Pan Combo Screws Masonry Drill		2.21	1/25 1/18	11.95/c
WAK16B **WAKJ16B**	20315/kit	3/16	100 100 1	3/16 8 x1 3/16	Blue Plastic Anchors Pan Combo Screws Masonary Drill		.75	1/25 1/18	16.17/ea kit
WAK14B **WAKJ14B**	20209/kit 20576/jar	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors Pan Combo Screws Masonry Drill		.89 .92	1/25 1/18	16.61/ea kit
WAK14TB **WAKJ14TB**	20204/kit 20577/jar	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors **Pan Tri-Drive** Masonry Drill, 000R2B Bit		1.01 .95	1/25 1/18	16.61/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK14HB **WAKJ14HB**	20213/kit 20578/jar	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors 5/16 Hex Slotted Screws Masonry Drill		1.01 .93	1/25 1/18	18.93/ea kit
WAK14QB **WAKJ14QB**	20216/kit 20581/jar	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors 1/4 Hex Slotted Screws Masonry Drill		.88 .80	1/25 1/18	18.93/ea kit
WAK14HBSS **WAKJ14HBSS**	20814/kit 99416/jar	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors 1/4 Hex Slotted Screws S.S. Masonry Drill		1.00 1.00	1/25 1/18	46.13/ea kit
WAK14RB **WAKJ14RB**	20217/kit 20582/jar	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors Pan Square Drive Screws Masonry Drill		1.03 .80	1/25 1/18	17.44/ea kit
WAK14QDB **WAKJ14QDB**	39166/kit 39167/jar	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors **QuaDrive** 5/16 Masonry Drill		1.07 1.03	1/25 1/18	17.53/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK1425QDB **WAKJ1425QDB**	19987/kit	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors **QuaDrive** 5/16 Masonry Drill		1.12	1/25 1/18	13.72/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK19B **WAKJ19B**	53350/kit 53349/kit	1/4	100 100 1	1/4 10 x1 1/4	Blue Plastic Anchors Pan Combo Screws Masonry Drill		.93	1/25 1/18	19.54/ea kit
WAK141B **WAKJ141B**	20585/kit 20586/jar	1/4	100 100 1	1/4 10 x1 1/4 1/4	Blue Plastic Anchors Pan Square Drive Screws Masonry Drill		1.00 1.00	1/25 1/18	16.17/ea kit
WAK141QDB **WAKJ141QDB**	39188/kit 39189/jar	1/4	100 100 1	1/4 10 x1 1/4 1/4	Blue Plastic Anchor **QuaDrive** 5/16 Masonry Drill		1.13 1.14	1/25 1/18	17.53/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK14DB **WAKJ14DB**	20214/kit 20579/jar	1/4	100 100 1 1	1/4 10 x 1 5/16 1/4 5/16	Blue Plastic Anchors Hex Head Slotted Screws Masonry Drill Driver		1.06 1.06	1/25 1/18	23.35/ea kit Anchors & Screws ONLY METALLICS/Avanti Screw
WAK15SB **WAKJ15SB**	20417/kit 39169/jar	1/4	50 50 1	1/4 12 x1 1/4 1/4	Blue Plastic Anchors Hex Slotted Screw Masonry Drill		.85 .85	1/25 1/18	14.40/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE



CONTINUED

"DENVER BLUE" CONICAL PLASTIC WALL ANCHOR KITS

NOW WITH QUADRIVE OPTION!

In some areas of the country, tradesmen prefer blue to red. Same Product - Different Color

MASTER CARTONS CONTAIN: 25 KITS 18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK15CB WAKJ15CB	391915/kit 39191/jar	1/4	50 50 1	1/4 12 x 1 1/4 1/4	Blue Plastic Anchors Pan Combo Screws Masonry Drill		.75	1/25 1/18	18.04/ea kit
WAK15QDB WAKJ15QDB	39170/kit 39171/jar	1/4	100 100 1	1/4 12 x 1 1/4 1/4	Blue Plastic Anchors **QuaDrive** 5/16 Masonry Drill		.83 .80	1/25 1/18	17.53/ea kit
WAK15RB WAKJ15RB	20212/kit 20607/jar	5/16	50 50 1	5/16 12 x 1 1/4 5/16	Blue Plastic Anchors Pan Square Drive Screws Masonry Drill		1.00 .80	1/25 1/18	18.04/ea kit
WAK15114HB WAKJ15114HB	39197/kit 39173/jar	5/16	50 50 1	1/4 14 x 1 1/4 5/16	Blue Plastic Anchors 3/8 Hex Head Slot Masonry Drill		1.07	1/25 1/18	14.09/ea kit
WAK15B WAKJ15B	20211/kit 20606/jar	5/16	50 50 1	5/16 1/4 x 1 1/2 5/16	Blue Plastic Anchors Pan Combo Screws Masonry Drill		.84 .80	1/25 1/18	17.44/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



"SUPER YELLOW" PLASTIC WALL ANCHOR KITS

MASTER CARTONS CONTAIN: 25 KITS 18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK18 WAKJ18	20255/kit 20645/jar	3/16	100 100 1	3/16 6 x 1 3/16	Super Yellow Plastic Anchors Pan Square Drive Screws Masonry Drill		.58 .52	1/25 1/18	19.44/ea kit
WAK18T WAKJ18T	20256/kit 20640/jar	3/16	100 100 1	3/16 6 x 1 3/16	Super Yellow Plastic Anchors Pan Combo Screws Masonry Drill		.75 .55	1/25 1/18	21.06/ea kit
WAK19 WAKJ19	20260/kit 20650/jar	1/4	100 100 1	1/4 10 x 1 1/4	Super Yellow Plastic Anchors Pan Combo Screws Masonry Drill, 000R2B Bit		.93 .92	1/25 1/18	21.88/ea kit
WAK19T WAKJ19T	20261/kit 20651/jar	1/4	100 100 1	1/4 10 x 1 1/4	Super Yellow Plastic Anchors **Pan Tri-Drive** Masonry Drill		.97 1.01	1/25 1/18	23.70/ea kit MADE IN USA Anchors & Screws ONLY METALLICS/Avanti Screw
WAK19H WAKJ19H	21575/kit 20655/jar	1/4	100 100 1	1/4 10 x 1 1/4	Super Yellow Plastic Anchors Hex Slotted Screws 5/16 Head Masonry Drill		1.06 1.06	1/25 1/18	21.88/ea kit
WAK19S WAKJ19S	20262/kit 20670/jar	1/4	100 100 1	1/4 10 x 1 1/4 1/4	Super Yellow Plastic Anchors Hex Slotted Screws 5/16 Head Masonry Drill		1.11 1.07	1/25 1/18	22.75/ea kit
WAK19SS WAKJ19SS	20263/kit 99470/jar	1/4	100 100 1	1/4 10 x 1 1/2 1/4	Super Yellow Plastic Anchors Pan Phillips Screws S.S. Masonry Drill		1.10 1.11	1/25 1/18	45.95/ea kit
WAK20 WAKJ20	20265/kit 20680/jar	5/16	50 50 1	5/16 12 x 1 1/4 5/16	Super Yellow Plastic Anchors Pan Combo Screws Masonry Drill		.86 .76	1/25 1/18	21.88/ea kit
WAK191S WAKJ191S	32192/kit 20673/jar	5/16	100 100 1	5/16 12 x 1 1/2 5/16	Super Yellow Plastic Anchors Hex Slotted Screws 5/16 Head Masonry Drill		1.01 1.05	1/25 1/18	22.59/ea kit

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

CONTINUED ON NEXT PAGE

CONTINUED



"SUPER YELLOW" PLASTIC WALL ANCHOR KITS

MASTER CARTONS CONTAIN: 25 KITS 18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
SUPER YELLOW QUADRIVE									
WAK19QD	39176/kit	1/4	100	1/4	Super Yellow Plastic Anchors		1.07	1/25	23.70/ea kit MADE IN USA Anchors & Screws ONLY METALLICS/Avanti Screw
WAKJ19QD	39177/jar		100	10 x 1	**QuaDrive** 5/16		1.00	1/18	
			1	1/4	Masonry Drill				
WAK1925QD	39194/kit	1/4	100	1/4	Super Yellow Plastic Anchors		1.07	1/25	23.72/ea kit MADE IN USA Anchors & Screws ONLY METALLICS/Avanti Screw
WAKJ1925QD	20594/jar		100	10 x 1 1/4	**QuaDrive** 5/16			1/18	
			1	1/4	Masonry Drill				

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



"WHITE" PLASTIC WALL ANCHOR KITS

MASTER CARTONS CONTAIN: 25 KITS 18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK7	20230/kit	3/16	100	3/16	Vinyl Anchors		.75	1/25	13.48/ea kit
WAKJ7	20500/jar		100	6 x 1	Pan Combo Screws		.75	1/18	
			1	3/16	Masonry Drill				

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



COLLARLESS VINYL WALL ANCHOR KITS

MASTER CARTONS CONTAIN: 25 KITS 18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK8	20235/kit	1/4	100	1/4	Green Collarless Vinyl Anchor		1.01	1/25	14.35/ea kit
WAKJ8	20505/jar		100	10 x 1	Pan Combo Screws		.97	1/18	
			1	1/4	Masonry Drill				
WAK8T	20402/kit	1/4	100	1/4	Green Collarless Vinyl Anchor		1.07	1/25	15.13/ea kit MADE IN USA Anchors & Screws ONLY METALLICS/Avanti Screw
WAKJ8T	20640/jar		100	10 x 1	**Pan Tri-Drive**		.80	1/18	
			1	1/4	Masonry Drill, 000R2B Bit				
WAK8QD	39180/kit	1/4	100	1/4	Green Collarless Vinyl Anchor		1.00	1/25	15.13/ea kit MADE IN USA Anchors & Screws ONLY METALLICS/Avanti Screw
WAKJ8QD	39181/jar		100	10 x 1	**QuaDrive** 5/16		1.00	1/18	
			1	1/4	Masonry Drill				
WAK9	20240/kit	5/16	50	5/16	Blue Collarless Vinyl Anchor		.86	1/25	15.78/ea kit
WAKJ9	20510/jar		50	12 x 1 1/4	Pan Combo Screws		.78	1/18	
			1	5/16	Masonry Drill				

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



GRAY CONICAL PLASTIC WALL ANCHOR KITS

NOW WITH QUADRIVE OPTION!

MASTER CARTONS CONTAIN:
25 KITS
18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK22	10500/kit	3/16	100	3/16	Gray Ribbed Anchors		.55	1/25	13.34/ea kit
WAKJ22	20730/jar		100	6 x 1	Pan Combo Screws		.50	1/18	
			1	3/16	Masonry Drill				
WAK25	20410/kit	3/16	100	3/16	Gray Ribbed Anchors		.57	1/25	14.95/ea kit
WAKJ25	20751/jar		100	8 x 1	Pan Combo Screws		.57	1/18	
			1	3/16	Masonry Drill				
WAK23	20400/kit	1/4	100	1/4	Gray Ribbed Anchors		.80	1/25	16.17/ea kit
WAKJ23	20740/jar		100	10 x 1	Pan Combo Screws		.91	1/18	17.38/ea jar
			1	1/4	Masonry Drill, 000R2B Bit				
ANCHOR KIT DESIGNED FOR RACEWAY									
WAK23F	39182/kit	1/4	100	1/4	Gray Ribbed Anchors		.80	1/25	16.17/ea kit
WAKJ23F	20745/jar		100	10 x 1	Flat Head Phillips Screws		.80	1/18	17.38/ea jar
			1	1/4	Masonry Drill				
WAK23T	20401/kit	1/4	100	1/4	Gray Ribbed Anchors		.80	1/25	17.53/ea kit
WAKJ23T	20767/jar		100	10 x 1	**Pan Tri-Drive**		.80	1/18	Anchors & Screws ONLY METALLICS/Avanti Screw
			1	1/4	Masonry Drill				
WAK23QD	39184/kit	1/4	100	1/4	Gray Ribbed Anchors		.80	1/25	17.53/ea kit
WAKJ23QD	39185/jar		100	10 x 1	**QuaDrive** 5/16		.80	1/18	19.08/ea kit
			1	1/4	Masonry Drill				Anchors & Screws ONLY METALLICS/Avanti Screw
WAK24	20405/kit	5/16	50	5/16	Gray Ribbed Anchors		.85	1/25	18.89/ea kit
WAKJ24	20750/jar		50	12 x 1 1/4	Pan Combo Screws		.77	1/18	
			1	5/16	Masonry Drill				

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



EXPANDET LIGHT ROSETT NYLON WALL ANCHOR KITS

MASTER CARTONS CONTAIN:
25 KITS
18 JARS

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAK33	20270/kit	1/4	50	1/4	Expandet Nylon Anchors		.70	1/25	15.78/ea kit
WAKJ33	22229/jar		50	8 x 2	Pan Combo Screws		.66	1/18	
			1	1/4	Masonry Drill				
WAK33R	20272/kit	1/4	50	1/4	Expandet Nylon Anchors		.80	1/25	15.78/ea kit
WAKJ33R	20761/jar		50	8 x 2	Square Drive Screws		.65	1/18	
			1	1/4	Masonry Drill				
WAK34	20271/kit	5/16	25	5/16	Expandet Nylon Anchors		.65	1/25	15.78/ea kit
WAKJ34	22240/jar		25	12 x 2	Pan Combo Screws		1.00	1/18	
			1	5/16	Masonry Drill, 000R2B Bit				

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

E



4 Anchors in 1 Kit!

QUAD PLASTIC ANCHOR KIT

- Four Different Style Anchors
- Drill Bits Included
- Screws And Driver Bit Included
- One Four Compartment Plastice Case

PART#	UPC#	SIZE	QTY.	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
WAKQUAD (165 pcs)	38995	3/16	20	Super Yellow Plastic Anchors	1.08	1/25	37.38/ea kit
		8 x 1	20	Pan Head Combo Sheet Metal Screw			
		3/16 x 4	1	High Speed Drill Bit			
		1/4	20	Big Red Plastic Anchors			
		10 x 1	20	Pan Head Combo Sheet Metal Screw			
		1/4 x 4	1	High Speed Drill Bit			
		1/4	20	Super Yellow Plastic Anchor			
		10 x 1	20	Pan Head Combo Sheet Metal Screw			
		1/4 x 4	1	High Speed Drill Bit			
		5/16	20	Denver Blue Plastic Anchors			
		12 x 1 1/4	20	Pan Head Combo Sheet Metal Screw			
		5/16 x 4-1/2	1	High Speed Drill Bit			
		2	1	#2 Phillips Power Bit			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

E



MULTI NYLON PLUG

FOR HOLLOW WALL APPLICATIONS.

Pre installation or through fixing
Automatic collar detachment makes the plug multifunctional.

Knock-in protection
Prevents premature expansion while installing.

Self tensioning
stops the plug rotating in the drill hole.

PART#	UPC#	DIAMETER	LENGTH	SCREW SIZE	DRILL BIT SIZE	WT. PER PKG.	QTY.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MAU8	60813	1/4	1 3/8	#8	1/4	.45	100	1	18.20/c
MAU81	60812	1/4	1 3/4	#8	1/4	.49	100	1	10.65/c
MAU10	60814	5/16	2	#10	5/16	.72	100	1	28.15/c
MAU14	60815	3/8	2 3/8	#14	3/8	.70	50	1	48.50/c
MAU516	60816	1/2	2 3/4	5/16	1/2	.98	50	1	96.22/c
MAU38	60817	9/16	3	3/8	9/16	.80	25	1	123.44/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



QUATTRO® NYLON PLUG

FOR USE IN ALL KINDS OF BUILDING MATERIALS.

Rotation resistance
stops the plug rotating in the drill hole.

Knock-in protection
Prevents premature expansion while installing.

Reduced installation time
Special plug geometry allows ease of entry into the drill hole.

PART#	UPC#	DIAMETER	LENGTH	SCREW SIZE	DRILL BIT SIZE	WT. PER PKG.	QTY.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MAQ316	60818	3/16	1	#8	3/16	.41	100	1	5.70/c
MAQ81	60819	1/4	1 3/16	#8	1/4	.41	100	1	10.64/c
MAQ10	60820	5/16	1 9/16	#10	5/16	.63	100	1	21.56/c
MAQ14	60821	3/8	2	#14	3/8	.61	50	1	40.32/c
MAQ516	60822	1/2	2 3/8	5/16	1/2	.57	25	1	73.40/c
MAQ38	60823	9/16	2 3/4	3/8	9/16	.80	25	1	101.40/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



NYLON PLUG

FOR SOLID BASE MATERIALS.

Knock-in protection
Prevents premature expansion while installing

Stabilization points
Prevent the plug from breaking open while inserting into the hole.

M-Teeth
Ensuring a complete radial expansion during screw insertion.

Block profile and tapered end
Holds the plug firm in the hole against rotation; guarantees immediate grip as the plug expands.

PART#	UPC#	DIAMETER	LENGTH	SCREW SIZE	DRILL BIT SIZE	WT. PER PKG.	QTY.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MAN8	60827	3/16	1	#8	3/16	.32	100	1	6.44/c
MAN81	60828	1/4	1 3/16	#8	1/4	.36	100	1	9.80/c
MAN101	60830	5/16	1 9/16	#10	5/16	.54	100	1	17.64/c
MAN14	60831	3/8	2	#14	3/8	.52	50	1	68.32/c
MAN14M	60844	3/8	2	#14	3/8	.52	1000	1	365.63/c
MAN516	60832	1/2	2 3/8	5/16	1/2	.73	50	1	105.72/c
MAN38	60833	9/16	2 3/4	3/8	9/16	.64	25	1	311.36/c
MAN1680	60846	16mm	80mm	12-14	5/8	.79	100	1	166.58/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



EASY-FIX

For use with aerated concrete and other soft building materials. Soft board (wooden fibre boards), Particleboard, Gypsum, XPS thermal insulation and more.

- No pre-drilling in aerated concrete. In other building materials it's recommended to use the same diameter of drill as the diameter of the plug.
- For use with wood, self-tapping, sheet metal screws and hexagon screws
- Pre installation
- Indoor applications

PART#	UPC#	SIZE	SCREW SIZE	DRILL BIT SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MEF632	60849	1/4" x 1 1/4"	10-14	1/4	.52	50	21.23/c
MEF838	60850	5/16" x 1 1/2"	14-3/8"	5/16	.98	50	34.68/c
MEF860	60851	5/16" x 2 3/8"	14-3/8"	5/16	1.38	50	45.70/c
MEF1060	60852	3/8" x 2 3/8"	5/16"-1/2"	3/8	1.63	50	54.30/c



Phillips

SELF-DRILLING WALL ANCHORS ZINC

For single, double drywall, plasterboard and gypsum fibre board
Combo drive #2 phillips



PART#	UPC#	SCREW SIZE	SIZE	WT. PER PKG.	QTY.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
ZSTU1J/jar	81315	#8	1 1/2	1.15	50	1/18	36.55/ea kit
ZSTU1K/kit	81319	#8	1 1/2	1.22	50	1/25	36.55/ea kit
ZSTU1M/box	81323	#8	1 1/2	15.06	1000	1	336.49/ea

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Phillips

METAL JET PLUG WITH 1/4"–20 EXTERNAL THREAD



SQ Bit or MJP1420

For use with pipe clips and single plasterboard with reduced length for limited spacing behind drywall

PART#	UPC#	SIZE	SCREW SIZE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
MJP1420	60839	1 1/2	1/4-20	2.24	100/500	41.12/c
MJPMSQ	60838	SQ Bit For MJP1420		.05	1	26.88/ea

SELF-DRILLING WALL ANCHORS ZINC



For single, double drywall, plasterboard and gypsum fibre board
Combo drive #2 phillips



Phillips

- Thin cutting thread; easy and reliable installation in drywall
- Pre installation
- Back twist lock permits the disassembly of screws without the movement of the plug
- Center point ensures an easy setting and drilling in the plate
- Indoor applications

PART#	UPC#	SCREW SIZE	SIZE	WT. EACH	QTY.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JZSA1/jar	80973	#8	1½	1.59	100	1	57.39/c
ZSA1M/box	33261	#8	1½	13.15	1000	1	459.00/m
ZSA1B/box	62157	#8	1½	19.63	1500	1	440.00/m

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Phillips



100P2B Included

- Thin cutting thread; easy and reliable installation in drywall
- Center point ensures an easy setting
- Back twist lock permits the disassembly of screws without the movement of the plug and drilling in the plate



PART#	UPC#	QTY.	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
ZSA1K/box	33265	50	#8	Zinc Screw Anchors	1.11	1/25	35.56/ea kit
ZSA1J/jar	20710	50	#8 x 1½	Pan Head Combo Screws	1.12	1/18	
ZSA1TK/box	33266	50	#8	Zinc Screw Anchors	1.08	1/25	37.45/ea kit
ZSA1TJ/jar	20269	50	#8 x 1½	Pan Head TriDrive Screws	1.07	1/18	
		1	-	100P2B Bit			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

SELF-DRILLING WALL ANCHORS ZINC-*LITE*



For single drywall, plasterboard and with reduced length for limited spacing behind the drywall
Combo drive #2 phillips • Uses #8 sheet metal or #8 drywall screws

Phillips

- Thin cutting thread; easy and reliable installation in drywall
- Pre installation
- Back twist lock permits the disassembly of screws without the movement of the plug
- Center point ensures an easy setting and drilling in the plate
- Indoor applications

PART#	UPC#	QTY.	SCREW SIZE	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JZSAL2	80974	100	#8	1	Zinc Alloy Anchor Lite	.85	100	43.76/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Phillips



100P1B Included

- Thin cutting thread; easy and reliable installation in drywall
- Center point ensures an easy setting and drilling in the plate
- Back twist lock permits the disassembly of screws without the movement of the plug



ANCHOR KITS IN BOX AND JAR

PART#	UPC#	QTY.	SCREW SIZE	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
ZSAL2K/box	33267	50	#8 x 1	–	Zinc Alloy Anchor Lite	.66	1/25	26.58/ea kit
ZSAL2J/jar	33268	50	#8 x 1	–	Pan Head Combo Screws	.64	1/18	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SELF-DRILLING WALL ANCHORS POLYAMIDE

Phillips

Works great in Drywall • Combo Drive #2 Phillips

- Glass-fibre reinforced
- Electrically insulated
- Thin cutting thread; easy and reliable installation in drywall
- For single and double plasterboards
- Back twist lock permits the disassembly of screws without the movement of the plug
- Center point ensures an easy setting and drilling in the plate
- Pre installation
- Indoor and outdoor applications

PART#	UPC#	QTY.	SCREW SIZE	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JPSA1/jar	80975	100	#8	1¼	Polyamide Anchors	.51	100	57.39/c
PSA1M/box	19824	1000	#8	1¼	Polyamide Anchors	3.29	1000	367.19/m

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Phillips  **100P2B Included**



ANCHOR KITS IN BOX AND JAR

								SUGGESTED TRADE LIST PRICE PER
PSA1K/box	29495	50	#8	–	Polyamide Anchors	.57	1/25	35.55/ea kit
PSA1J/jar	20705	50	8x1¼	–	Pan Head Combo Screws	.60	1/18	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

E



SELF-DRILLING WALL ANCHORS POLYAMIDE-*LITE*

Phillips

Works great in drywall with reduced length for limited spacing behind drywall
Combo Drive #2 Phillips

- Glass-fibre reinforced
- Electrically insulated
- For single and double plasterboards
- Reduced length for limited spacing behind drywall
- Thin cutting thread; easy and reliable installation in drywall
- Back twist lock permits the disassembly of screws without the movement of the plug
- Center point ensures an easy setting and drilling in the plate
- Pre installation
- Indoor and outdoor applications

PART#	JAR UPC#	QTY.	SCREW SIZE	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JPSAL2	80976	100	#6	1	Polyamide Anchor Lite	.23	100	43.76/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Phillips  **100P1B Included**



ANCHOR KITS IN BOX AND JAR

								SUGGESTED TRADE LIST PRICE PER
PSAL2K/box	19827	50	#6	–	Polyamide Anchor Lite	.35	1/25	26.58/ea kit
PSAL2J/jar	20700	50	#86 x 1	–	Pan Head Combo Screws	.33	1/18	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



DRILL TYPE TOGGLE ANCHORS



PART#	UPC#	QTY.	DIAMETER	LENGTH	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
JEZT1	80977	50	#10	-	Toggles	2.01	1	180.72/ea kit
		50	10-24	2	Pan Head Combo Machine Screws Zinc Plated			

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



ANCHOR KITS IN BOX AND JAR

PART#	UPC#	QTY.	DIAMETER	LENGTH	ITEM	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
EZT1K/box	33275	25	#10	-	Plastic Anchors	1.11	1/25	49.56/ea kit
EZT1J/jar	20715	25	10-24	2	Pan Head Combo Machine Screws Zinc Plated	1.24	1/18	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

E



STRAP-TOGGLE ANCHORS

ANCHOR STEEL ZINC

Designed for use in plaster, wallboard, concrete block or hollow tile

PART#	UPC#	SCREW SIZE	DRILL	QTY	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
NT31625	18513	10-24	1/2	25	.69	25	153.56/c
NT316	18501	10-24	1/2	50	1.38	50/250	153.52/c
NT316100	18517	10-24	1/2	100	2.76	100	153.53/c
NT1425	18514	1/4-20	1/2	25	.71	25	153.56/c
NT1425J JAR	18522	1/4-20	1/2	25	.71	25/125	153.56/c
NT14	18502	1/4-20	1/2	50	1.41	50	153.52/c
*NT14100K1	18503	1/4-20	1/2	100	7.10	100	154.66/c
NT14C	18504	1/4-20	1/2	100	4.09	100	145.91/c
NT3815J JAR	18523	3/8-16	1/2	15	5.86	15	248.00/c
NT3825	18515	3/8-16	1/2	25	1.47	25	182.64/c
NT38	18510	3/8-16	1/2	100	5.86	100	246.46/c
NT12	18511	1/2-13	1/2	25	1.19	25	379.52/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

*WITH 100 SCREWS 1/4-20 x 3 ROUND HEAD MS STEEL ZINC JRM128

Because a wide variety of screws work with this Toggle Anchor, Metallics has chosen not to offer them in a kit, but rather to allow the user to choose the screw that works best for each particular application. Please see Screw/Section A for a full listing of our machine screws.



THREADED STUDS

WITH PLASTIC FLUTE

For applications where it may be desirable to remove the fixture, where shimming may be required or for suspending sprinkler systems.

PART#	UPC#	THREADED STUD	SHANK DIAMETER	SHANK LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
M50326	13473	1/4-20 x 1/2	.145	3/4	1.49	100	62.90/c
M50328	13474	1/4-20 x 3/4	.145	1	1.61	100	64.40/c
M50330	23655	1/4-20 x 3/4	.145	1	1.40	100	53.48/c
M50336	13475	1/4-20 x 3/4	.145	1 1/4	1.73	100	84.63/c
M50338	13476	1/4-20 x 1 1/4	.145	1 1/4	2.35	100	104.35/c
KNURLED SHANK							
M50322	13472	1/4-20 x 3/4	.145	1/2	1.40	100	62.38/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



.300 HEAD DRIVE PINS

Designed for permanently fastening a fixture to concrete, some types of masonry and A36 structural steel.

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
M50022	23612	.145	¾	.58	100	5.99/c
M50026	23613	.145	1	.72	100	8.05/c
M50032	13456	.145	1¼	.84	100	14.85/c
M50034	13457	.145	1½	.92	100	16.19/c
M50038	13458	.145	2	1.08	100	19.94/c
M50040	13459	.145	2¼	1.21	100	25.75/c
M50044	13460	.145	2½	1.29	100	23.81/c
M50048	13461	.145	3	1.70	100	25.69/c
KNURLED SHANK						
M50012	13453	.145	½	.45	100	12.69/c
M50016	13454	.145	5/8	.52	100	19.18/c
BLACK SHANK						
M50023	13455	.145	¾	.58	100	7.81/c
WITH TOP HATS KNURLED SHANK						
M50136	13469	.145	½	.48	100	23.81/c
M50138	13470	.145	5/8	.55	100	27.38/c
WITH TOP HAT						
M50140	13471	.145	¾	.61	100	27.31/c
WITH 3/4 WASHER						
M50070	81918	.145	¾	1.50	100	22.30/c
M50080	13462	.145	2½	1.31	100	44.75/c
WITH 7/8 WASHER						
M50090	13463	.145	1	1.01	100	50.31/c
M50092	13464	.145	1¼	1.11	100	28.38/c
M50094	13465	.145	1½	1.19	100	31.56/c
M50096	13466	.145	2	1.29	100	33.50/c
M50098	13467	.145	2½	1.38	100	32.50/c
M50100	13468	.145	3	1.51	100	34.63/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



.300 HEAD PINS WITH CEILING CLIPS

For acoustical applications and suspended ceiling systems or light fixtures.

PART#	UPC#	SHANK DIAMETER	SHANK LENGTH	WIRE HOLE	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
M50364	13477	.145	1	.278	3.50	100	61.51/c
M50368	13478	.145	1 1/8	.278	3.60	100	31.16/c
M50370	23656	.145	1¼	.278	3.70	100	53.54/c

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



POWDER LOADS

Single cartridge units for single shot tools and also collated in groups of 10 into plastic strips for semi-automatic tools.



PART#	UPC#	CALIBER	COLOR	WT. PER PKG.	STD. PKG. UM	SUGGESTED TRADE LIST PRICE PER
M50500	13479	.22 A Loads	Gray	.28	100	21.69/c
M50502	13480	.22 A Brown Loads	Brown	.28	100	18.56/c
M50504	23642	.22 A Green Loads	Green	.28	100	13.16/c
M50506	23643	.22 A Yellow Loads	Yellow	.28	100	14.00/c
M50570	13481	.25 10 Load Strip	Green	.28	100	27.56/c
M50574	13482	.25 10 Load Strip	Yellow	.28	100	27.56/c
M50578	13483	.25 10 Load Strip	Red	.28	100	27.56/c
M50612	13484	.27 Long Loads	Red	.28	100	44.63/c
M50614	13485	.27 Long Loads	Purple	.28	100	48.31/c
M50620	13486	.27 Safety Strip Loads	Brown	.28	100	27.88/c
M50622	11513	.27 Safety Strip Loads	Green	.28	100	31.36/c
M50626	11508	.27 Safety Strip Loads	Yellow	.28	100	31.36/c
M50630	11511	.27 Safety Strip Loads	Red	.28	100	31.36/c