

Treat your carpet to longer life with a wide selection of deep cleaning brushes.

The NuTone Electric Power Brushes save time and energy, while prolonging the life of your carpet. And, with easy-to-use touch-of-the-toe levers, you won't break your back bending to switch carpet heights and removing wands.

The turbine brushes use the airflow of the Central Vacuum System to remove dirt without the need for an electrical plug. They offer the perfect cleaning solution for light traffic areas like the dining room where you want routine touch ups.

In addition, NuTone offers a wide selection of cleaning accessories to enhance the versatility of your Central Vacuum System. From electric power nozzles for deep cleaning to standard tool sets with attachments for those hard to reach areas, we make all of your cleaning chores easier.

Put all of the NuTone power to work for you and get unparalleled cleaning performance.

Electric Power Brushes



CT700

CT700 – Deluxe Electric Power Brush

This deluxe electric 14" power brush provides greater cleaning coverage without the extra work.

Features:

- Exceptional soil removal
- Maximum maneuverability and ease of use
- Superior LED lighting
- Four position height adjustment
- Dual edge cleaning with protective bumper
- Non-marking, rubberized coated wheels for improved traction



The CT700 features convenient height adjustment and brush release pedal options along with a multi-directional steering element for those difficult to reach areas.



Turbine Brushes



CT350B

CT350B – Turbine Brush

Lightweight yet powerful, NuTone's® CT350B turbine is up to 74% lighter than other floor turbines and removes up to 38% more embedded soil than other turbine brushes. This design features a suction shoe that allows 45 degree pivot while in use and a full 360 degree swivel neck. Features:

- Cog belt drive agitator brush
- Chevron pattern, nylon tufted agitator bristles
- Vacuum release valve opens and closes
- Rubber wheels

CT330B – Turbine Brush

This hand-held turbine brush is the perfect tool for stairs or for tight places like car interiors. Its comfortable size is easy to handle. Features a durable ABS housing.



Brush Selection Chart

Model No.	Description	Color	Wands	Height Adjustment	Width	Headlamp	Belt Style	Edge-Cleaning
CT700	Deluxe Electric Power Brush	Gray	CT170 or CT175	4-position	14"	LED	Cogged	Dual
CT350B	Turbine Brush	Black	No	No	11"	No	Cogged	Dual
CT330B	Turbine Brush	Black	No	No	6-3/8"	No	Cogged	Dual

All Power Brushes are UL Listed and are designed for use with NuTone hoses, models CH515, CH615, CH620.

Low Voltage Hoses and Utility Hoses



372 Standard Hose

372 – Standard Hose

A dark gray standard hose with vinyl reinforced construction. Rotary control on handle regulates vacuum.



CH230 Standard Hose

CH230 – Standard Hose

A dark gray standard hose features on-off switch and vinyl reinforced construction. Rotary control regulates vacuum. For longer reach, select the CH230L for 42 ft. length. Includes patent pending Universal hose end which fits all NuTone and most other standard inlets.



CH235 Crushproof Hose

CH235 – Crushproof Hose

This crushproof, low voltage hose springs back to retain original shape. Includes on-off switch. Includes patent pending Universal hose end which fits all NuTone and most other standard inlets. Available in dark gray.

Hose Accessories



CA130

A hose sock can help prevent scratching corners of walls and marking furniture as you move from room to room while vacuuming.



Hose Selection Chart

Model No.	Description	Hose Length	Inside Diameter	Power Head Switch	Power Unit Switch	Color
372	Low Voltage Standard Hose	32'	1-1/4"	No	No	Dark Gray
CH230	Low Voltage Standard Hose	30'	1-3/8"	No	Yes	Dark Gray
CH230L	Low Voltage Standard Hose	42'	1-3/8"	No	Yes	Dark Gray
CH520	Deluxe Current-Carrying Hose	30'	1-3/8"	Yes	Yes	Dark Gray
CH620	Deluxe Direct-Connect Hose	30'	1-3/8"	Yes	Yes	Dark Gray
CH235	Crushproof Low Voltage Hose	30'	1-3/8"	No	Yes	Dark Gray
CH515	Current-Carrying Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray
CH615	Direct-Connect Crushproof Hose w/Status Indicator Light	30'	1-1/4"	Yes	Yes	Dark Gray

Hose Accessories

Model No.	Description	Hose Length	Inside Diameter	Color
CA130	Hose Sock	30' – 32'	1" & 1-3/8" dia. Hoses	Gray

Plug into Power and Convenience with NuTone Inlets.

Turn to the source for power and intelligence. NuTone's line of central cleaning inlets include built-in low-voltage terminals where direct-connect hoses plug right into the inlet – alleviating the need for a power cord. The electrified inlets make it a simple one-step operation to plug in a current-carrying hose. The system turns on automatically when an unswitched hose is inserted or is ready for immediate activation with a switched hose.

NuTone's status indicator hoses and inlets allow for the bag-full or pail-full technology from your power unit for even more convenience. When the light on the power unit changes, indicating that it is time to change the bag or empty the pail, the light on the hose and inlet also changes color. And no additional wiring is needed.

NuTone inlets are the source of ease and convenience when working with a central vacuum system.



Electrified Direct Connect Inlets



Electrified Inlets make it a simple one-step operation to plug in a Current-Carrying hose – no 120V extension cord to carry around. Compatible with NuTone CH615 and CH620 hoses.

CI390 Standard and CI395 Status Indicating

The ElectraValve® Electrified Inlet operates on standard house wiring. It eliminates the need for the extension of electrical cords from the inlet to an electrical outlet. The molded power receptacle clips to a mounting plate and the housing wire is run to the nearest outlet box.

- UL listed Assembly
- Standard:
 - CI390W – White
 - CI390V – Ivory
- Status Indicating:
 - CI395W – White
 - CI395V – Ivory

CI395RK Rough-In Kit

The Electrified Inlet Rough-In Kit includes everything you need to install the CI390 and CI395 inlets. Includes mounting plate, snap-in power receptacle, 6' of 12-gauge cable assembly, plaster guard, CF382S elbow and mounting screws for plaster guard.

CI358 Supervalves

The Supervalve Electrified Inlet operates on standard house wiring. Includes wall valve, rough-in plate with junction box and strain relief.

- UL listed assembly
- CI358W – White
- CI358IV – Ivory

HOW TO CHOOSE:

		Inlet Type							
		CI390	CI395	CI358	CI370	CI335	360	330	CI398
Hose Type	Current Carrying								
	CH620	•	•	•					
	*CH520				•	•	•	•	•
	CH615	•	•	•					
	*CH515				•	•	•	•	•
Low Voltage	372				◦	◦	◦	◦	◦
	CH235				◦	◦	◦	◦	◦
	CH230				◦	◦	◦	◦	◦

* Includes 6 ft. line cord ◦ Limited Function (suction only/non-powered)
• Full Function