

Foot Valves, Skimmers & Strainers



FOOT VALVE (SPRING LOADED)		
PART NO.	SIZE	THREAD
FVS038EU	3/8"	BSP PI.
FVS050EU	1/2"	BSP PI.
FVS075EU	3/4"	BSP PI.
FVS100EU	1"	BSP PI.
FVS125EU	1 1/4"	BSP PI.
FVS150EU	1 1/2"	BSP PI.
FVS200EU	2"	BSP PI.
FVS250EU	2 1/2"	BSP PI.
FVS300EU	3"	BSP PI.
FVS400EU	4"	BSP PI.



CAST IRON FOOT VALVE		
PART NO.	SIZE	THREAD
FVS200CI/DFVS25	2"	BSP PI./NPT
FVS300CI/DFVS35	3"	BSP PI./NPT
FVS400CI/DFVS40	4"	BSP PI./NPT



STANDARD - THREADED NPT - ROUND HOLE		
PART NO.	SIZE	THREAD
RHS20	1 1/2"	NPT
RHS25	2"	NPT
RHS30	2 1/2"	NPT
RHS35	3"	NPT
RHS40	4"	NPT
RHS50	5"	NPT
RHS60	6"	NPT
RHS80	8"	NPT
RHS100	10"	NPT
RHS120	12"	NPT



304 STAINLESS - STEEL THREADED NPT - ROUND HOLE		
PART NO.	SIZE	THREAD
RRHS20	1 1/2"	NPT
RRHS25	2"	NPT
RRHS35	3"	NPT
RRHS40	4"	NPT
RRHS60	6"	NPT



HOSE SHANKS - ROUND HOLE	
PART NO.	SIZE
TCS100	1"
TCS150	1 1/2"
TCS200	2"
TCS300	3"
TCS400	4"
TCS600	6"



STANDARD - THREADED - ROUND HOLE TYPE

PART NO.	SIZE	THREAD
SHS20	1 1/2"	NPT
SHS25	2"	NPT
SHS35	3"	NPT
SHS40	4"	NPT
SHS60	6"	NPT



LONG THIN - ROUND HOLE TYPE

PART NO.	SIZE	THREAD
RSS20	1 1/2"	NPT
RSS25	2"	NPT
RSS30	2 1/2"	NPT
RSS35	3"	NPT
RSS40	4"	NPT



BLACK POLYETHYLENE STRAINER

PART NO.	SIZE	THREAD
TSS20	1 1/2"	NPT
TSS25	2"	NPT
TSS35	3"	NPT

L



SKIMMER - TOP ROUND HOLE TYPE

PART NO.	SIZE	THREAD
DST20	1 1/2"	NPT
DST25	2"	NPT
DST35	3"	NPT

Cast Iron “Y” Strainers

- Sizes:** 1/4” to 2”
- Materials:**
- Cast Iron Body
 - 304 Stainless Steel Screen
- Pressure:**
- 400 psi / 28 bar air and water
 - 250 psi / 17 bar working steam pressure
- Details:** Female x Female NPT ends



CAST IRON “Y” STRAINERS			
PART No.	SIZE	THREAD	DESCRIPTION
Y001	1/4”	NPT	20 x 20 Mesh
Y002	3/8”	NPT	20 x 20 Mesh
Y003	1/2”	NPT	20 x 20 Mesh
Y004	3/4”	NPT	20 x 20 Mesh
Y005	1”	NPT	20 x 20 Mesh
Y006	1 1/4”	NPT	20 x 20 Mesh
Y007	1 1/2”	NPT	20 x 20 Mesh
Y008	2”	NPT	20 x 20 Mesh

Bronze “Y” Strainers

- Sizes:** 1/4” to 2”
- Materials:**
- Cast Bronze Body
 - 304 Stainless Steel Screen
- Pressure:**
- 400 psi / 28 bar air and water
 - 300 psi / 20 bar working steam pressure
- Details:** Female x Female NPT ends



BRONZE “Y” STRAINERS			
PART No.	SIZE	THREAD	DESCRIPTION
59-001	1/4”	NPT	50 x 50 Mesh
59-002	3/8”	NPT	50 x 50 Mesh
59-003	1/2”	NPT	50 x 50 Mesh
59-004	3/4”	NPT	50 x 50 Mesh
59-005	1”	NPT	50 x 50 Mesh
59-006	1 1/4”	NPT	50 x 50 Mesh
59-007	1 1/2”	NPT	50 x 50 Mesh
59-008	2”	NPT	50 x 50 Mesh

Polypropylene Line "Y" Strainer

- Sizes:** 3/4" to 2"
- Materials:**
- Glass filled Polypropylene
 - All mesh Stainless Steel Screen
- Pressure:** Maximum working pressure 90 psi / 6 bar at 21°C (70°F)
- Details:**
- Female x Female NPT ends
 - Protects and prevents clogging of pipelines, pumps and spray tips
 - Easy access for cleaning



POLYPROPYLENE LINE "Y" STRAINERS			
PART No.	SIZE	THREAD	DESCRIPTION
PYLS7540	3/4"	NPT	40 Mesh
PYLS10040	1"	NPT	40 Mesh
PYLS15040	1 1/2"	NPT	40/20 Mesh
PYLS20040	2"	NPT	40/20 Mesh

Polypropylene Line "T" Strainer

- Sizes:** 3/4" to 1"
- Materials:**
- Polypropylene
 - All mesh Stainless Steel Screen
- Pressure:** Maximum working pressure 100 psi / 7 bar at 21°C (70°F)
- Details:**
- Female x Female NPT ends
 - Translucent polypropylene allows easy inspection



POLYPROPYLENE LINE "T" STRAINERS			
PART No.	SIZE	THREAD	DESCRIPTION
PTLS7540	3/4"	NPT	40 Mesh
PTLS10040	1"	NPT	40 Mesh

ADDITIONAL FILTERS AND STRAINERS AVAILABLE IN HYGIENIC SECTION