



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Timken Part Number 1015KRR, Fafnir® Eccentric Locking Collar Ball Bearings



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bore Size d	15/16 in 23.8 mm
Bore Type	Cylindrical bore
Bearing Type	Ball Bearing
Seal Type	Shroud Seal
Material	Bearing Steel
Lubrication Type	Non-Relubricatable
O.D. Type	Cylindrical OD
Dimension B1	1.748 in 44.4 mm
Dimension B2	0.531 in 13.5 mm


Series	Industrial
Weight	0.500 lb 0.200 Kg
Sub Series	1..KRR

Dimensions

Outside Diameter D	2.047 in 52.000 mm
Inside Ring Width B	34.92 mm 1.375 in
Outside Ring Width C	15.000 mm 0.591 in
Radius r	0.6 mm 0.024 in
Center of Bearing from End S	17.5 mm 0.689 in
Dimension S1	26.9 mm 1.059 in
Set Screw Size	1/4-20
Number of Set Screws	2
Angle between Set Screws	90 °

Basic Load Ratings

Static Load Rating	1730 lbf 7700 N
Dynamic Load Rating	3550 lbf 15800 N



Weight		0.5 lb	0.2 kg	TIMKEN® THE TIMKEN COMPANY NORTH CANTON, OHIO USA	1015KRR Fafnir® Eccentric Locking Collar Ball Bearings		
					Basic Load Ratings - C _r		
					Load Ratings - C _{0r}		
Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.					FOR DISCUSSION ONLY		