The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number VAS 5/8, Fafnir® Pillow Block Units Eccentric Locking Collar





Specifications | Dimensions | Basic Load Ratings

Specifications

Shaft Size d	5/8 in 15.9 mm
Bearing Type	Ball Bearing
Bearing Number	GRA010RRB
Dimension T	0.594 in 15.1 mm
Series	Standard
Weight	1.001 lb 0.454 Kg
Seal Type	Molded Shroud
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	VAS5/8

Dimensions

Base to Center Height H	30.16 mm 1.187 in
Total Length L	123.8 mm 4.874 in
Total Width A	1.189 in 30.2 mm
Bolt Hole Spacing J	92.1 mm 3.626 in
Bolt Hole Width N	11.1 mm 0.437 in
Bolt Hole Length N1	22.2 mm 0.874 in
Foot Height H1	11.9 mm
Total Height H2	56.4 mm 2.220 in
Dimension L1	41.3 mm 1.626 in
Inside Ring Width B	N/A
Center of Bearing from End S	6.4 mm 0.252 in
Dimension B1	1.126 in 28.6 mm

Basic Load Ratings

Static Load Rating	1070 lbf 4700 N
Dynamic Load Rating	2380 lbf 10700 N



Bearing Number	GRA010RRB				
Load Ratings - C_r	2380	lbf	10700	N	
Load Ratings - C_{0r}	1070	lbf	4700	N	
Weight	1.001	lb	0.454	kg	

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

VAS 5/8

Fafnir® Pillow Block Units Eccentric Locking Collar

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY