
The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number G1210KRRB, Fafnir® Eccentric Locking Collar Ball Bearings





Specifications | Dimensions | Basic Load Ratings

Specifications

Manufacturing Part Number	G1210KRRB + COL
Shaft Size d	2 5/8 in 66.7 mm
Bore Type	Cylindrical bore
Bearing Type	Ball Bearing
Material	Bearing Steel
Lubrication Type	Relubricatable
O.D. Type	Spherical OD
Series	Industrial
Weight	0.50 lb 0.2 Kg
Sub Series	G1...KRRB

Seal Type	Shroud Seal


Dimensions

Outside Diameter D	4.921 in 125.000 mm
Inner Ring Width B	68.26 mm 2.687 in
Outside Ring Width C	28.000 mm 1.102 in
Radius r	0.6 mm 0.024 in
Center of Bearing from End S	34.1 mm 1.343 in
Dimension S1	45.3 mm 1.783 in
Set Screw Size	1/2-13
Number of Set Screws	2
Angle between Set Screws	90 °
Dimension d1	3.811 in 96.8 mm
Dimension M	0.200 in 5.08 mm
Dimension B1	3.372 in 85.6 mm
Dimension B2	0.937 in 23.8 mm

Basic Load Ratings

Static Load Rating	9890 lbf 44000 N

	~~44000 N~~
Dynamic Load Rating	15500 lbf 69000 N



Weight	0.5 lb	0.2 kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

G1210KRRB

Fafnir® Eccentric Locking Collar Ball Bearings

Static Load Rating	9890 lbf	44000 N
Dynamic Load Rating	15500 lbf	69000 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY