



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Timken Part Number G1114KRRB, Fafnir® Eccentric Locking Collar Ball Bearings



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Bore Size d	1 7/8 in 47.6 mm
Bore Type	Cylindrical bore
Bearing Type	Ball Bearing
Seal Type	Shroud Seal
Material	Bearing Steel
Lubrication Type	Relubricatable
O.D. Type	Spherical OD
Dimension M	0.185 in 4.7 mm
Dimension B1	2.469 in 62.7 mm

Dimension B2	0.720 in 18.3 mm
Series	Industrial
Weight	0.500 lb 0.200 Kg
Sub Series	G1...KRRB


Dimensions

Outside Diameter D	3.543 in 90.000 mm
Inside Ring Width B	49.21 mm 1.937 in
Outside Ring Width C	23.000 mm 0.906 in
Radius r	0.6 mm 0.024 in
Center of Bearing from End S	24.6 mm 0.969 in
Dimension S1	38.1 mm 1.500 in
Set Screw Size	3/8-16
Number of Set Screws	2
Angle between Set Screws	90 °

Basic Load Ratings

Static Load Rating	5100 lbf 22700 N
---------------------------	---------------------

Dynamic Load Rating	8800 lbf 39200 N
----------------------------	---------------------



Weight		0.5 lb	0.2 kg	TIMKEN® THE TIMKEN COMPANY NORTH CANTON, OHIO USA	G1114KRRB Fafnir® Eccentric Locking Collar Ball Bearings		
					Basic Load Ratings - C _r		
					Load Ratings - C _{0r}		
Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.					FOR DISCUSSION ONLY		

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.