The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number VAS 1 1/2, Fafnir® Pillow Block Units Eccentric Locking Collar





Specifications | Dimensions | Basic Load Ratings

Specifications

Shaft Size d	1 1/2 in 38.1 mm
Bearing Type	Ball Bearing
Bearing Number	GRA108RRB
Dimension T	0.937 in 23.8 mm
Series	Standard
Weight	4.484 lb 2.034 Kg
Seal Type	Molded Shroud
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	VAS1 1/2

Dimensions

Base to Center Height H	49.21 mm 1.937 in
Total Length L	179.4 mm 7.063 in
Total Width A	1.874 in 47.6 mm
Bolt Hole Spacing J	136.5 mm 5.374 in
Bolt Hole Width N	14.3 mm 0.563 in
Bolt Hole Length N1	26.2 mm 1.031 in
Foot Height H1	19.00 mm
Total Height H2	100.00 mm 3.937 in
Dimension L1	59.8 mm 2.354 in
Inside Ring Width B	N/A
Center of Bearing from End S	11.2 mm 0.441 in
Dimension B1	1.72 in 43.7 mm

Basic Load Ratings

Static Load Rating	4460 lbf 19800 N
Dynamic Load Rating	8130 lbf 36200 N



Bearing Number	GRA108RRB				
Load Ratings - C_r	8130	lbf	36200	N	
Load Ratings - C_{0r}	4460	lbf	19800	N	
Weight	4.484	lb	2.034	kg	

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

VAS 1 1/2

Fafnir® Pillow Block Units Eccentric Locking Collar

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY