The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Timken Part Number TAK 2 3/16, Pillow Block Units Eccentric Locking Collar (Includes Industrial and Standard Series)





Specifications | Dimensions | Basic Load Ratings

Specifications

Bore Size d	2 3/16 in 55.6 mm
Bearing Number	G1203KPPB4
Inside Ring Outside Diameter	0.811 in 20.6 mm
Dimension B1	2.811 in 71.4 mm
Dimension T	1.189 in 30.2 mm
Series	Industrial
Weight	8.600 lb 3.901 Kg
Seal Type	Tri-Ply Seal

Dimensions

Shaft Height H	61.91 mm 2.437 in
Total Length L	222.3 mm 8.752 in
Total Width A	2.374 in 60.3 mm
Bolt Hole Spacing J	176.2 mm 6.937 in
Bolt Hole Width N	18.3 mm 0.720 in
Bolt Hole Length N1	29.4 mm 1.157 in
Base Height H1	19 mm 0.748 in
Total Height H2	126.2 mm 4.969 in
Dimension L1	74.1 mm 2.917 in
Inside Ring Width B	N/A
Center of Bearing from End S	27.7 mm 1.091 in

Basic Load Ratings

Static Load Rating	6400 lbf 28500 N
Dynamic Load Rating	10800 lbf 48100 N



Bearing Number	G1203KPPB4				
Load Ratings - C_r	10800	lbf	48100	N	
Load Ratings - C_{0r}	6400	lbf	28500	N	
Weight	8.6	lb	3.901	kg	

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

TAK 2 3/16

Pillow Block Units Eccentric Locking Collar
(Includes Industrial and Standard Series)

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY