The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number YASM 2 11/16, Fafnir® Pillow Block Units Setscrew Locking





Specifications | Dimensions | Basic Load Ratings

Specifications

Shaft Size d	2 11/16 in 68.3 mm
Bearing Type	Ball Bearing
Bearing Number	GYM1211KRRB
Inside Ring Outside Diameter	3.619 in 91.9 mm
Dimension T	1.752 in 44.5 mm
Dimension D1	3.618 in 91.9 mm
Series	Industrial
Weight	25.240 lb 11.45 Kg
Seal Type	Shroud Seal

Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	YASM2 11/16

Dimensions

Base to Center Height H	88.9 mm 3.50 in
Total Length L	330.2 mm 13.00 in
Total Width A	3.5 in 88.9 mm
Bolt Hole Spacing J	228.6 mm 9.000 in
Bolt Hole Width N	23.88 mm 0.940 in
Bolt Hole Length N1	50.08 mm 1.972 in
Foot Height H1	31.75 mm
Total Height H2	177.80 mm 7.000 in
Dimension L1	110.1 mm 4.335 in
Inside Ring Width B	N/A
Center of Bearing from End S	49.21 mm 1.937 in
Dimension B1	3.687 in 93.66 mm

Basic Load Ratings

Static Load Rating	10100 lbf 44800 N

	~~44800 N~~
Dynamic Load Rating	15500 lbf 68900 N



Bearing Number	GYM1211KRRB			
Load Ratings - C_r	15600	lbf	69500	N
Load Ratings - C_{0r}	9800	lbf	43600	N
Weight	0	lb	0	kg
Bolt Size	M12x1.75			

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

YASM 2 11/16

Fafnir® Pillow Block Units Setscrew Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY