The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number YAK 1/2, Fafnir® Pillow Block Units Setscrew Locking





Specifications | Dimensions | Basic Load Ratings

Specifications

Shaft Size d	12.7 mm
Bearing Type	Ball Bearing
Bearing Number	GY1008KRRB
Inside Ring Outside Diameter	23.9 mm
Dimension T	15.1 mm
Dimension D1	22.9 mm
Series	Industrial
Weight	0.4536 Kg
Seal Type	Shroud Seal
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	YAK1/2

Dimensions

Base to Center Height H	26.99 mm
Total Length L	123.8 mm
Total Width A	30.2 mm
Bolt Hole Spacing J	92.1 mm
Bolt Hole Width N	11.1 mm
Bolt Hole Length N1	22.2 mm
Foot Height H1	8.7 mm
Total Height H2	53.2 mm
Dimension L1	41.3 mm
Center of Bearing from End S	11.5 mm
Dimension B1	27.4 mm

Basic Load Ratings

Static Load Rating	4700 N
Dynamic Load Rating	10700 N



Bearing Number	GY1008KRRB				
Load Ratings - C_r	2360	lbf	10600	N	
Load Ratings - C_{0r}	1000	lbf	4400	N	
Weight	1	lb	0.4536	kg	
Bolt Size	M5x0.8				

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

YAK 1/2

Fafnir® Pillow Block Units Setscrew Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY