The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number YAK 2 11/16, Fafnir® Pillow Block Units Setscrew Locking





Specifications | Dimensions | Basic Load Ratings

Specifications

Shaft Size d	2 11/16 in 68.3 mm
Bearing Type	Ball Bearing
Bearing Number	GY1211KRRB
Inside Ring Outside Diameter	3.422 in 86.9 mm
Dimension T	1.437 in 36.5 mm
Dimension D1	3.421 in 86.9 mm
Series	Industrial
Weight	15.710 lb 7.1259 Kg
Seal Type	Shroud Seal
Housing Construction	Two-Bolt Pillow Block

Alternate Part Name	YAK2 11/16

Dimensions

Base to Center Height H	76.2 mm 3.00 in
Total Length L	266.7 mm 10.500 in
Total Width A	2.874 in 73.00 mm
Bolt Hole Spacing J	203.20 mm 8.000 in
Bolt Hole Width N	20.6 mm 0.811 in
Bolt Hole Length N1	34.9 mm 1.374 in
Foot Height H1	33.3 mm
Total Height H2	154 mm 6.063 in
Dimension L1	88.9 mm 3.5 in
Inside Ring Width B	N/A
Center of Bearing from End S	27 mm 1.063 in
Dimension B1	2.752 in 69.9 mm

Basic Load Ratings

Static Load Rating	9890 lbf 44000 N

Dynamic Load Rating	15500 lbf 69000 N



Bearing Number	GY1211KRRB			
Load Ratings - C_r	15600	lbf	69500	N
Load Ratings - C_{0r}	8500	lbf	37500	N
Weight	15.71	lb	7.1259	kg
Bolt Size	M12x1.75			

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

YAK 2 11/16

Fafnir® Pillow Block Units Setscrew Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY