



The Timken Company

4500 Mt Pleasant St. NW

N. Canton, OH 44720


Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • Web site: www.timken.com

Part Number YASM 2 1/4, Fafnir® Pillow Block Units Setscrew Locking



YASM Medium Duty Series Setscrew Lock



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Shaft Size d	57.2 mm
Bearing Type	Ball Bearing
Bearing Number	GY1204KRRB
Inside Ring Outside Diameter	76.5 mm
Dimension T	30.2 mm
Dimension D1	76.48 mm
Series	Industrial
Weight	4.53 Kg
Seal Type	Shroud Seal
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	YASM2 1/4

Dimensions



Base to Center Height H 69.85 mm

Total Length L 239.7 mm

Total Width A 60.3 mm

Bolt Hole Spacing J 188.1 mm

Bolt Hole Width N 18.26 mm

Bolt Hole Length N1 29.46 mm

Foot Height H1 23.8 mm

Total Height H2 138.9 mm

Dimension L1 79.9 mm

Center of Bearing from End S 26 mm


Dimension B1 65.1 mm

Basic Load Ratings



Static Load Rating 35900 N

Dynamic Load Rating 58200 N



Bearing Number	GY1204KRRB			
Load Ratings - C _r	13200	lbf	58800	N
Load Ratings - C _{0r}	8000	lbf	35600	N
Weight	0	lb	0	kg
Bolt Size	M10x1.5			

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

YASM 2 1/4
Fafnir® Pillow Block Units Setscrew Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY