The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number YAS 2 15/16, Fafnir® Pillow Block Units Setscrew Locking





Specifications | Dimensions | Basic Load Ratings

Specifications

Shaft Size d	74.6 mm
Bearing Type	Ball Bearing
Bearing Number	GY1215KRRB
Inside Ring Outside Diameter	91.9 mm
Dimension T	34.7 mm
Dimension D1	91.9 mm
Series	Industrial
Weight	7.9197 Kg
Seal Type	Shroud Seal
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	YAS2 15/16

Dimensions

Base to Center Height H	82.55 mm
Total Length L	269.9 mm
Total Width A	69.4 mm
Bolt Hole Spacing J	215.90 mm
Bolt Hole Width N	14.3 mm
Bolt Hole Length N1	34.9 mm
Foot Height H1	25.4 mm
Total Height H2	164.3 mm
Dimension L1	90.00 mm
Center of Bearing from End S	39.7 mm
Dimension B1	69.9 mm

Basic Load Ratings

Static Load Rating	44800 N
Dynamic Load Rating	68900 N



Bearing Number	GY1215KRRB				
Load Ratings - C_r	15600	lbf	69500	N	
Load Ratings - C_{0r}	9800	lbf	43600	N	
Weight	17.46	lb	7.9197	kg	
Bolt Size	M12x1.75				

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

YAS 2 15/16

Fafnir® Pillow Block Units Setscrew Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY