


The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Timken Part Number TAK 1 1/2, Pillow Block Units Eccentric Locking Collar (Includes Industrial and Standard Series)



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications


Bore Size d	1 1/2 in 38.1 mm
Bearing Number	G1108KPPB3
Inside Ring Outside Diameter	0.720 in 18.3 mm
Dimension B1	2.220 in 56.4 mm
Dimension T	1.016 in 25.8 mm
Series	Industrial
Weight	5.490 lb 2.49 Kg
Seal Type	Tri-Ply Seal

Dimensions

Shaft Height H	49.21 mm 1.937 in
Total Length L	179.4 mm 7.063 in
Total Width A	2.031 in 51.6 mm
Bolt Hole Spacing J	136.5 mm 5.374 in
Bolt Hole Width N	14.3 mm 0.563 in
Bolt Hole Length N1	26.2 mm 1.031 in
Base Height H1	19.1 mm 0.752 in
Total Height H2	101.6 mm 4.000 in
Dimension L1	59.8 mm 2.354 in
Inside Ring Width B	N/A
Center of Bearing from End S	21.5 mm 0.846 in

Basic Load Ratings

Static Load Rating	4500 lbf 19800 N
Dynamic Load Rating	4600 lbf 20500 N



Bearing Number	G1108KPPB3			
Load Ratings - C _r	4600	lbf	20500	N
Load Ratings - C _{0r}	4460	lbf	19800	N
Weight	5.49	lb	2.49	kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

TAK 1 1/2

Pillow Block Units Eccentric Locking Collar
(Includes Industrial and Standard Series)

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY