
The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number VAS 1 15/16, Fafnir® Pillow Block Units Eccentric Locking Collar





Specifications | Dimensions | Basic Load Ratings

Specifications


Shaft Size d	1 15/16 in 49.2 mm
Bearing Type	Ball Bearing
Bearing Number	GRA115RRB
Dimension T	1.094 in 27.8 mm
Series	Standard
Weight	6.116 lb 2.774 Kg
Seal Type	Molded Shroud
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	VAS1 15/16

Dimensions

Base to Center Height H	57.15 mm 2.250 in
Total Length L	200.00 mm 7.874 in
Total Width A	2.189 in 55.60 mm
Bolt Hole Spacing J	158.00 mm 6.220 in
Bolt Hole Width N	18.3 mm 0.720 in
Bolt Hole Length N1	29.4 mm 1.157 in
Foot Height H1	19.00 mm
Total Height H2	114.3 mm 4.500 in
Dimension L1	66.7 mm 2.626 in
Inside Ring Width B	N/A
Center of Bearing from End S	11.2 mm 0.441 in
Dimension B1	1.72 in 43.7 mm

Basic Load Ratings

Static Load Rating	5210 lbf 23200 N
Dynamic Load Rating	8740 lbf 38900 N



Bearing Number	GRA115RRB			
Load Ratings - C_r	8740	lbf	38900	N
Load Ratings - C_{0r}	5210	lbf	23200	N
Weight	6.116	lb	2.774	kg

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

VAS 1 15/16

Fafnir® Pillow Block Units Eccentric Locking Collar

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY