


The Timken Company

4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Timken Part Number 2MMC205WI, Fafnir® Spindle Angular Contact Ball Bearings (9300WI, 9100WI, 200WI, 300WI)

Timken® angular contact ball bearings are designed for combination radial and axial loading. Single-row bearings have high thrust capacity in one direction. Some single-row bearings are specifically designed for duplex mounting in sets for maximum performance.



[Dimensions](#) | [Basic Load Ratings](#) | [Factors](#) | [Specifications](#) | [Abutment and Fillet Dimensions](#)

Dimensions

d - Bore	25.000 mm 0.9843 in
D - Outer Diameter	52.000 mm 2.0472 in
Bearing Width	15.000 mm 0.5906 in
Contact Angle	15 °
do - Ball Diameter	7.937500 mm 0.312500 in

Basic Load Ratings

C0 - Static Radial Rating	9110 N 2050 lbf
Ce - Dynamic Radial Rating¹	18400 N 4130 lbf

Factors

Limiting Speed (Grease)	35800 rpm
Limiting Speed (Oil)	71600 rpm


Specifications

Ball Type	Ceramic
Cage Type	CR - Phenolic Outer Land Riding Cage
Bearing Weight	0.127 Kg 0.28 lb
Design Units	METRIC
Precision Class	ISO P4S (ABEC 7/9)

Abutment and Fillet Dimensions

R - Inner Ring "To Clear" Radius²	1.000 mm 0.039 in
r - Outer Ring "To Clear" Radius³	1.000 mm 0.039 in
da - Inner Ring Backing Diameter	30.900 mm 1.220 in
Da - Outer Ring Backing Diameter	47.100 mm 1.860 in

- ¹ Based on 10^6 revolutions of calculated fatigue life.
- ² Maximum housing fillet radius that bearing corners will clear.
- ³ Maximum shaft fillet radius that bearing corners will clear.



METRIC UNITS

Number of Balls Per Row Bearing Weight	12 0.127 kg	TIMKEN®		2MMC205WI Fafnir® Spindle Angular Contact Ball Bearings (9300WI, 9100WI, 200WI, 300WI)	
		THE TIMKEN COMPANY NORTH CANTON, OHIO USA		Dynamic Radial Rating18400 N	
				Static Radial Rating9110 N	

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY