
The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Timken Part Number G1211KRRB, Fafnir® Eccentric Locking Collar Ball Bearings





Specifications | Dimensions | Basic Load Ratings

Specifications

Bore Size d	2 11/16 in 68.3 mm
Bore Type	Cylindrical bore
Bearing Type	Ball Bearing
Seal Type	Shroud Seal
Material	Bearing Steel
Lubrication Type	Relubricatable
O.D. Type	Spherical OD
Dimension M	0.200 in 5.08 mm
Dimension B1	3.372 in 85.6 mm

Dimension B2	0.937 in 23.8 mm
Series	Industrial
Weight	0.500 lb 0.200 Kg
Sub Series	G1…KRRB


Dimensions

Outside Diameter D	4.921 in 125.000 mm
Inside Ring Width B	68.26 mm 2.687 in
Outside Ring Width C	28.000 mm 1.102 in
Radius r	0.6 mm 0.024 in
Center of Bearing from End S	34.1 mm 1.343 in
Dimension S1	45.3 mm 1.783 in
Set Screw Size	1/2-13
Number of Set Screws	2
Angle between Set Screws	90 º

Basic Load Ratings

Static Load Rating	9650 lbf 43000 N

Dynamic Load Rating	15600 lbf 69500 N



Weight	0.5 lb	0.2 kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

G1211KRRB

Fafnir® Eccentric Locking Collar Ball Bearings

Basic Load Ratings - C_r	15600 lbf	69500 N
Load Ratings - C_{0r}	9650 lbf	43000 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY