

We make the difference for hospitality professionals.

We offer our innovations in a breadth of styles and finishes that can realize the vision of any design team and fit the look of any property. Our product warranties and sales force provide support through and beyond construction. In the end, your guests will receive a distinctive experience that they'll tell others about—and come back for.

For more information about Delta® products or our project pricing, please email us at **Hospitality@DeltaFaucet.com**







Products admired for their design—inside and out.

We don't do it for the recognition, but our list of industry accolades keeps getting longer. Our products and technologies have earned: Gold, Platinum and Silver ADEX Awards from the Design Journal Awards for Design Excellence; multiple Stevie American Business Awards; GeekWrapped® Award; *Kitchen & Bath Business* Product Innovator Award; and an R&D 100 Award.











WaterSense® Sustained Excellence Award.

Delta Faucet Company is proud to be one of the EPA's 2011, 2013 and 2014 WaterSense® Partners of the Year and a Sustained Excellence Award Winner for 2015, 2016, 2017 and 2018. This notably consistent recognition demonstrates our ongoing commitment to developing designs and technologies which pair convenient water efficiency with maximum performance.

Since 2012, 100% of all new Delta® bathroom faucet designs have been built to meet or exceed WaterSense standards set by the EPA. Today, more than 80% of Delta bath suites feature shower heads, hand showers and faucets that meet WaterSense requirements.





WaterSense $^{\rm o}$ and the WaterSense logo are registered trademarks of the U.S. Environmental Protection Agency.

GeekWrapped® is a registered trademark of West Winds LLC.

RESOURCES
INNOVATIVE SOLUTIONS
FINISHES
A MEMORABLE GUEST EXPERIENCE14
BATH COLLECTIONS
Ara® Bath Collection
Compel® Bath Collection 18
Dorval [™] Bath Collection
Trinsic® Bath Collection
Zura® Bath Collection
GUEST ROOM SOLUTIONS
SHOWERING
Shower Heads
Hand Showers
ADA Hand Showers
In2ition® Showers and Integrated Diverters 38
ACCESSORIES
Decorative ADA Bath Safety 40
Guest Room Accessories
PUBLIC SPACES
GUEST ROOM KITCHEN/BAR 50
BACK-OF-HOUSE

Our resources for making you look good.

As proud as we are of our many products, we know our partnership is equally as important. The Delta® brand continually builds our resources to answer your day-to-day needs—and support your long-term success.

deltafaucet.com

It's the go-to destination for quick answers. Check out our website for product updates and news. And, of course, you can do your research. Browse a variety of product details, select finishes, and stay in the know.

specselect.com

We've made sourcing exactly what you need—fast and simple at specselect.com. This comprehensive online catalog does more than give a detailed look at our commercial product offerings. It's designed to dynamically create model-specific spec sheets and guide you to the valid choices for your project.



Visit the For Professionals section for these resources and more.



Product Design Files

Access to our extensive library of downloadable design files is yours, and it includes faucets, showering products and accessories.



Continuing Education

We offer a variety of online and in-person courses to boost your knowledge and help you keep up on your professional credentials. Topics include sustainable water delivery solutions, evolution in showering systems, technology and trends, just to name a few.



Case Studies

Our case studies are more than real-world examples of how the Delta® brand helps pros meet design challenges. They can also spark ideas for your next project.



Innovation and Inspiration

With over 190 patents to our name, plus 8,636 square feet of studio, product modeling, lab and testing facilities—all dedicated to advancing our designs—innovation remains at the core of what makes the Delta® brand different.

Visit deltafaucet.com/pro to see where our innovations lead. You'll also discover insights, articles and information to inspire you.

Contact us anytime.

Our leading resource is our people. For questions or assistance, or to personally request design files or other details, don't hesitate to ask. Get in touch with a member of our hospitality team anytime.

Hospitality@DeltaFaucet.com



A Connected Catalog

We're with you on the go. A free Delta® Catalog app is available for both iOS and Android,® or you've always got mobile access at deltafaucet.com.

Android® is a registered trademark of Google, Inc.

H₂OKINETIC[®] TECHNOLOGY.

The feeling of more water. Without using more water.

H₂Okinetic technology sculpts water into a unique pattern that delivers more warmth, more intensity, and 3X the coverage*—all while saving water. It's a drenching, spa-like experience guests will talk about and come back for.

*Coverage measured in accordance with EPA WaterSense® Specification for Shower Heads, March 4, 2010.



IN2ITION® TWO-IN-ONE SHOWER.

Water where they need it most.

Our In2ition Two-in-One Shower offers two streams of water at once, so guests can put water where they need it most—using the integrated shower head and hand shower separately or together. In its primary position, the In2ition shower functions as a regular shower head, while the hand shower offers the flexibility for closer-range tasks.





PROXIMITY® SENSING TECHNOLOGY.

The next generation in hands-free functionality.

Proximity Sensing Technology makes Delta® electronic faucets the most responsive in the industry. The entire faucet body acts as a sensor, activating water flow when guests approach and stopping once their hands are removed. And the lack of an exposed sensor reduces the risk of sensor damage from vandalism or cleaning products.



Get maximum flexibility with minimum effort.

Installing the Delta® MultiChoice Universal Valve makes it easier to upgrade style and functionality later, without changing plumbing behind the wall. A high-flow rough for shower-only configurations adds even more flexibility, while a refined temperature limit stop allows more precise settings for greater guest comfort.



DIAMOND SEAL® TECHNOLOGY.

Innovation and reliability in one convenient box.

Delta faucets with DIAMOND Seal Technology perform like new for life with a patented design which reduces leak points, is less hassle to install and lasts twice as long as the industry standard.*



*Industry standard is based on ASME A112.18.1 of 500,000 cycles.

Look for these icons:



《》 = DIAMOND™ Valve

= InnoFlex® PEX Waterways

= EZ Anchor® Mounting

= MagnaTite® Docking

= H₂Optics® Technology

= Proximity® Sensing Technology

= WaterSense® Labeled Product

← = ADA-Compliant Product

 Compliant with all federal and state drinking water legislation. Water-Efficient Product—
 Kitchen Faucets: flow rate of 1.5 gpm
 or 1.8 gpm versus Industry Standard
 ASME A112.18.1/CSA B125.1
 of 2.2 gpm.
 Bathroom Faucets: flow rate of 1.2
 gpm versus Industry Standard ASME
 A112.18.1/CSA B125.1 of 2.2 gpm

gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.2 gpm. Shower Heads and Hand Showers: flow rate of 1.5, 1.75 or 2.0 gpm versus Industry Standard ASME A112.18.1/CSA B125.1 of 2.5 gpm.

Spray Patterns:



= Fast Massage

= Full Spray with Massage

= H₂Okinetic® Spray

= H₂Okinetic Spray with Massage

= High-Efficiency Spray

= Massage Spray

= Pause

= Soft Drench Spray

= Soft Drench with Massage

SF = Soft Full Spray

= Slow Massage

Shampoo Rinsing Spray

= Shampoo Rinsing with Massage

Soft Rain Spray




Finishes that contribute to unforgettable stays.

The Delta® brand doesn't stop with offering you a breadth of stylish designs. We also pair them with a wide range of finishes to complement any décor.

Whether you're looking to add distinction to your property with warm tones, sleek surfaces or touches of the unexpected, our palette is expansive. In 2019, look for the addition of an eye-catching Black Stainless in the bath.

Beyond delivering the style you want today, here's an important note about looks that last. Even our specialty finishes are guaranteed to last. Thanks to a patented manufacturing process, they're designed to resist corrosion, tarnishing and discoloration—and remain like-new for years.







Creating a memorable guest experience.

You meet your guests. We'll meet their needs.

On any given day, many different people cross your threshold. And each one arrives with different preferences. The Delta® brand helps you satisfy your guests, whether they're yearning for a touch of luxury or just looking for a bit of added support.

That satisfaction begins with the striking design of our faucets. Indulgence continues in the shower, where guests may enjoy such innovations as our In2ition® Shower with H₂Okinetic® Technology: two integrated shower heads that deliver a drenching experience by sculpting water into a unique wave pattern.

For those seeking support beyond the standard, our decorative ADA grab bars and universal design options offer security that doesn't sacrifice style, and make all visitors—regardless of age and ability—feel truly welcome.





Single-Hole 567LF-MPU







■ 1-hole installation



8" Widespread 3567-MPU-DST

■ 3-hole installation



















Two Handle Wall-Mount Bathroom Faucet T3567LF-WL R3500-WL (not shown)

■ 3-hole installation







4-Hole Roman Tub with H₂Okinetic® Hand Shower T4767 R4707 (not shown)

- 4-hole installation
- WaterSense® labeled hand shower







Floor-Mount Tub Filler with H₂Okinetic Hand Shower T4767-FL R4700-FL (not shown)

- 1-hole installationWaterSense labeled hand shower











Monitor® 14 Series Tub & Shower Less Shower Head T14467-LHD R10000-UNWS (not shown)

Finishes: Chrome, SS







Monitor 14 Series Shower with H₂Okinetic Raincan Shower Head T14267 R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head











Angular Modern 14 Series MultiChoice® Integrated Diverter T24867 R22000 (not shown)

- 3 SettingFinishes: Chrome, SS







18" Towel Bar (not shown) 24" Towel Bar

30" Towel Bar (not shown) 77530 41918

18" Decorative ADA Grab Bar (not shown) 24" Decorative ADA Grab Bar 41924

36" Decorative ADA Grab Bar (not shown) 41936

24" Double Towel Bar (not shown) 77525 77535 Single Robe Hook

77546 Towel Ring (not shown)

77550 Tissue Holder



17 Series Shower Trim featuring H₂Okinetic Raincan Shower Head T17267

MultiChoice Rough R10000-UNWSHF (not shown)

3-Setting Diverter Trim T11867

3-Setting Diverter Rough R11000 (not shown)

H₂Okinetic 4-Setting Hand Shower with Slide Bar* 51140

Wall Elbow 50570



*In custom shower grouping above, only the hand shower is WaterSense labeled.

Additional products and flow rates are available. Visit deltafaucet.com/ara

The products on these pages are shown in Chrome.





Single-Hole 561-SSMPU-DST

- 1 or 3-hole installationOptional escutcheon included





■ 1-hole installation



8" Widespread 3561-SSMPU-DST

■ 3-hole installation























Two Handle Wall-Mount Bathroom Faucet T3561LF-SSWL R3500-WL (not shown)

■ 3-hole installation









- 4-hole installation
 WaterSense® labeled hand shower



















Tub & Shower with H₂Okinetic®

- Self-cleaning H₂Okinetic spray holes
- WaterSense labeled shower head






Monitor 14 Series









- 1.75 gpm shower head @ 80 psiWaterSense labeled shower head



















77124-SS 24" Towel Bar

77130-SS 30" Towel Bar (not shown)

41812-SS 12" Decorative ADA Grab Bar (not shown) 18" Decorative ADA Grab Bar (not shown) 41818-SS

41824-SS 24" Decorative ADA Grab Bar

41836-SS 36" Decorative ADA Grab Bar (not shown) 42" Decorative ADA Grab Bar (not shown)

41842-SS 24" Double Towel Bar 77125-SS Single Robe Hook 77135-SS

Towel Ring 77146-SS

77150-SS 77250-SS Pivoting Tissue Holder Spring-Loaded Tissue Holder



Premium Single-Setting Wall-Mount Hand Shower 55085

- 1.75 gpm @ 80 psi
- 50560 wall elbow sold separately
- WaterSense labeled hand shower



Additional products and flow rates are available. Visit deltafaucet.com/compel

The products on these pages are shown in Brilliance® Stainless.





Single Handle with Lever Handle 556-MPU-LHP-DST H561

- 1 or 3-hole installation
- Optional escutcheon included
 Available with Cross Handle: H562













8" Widespread with Cross Handles 3557-MPU-DST

- 3-hole installation
- Available with Lever Handles: 3556-MPU-DST









Single Handle Mid-Rise with Lever Handle 656-LHP-DST H561

- 1-hole installationAvailable with Cross Handle: H562











Two Handle Wall-Mount Bathroom Faucet with Lever Handles T3556LF-WL R3500-WL (not shown)

- 3-hole installationAvailable with Cross Handles: T3557LF-WL









Single Handle Vessel with Lever Handle 756-LHP-DST H561

- 1-hole installationAvailable with Cross Handle: H562













4-Hole Roman Tub with Cross Handles and H₂Okinetic® 3-Setting Hand Shower T4756-LHP H570 R4707 (not shown)

- 4-hole installation
- Available with Lever Handles: H568
- WaterSense® labeled hand shower



TempAssure® 17T Series Shower with H₂Okinetic Raincan 5-Setting

■ 1.75 gpm shower head

@ 80 psi

WaterSense labeled

Shower Head T17T256 R10000-UNWS

(not shown)









Monitor® 14 Series Tub & Shower with Cross Handle and H₂Okinetic 5-Setting Shower Head T14456-LHP H567 R10000-UNWS (not shown)



- 1.75 gpm shower head @ 80 psi
- WaterSense labeled shower head











756505



8" Towel Bar 18" Towel Bar 24" Towel Bar 30" Towel Bar Double Robe Hook Pivoting Tissue Holder Vertical Tissue Holder

Additional products and flow rates are available. Visit deltafaucet.com/dorval

The products on this page are shown in Chrome.







- 1 or 3-hole installationOptional escutcheon included





■ 3-hole installation





■ 2-hole installation





4-Hole Roman Tub T4759 R4707 (not shown)

- 4-hole installationWaterSense® labeled hand shower



























Wall-Mount Tub Filler T5759-WL R3500-WL (not shown)

■ 3-hole installation





Floor-Mount Tub Filler with Hand Shower T4759-FL R4700-FL (not shown)

- 1-hole installation
- WaterSense® labeled hand shower









Contemporary 14 Series MultiChoice® Integrated Diverter T24859 R22000 (not shown)

■ 3 Setting





Monitor® 14 Series Shower Less Shower Head T14259-LHD R10000-UNWS (not shown)

Finishes: Chrome, BL, SS



Monitor 14 Series Tub & Shower Less Shower Head T14459-LHD R10000-UNWS (not shown)

Finishes: Chrome, BL, SS

















- 1.75 gpm shower head @ 80 psiSelf-cleaning H₂Okinetic spray holes
- WaterSense® labeled shower head







Coordinating ADA Hand Shower Kit with Grab Bar 51400

- 4 Setting1.75 gpm hand shower @ 80 psi24" grab bar
- WaterSense labeled hand shower
- Finishes: Chrome, RB, SS









Venetian Bronze®RB

Matte Black-BL





18" Towel Bar 24" Towel Bar (not shown) 30" Towel Bar (not shown) 24" Double Towel Bar (not shown) Single Robe Hook

759460 Towel Ring Tissue Holder

Décor Assist™ Double Towel/Assist Bar Décor Assist Tissue Holder/Assist Bar 41516 Décor Assist Corner Shelf/Assist Bar

Additional products and flow rates are available. Visit deltafaucet.com/trinsic

The products on these pages are shown in Chrome.











(CS) Chrome/Matte Black

(GZ) Champagne Bronze™/Matte Black (PM) Polished Nickel/Matte Black

(SM) Brilliance® Stainless/Matte Black



Single-Hole 574-MPU-LHP-DST RP84411

- 1 or 3-hole installation
- Optional escutcheon included











8" Widespread 3574-MPU-LHP-DST H274

■ 3-hole installation









Single Handle Wall-Mount Bathroom Faucet T574LF-WL

R3510-WL (not shown)

- 2-hole installation
- Optional backplate included
 Finishes: Chrome, BL, CZ, PN, SS







Two Handle Wall-Mount Bathroom Faucet T3574LF-WL R3500-WL (not shown)

- 3-hole installation
- Finishes: Chrome, BL, CZ, PN, SS







- Finishes: Chrome, BL, CZ, PN, SS







(not shown)

Finishes: Chrome, SS

Monitor® 14 Series

Tub & Shower Less

Shower Head

T14474-LHD

R10000-UNWS







Monitor 14 Series Shower with H₂Okinetic Raincan 3-Setting Shower Head T14274 R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- Self-cleaning H₂Okinetic spray holes
- WaterSense labeled shower head
- Finishes: Chrome, BL, CZ, PN, SS











TempAssure® 17T Series Shower with H₂Okinetic Raincan 3-Setting Shower Head T17T274 R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- Self-cleaning H₂Okinetic spray holes
- WaterSense labeled shower head
- Finishes: Chrome, BL, CZ, PN, SS













41812* 12" Decorative ADA Grab Bar (not shown) 41818* 18" Decorative ADA Grab Bar (not shown) 41836* 36" Decorative ADA Grab Bar (not shown) 42" Decorative ADA Grab Bar (not shown)

41842 41918 18" Decorative ADA Grab Bar 41936 36" Decorative ADA Grab Bar


77435 Single Robe Hook 774500 Tissue Holder

■ Finishes: Chrome, BL, CZ, PN, SS *Not available in Polished Nickel



Additional products and flow rates are available. Visit deltafaucet.com/zura

The products on this page are shown in Chrome.



Mix, match and delight.

We get it. There are projects where the standard ways of doing things may not bring the full customer satisfaction you desire. The Delta® brand gives you flexibility to switch things up. These select products, drawn from various collections, can be mixed and matched to suit a project's unique needs.



Pivotal®

- Single Handle 599-MPU-DST
- 1 or 3-hole installation
- Optional escutcheon included
 Finishes: Chrome, BL, PN, SS













Single Handle Mid-Rise

■ 1-hole installation

699-DST



■ Finishes: Chrome, BL, PN, SS







799-DST



■ Finishes: Chrome, BL, PN, SS

Single Handle Vessel

■ 1-hole installation









14 Series MultiChoice® Integrated Diverter T24899 R22000 (not shown)

3 SettingFinishes: Chrome, BL, PN, SS





H₂Okinetic® 6" Raincan 5-Setting Shower Head 52664

- 1.75 gpm @ 80 psi
- Finishes: Chrome, BL, PN, SS
- Comes without shower arm and flange















Hose not included

H₂Okinetic 3-Setting

■ 1.75 gpm @ 80 psi

Hand Shower

59799-PK



Finishes: Chrome, BL, PN, SS









Single Handle with Helo Spoke Handle 576-MPU-LHP-DST H551

- Optional escutcheon included
- Available with Lever Handle: H550
 Finishes: Chrome, BL, CZ, SS













25776-MPU-DST

■ 3-hole installation



4" Centerset with Lever Handles







8" Widespread with Lever Handles 35776-MPU-DST

- 3-hole installation
- Available with Helo Spoke Handles: 357766-MPU-DST
 Finishes: Chrome, BL, CZ, SS












Wall-Mount Tub Filler with Helo Spoke Handles T57766-WL R3500-WL (not shown)

- 3-hole installation
- Available with Lever Handles: T5776-WL
- Finishes: Chrome, BL, CZ, SS





R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
- Available with Helo Spoke Handle: T142766
- WaterSense® labeled shower head
 Finishes: Chrome, BL, CZ, SS



Additional products and flow rates are available. Visit deltafaucet.com

The products on this page are shown in Chrome.



GUEST ROOM SOLUTIONS 553LF-CZ Shown in Champagne Bronze™



Vero®

- Single Handle 553LF
- 1 or 3-hole installation
 Optional escutcheon available
 Finishes: Chrome, CZ, RB, SS









8" Widespread 3553LF

- 3-hole installationFinishes: Chrome, CZ, RB, SS











Monitor® 14 Series Tub & Shower with Raincan Shower Head T14453-WE R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psiFinishes: Chrome, CZ, RB, SS







 $Cassidy^{^{\text{\tiny TM}}}$

Single Handle 597LF-MPU

- Optional escutcheon includedFinishes: Chrome, CZ, PN, RB, SS



8" Widespread 3597LF-MPU-LHP H295

- 3-hole installation
- Finishes: Chrome, CZ, PN, RB, SS



Wall-Mount Tub Filler T5797-WL R3500-WL (not shown)

Finishes: Chrome, CZ, PN, RB, SS



















Monitor® 14 Series Tub & Shower with H₂Okinetic® Raincan Shower Head T14497-LHP H797 R10000-UNWS (not shown)

- 1.75 gpm shower head @ 80 psi
 WaterSense® labeled shower head
 Finishes: Chrome, CZ, PN, RB, SS







4" Centerset 2564-MPU-DST

- 3-hole installationFinishes: Chrome, RB, SS




8" Widespread 3564-MPU-DST

- 3-hole installation
- Finishes: Chrome, RB, SS









Additional products and flow rates are available.

Visit deltafaucet.com The products on this page are shown in Chrome.

- 1.75 gpm shower head @ 80 psiWaterSense labeled shower head
- Finishes: Chrome, RB, SS





















SELECT SERVICE GUEST ROOM SOLUTIONS





Single-Hole 534LF-MPU-PP

- 1 or 3-hole installation Order RP47973 for optional escutcheon
- Finish: Chrome









Single-Hole 561-TP-DST

- 1 or 3-hole installation
- Optional escutcheon included
 Finishes: Chrome, SS











Single-Hole 573LF-MPU-PP

- 1 or 3-hole installation
- Order RP47973 for
- optional escutcheon

 Finish: Chrome









Single-Hole 567LF-MPU-PP

- 1 or 3-hole installation
- Order RP78358 for
- optional escutcheon

 Finishes: Chrome, BL, SS







Single-Hole 559LF-MPU-PP

Single-Hole

581LF-MPU-PP

Es &

■ 1 or 3-hole installation

■ Order RP76702 for

optional escutcheon
Finish: Chrome

- 1 or 3-hole installation
- Order RP78359 for
- optional escutcheon

 Finishes: Chrome, BL, SS











4" Centerset 520-DST

- 3-hole installationFinishes: Chrome, SS











4" Centerset 2523LF-MPU

- 3-hole installationFinishes: Chrome, SS









4" Centerset 2532LF-MPU

- 3-hole installationFinishes: Chrome, RB, SS









Monitor® 13 Series Tub & Shower with H₂Okinetic® Shower Head T13420-H20T R10000-UNWS (not shown)

- 1.5 gpm shower head @ 80 psi
- Self-cleaning H₂Okinetic spray holes
 WaterSense® labeled shower head
 Finishes: Chrome, SS













R10000-UNWS (not shown) Finishes: Chrome, SS

Tub & Shower Less Shower Head

Monitor 13 Series

T13491-LHD









Bath Accessories
IAO20130 24" Double Towel Shelf
IAO20118 18" Towel Bar
IAO20126 18" Double Towel Bar
IAO20124 24" Towel Bar
IAO20128 24" Double Towel Bar
IAO20136 Double Robe Hook
Towel Ring IA020146 Towel Ring Tissue Holder with Cover Glass Shelf IA020150 IAO20140 IAO20175 Double-Face Mirror IA020160 Toilet Brush Holder Soap Dish—Round Tumbler Holder—Round IAOSD001

IAOTB001 ■ Finish: Chrome Matte Black-BL

Venetian Bronze®RB



Additional products and flow rates are available. Visit deltafaucet.com

The products on these pages are shown in Chrome.











H₂Okinetic® 6" Raincan Shower Head RP70171

- Single Setting
- 1.75 gpm @ 80 psi
 Finishes: Chrome, BL, CZ, PN, RB, SP, SS







H₂Okinetic 5½" Raincan Shower Head RP70175

- Single Setting
- 1.75 gpm @ 80 psi
 Finishes: Chrome, BL, CZ, RB, SS







H₂Okinetic 6" Metal Raincan Shower Head 52171

- Single Setting
- 1.75 gpm @ 80 psi
 Round shower head option available: 52175
 Finishes: Chrome, BL, CZ, SS







H₂Okinetic Shower Head 52638-18-PK

- 1.75 gpm @ 80 psi; 1.5 gpm also available
 Finishes: Chrome, BL, CZ, PN, RB, SS









H₂Okinetic 6" Raincan Shower Head

1.75 gpm @ 80 psi
Finishes: Chrome, BL, CZ, PN, RB, SS







■ 3 Setting

52688



H₂Okinetic 7³/₄" Raincan Shower Head



H₂Okinetic 6" Raincan Shower Head

- 5 Setting1.75 gpm @ 80 psi
- Finishes: Chrome, BL, CZ, SS











HydroRain® H₂Okinetic Shower Head with Hand Shower 58680

- 5 Setting
- 1.75 gpm @ 80 psi
 Finishes: Chrome, BL, CZ, PN, RB, SS



















12" Metal Raincan Shower Head 52158

- Single Setting
 1.75 gpm @ 80 psi
 Square shower head option available: 52159
 Finishes: Chrome, BL, CZ, PN, RB, SS








Premium Touch-Clean® Shower Head 52634-18-PK

- 5 Setting
- 1.75 gpm @ 80 psi
- Finishes: Chrome, SS






All products on this page are shown in Chrome and come without shower arm and flange, unless indicated otherwise.







- 4 Setting1.75 gpm @ 80 psiFinishes: Chrome, SS



H₂Okinetic® Hand Shower with Slide Bar 51559

- 5 Setting1.75 gpm @ 80 psiFinishes: Chrome, CZ, RB, SS



H₂Okinetic Hand Shower with Slide Bar 51799

- 3 Setting1.75 gpm @ 80 psiFinishes: Chrome, BL, PN, SS









H₂Okinetic Hand Shower with Slide Bar 51552

- 4 Setting
- 1.75 gpm @ 80 psiFinishes: Chrome, PN, SS




H₂Okinetic Wall-Mount Hand Shower 55140

- 4 Setting
- 4 Setting
 1.75 gpm @ 80 psi
 Finishes: Chrome, BL, CZ, PN, SS









H₂Okinetic Wall-Mount Hand Shower 55567

- Single Setting1.75 gpm @ 80 psiFinishes: Chrome, SS



Hand Shower with Slide Bar 51589

- 7 Setting1.75 gpm @ 80 psiFinishes: Chrome, PB, RB, SS









Premium Hand Shower with Slide Bar 51599-DS

- 5 Setting1.75 gpm @ 80 psiFinishes: Chrome, SS







Premium Shower-Mount Hand Shower 54434-18-PK

- 5 Setting1.75 gpm @ 80 psiFinishes: Chrome, SS



Additional options and flow rates are available. Visit deltafaucet.com

All products on these pages are shown in Chrome and come without shower arm and flange, unless indicated otherwise.





ActivTouch® Hand Shower with Grab Bar

- 9 Setting
 Touch-Clean® spray holes
 1.75 gpm @ 80 psi
 24" grab bar
 Finishes: Chrome, RB, SS



Palm® Hand Shower 59488-PK

- 4 SettingTouch-Clean spray holes1.75 gpm @ 80 psi

- Hose not included
 Finishes: Chrome, RB, SS











ActivTouch Hand Shower 59424-18-PK

- 9 SettingTouch-Clean spray holes
- 1.75 gpm @ 80 psi
- Hose not included
- Finishes: Chrome, RB, SS









H₂Okinetic® Hand Shower 59433-PK

- 3 Setting
- Self-cleaning H₂Okinetic spray holes
 1.75 gpm @ 80 psi
 Hose not included

- Finishes: Chrome, CZ, PN, RB, SS









Premium Hand Shower 59426-PK

- 7 SettingTouch-Clean spray holes
- 1.75 gpm @ 80 psi
- Hose not included
- Finishes: Chrome, PB, RB, SS, WH









Premium Hand Shower 59434-15-BG

- 5 Setting
- Touch-Clean spray holes
- 1.5 gpm @ 80 psi
- Hose not includedFinishes: Chrome, SS









H₂Okinetic Hand Shower 59445-PK

- 5 Setting
- Self-cleaning H₂Okinetic and Touch-Clean spray holes
- 1.75 gpm @ 80 psi
- Hose not included
- Finishes: Chrome, CZ, RB, SS









Round Contemporary Shower Kit Less Hand Shower 51600

- U6500 hand shower mount
- 24" round contemporary grab bar, 1-1/4" diameter
- 60"-82" stretchable metal hose
- Round wall elbow included
- Finishes: Chrome, RB, SS



Angular Modern Shower Kit Less Hand Shower 51500

- U6500 hand shower mount
- 24" angular modern grab bar, 1-1/4" diameter ■ 60"-82" stretchable metal hose
- Square wall elbow included Finishes: Chrome, RB, SS






Additional options and flow rates are available. Visit deltafaucet.com

All products on these pages are shown in Chrome and come without shower arm and flange, unless indicated otherwise.

IN2ITION® SHOWERS & INTEGRATED DIVERTERS





In2ition H₂Okinetic® Shower 58480-PK

- 5 Setting1.75 gpm @ 80 psiFinishes: Chrome, BL, CZ, PN, RB, SS



In2ition H₂Okinetic Shower

- 4 Setting1.75 gpm @ 80 psiFinishes: Chrome, BL, CZ, PN, RB, SS



In2ition H₂Okinetic Shower

- 4 Setting2.5 gpm @ 80 psi
- Finishes: Chrome, BL, CZ, RB, SS



In2ition Shower 58569-PK

- 5 Setting 1.75 gpm @ 80 psi
- Finishes: Chrome, CZ, RB, SS











Emerge™ 18" Angular Modern Shower Column 58410

- Includes 60"–82" stretchable metal hose
 Finishes: Chrome, BL, CZ, PN, RB, SS
 Also available in 26" length for tub/shower application: 58420



Emerge 18" Round Contemporary Shower Column 58810

- Includes 60"–82" stretchable metal hose
 Finishes: Chrome, BL, CZ, PN, RB, SS
 Also available in 26" length for tub/shower application: 58820



Contemporary 14 Series MultiChoice® Integrated Diverter T24959 R22000 (not shown)

- 6 SettingFinishes: Chrome, BL, CZ, RB, SS





Angular Modern 14 Series MultiChoice Integrated Diverter T24967 R22000 (not shown)

- 6 Setting Finishes: Chrome, BL, CZ, PN, RB, SS





Traditional 14 Series MultiChoice Integrated Diverter T24997 R22000 (not shown)

- 6 SettingFinishes: Chrome, CZ, PN, RB, SS





Contemporary 17T Series MultiChoice Integrated Diverter T27T959 R22000 (not shown)

- 6 SettingFinishes: Chrome, BL, CZ, RB, SS



Additional options are available. **Visit deltafaucet.com**



Angular Modern 17T Series MultiChoice Integrated Diverter T27T967 R22000 (not shown)

■ 6 Setting

Ė

■ Finishes: Chrome, BL, CZ, PN, RB, SS



Traditional 17T Series MultiChoice Integrated Diverter T27T897 R22000 (not shown)

- 3 SettingFinishes: Chrome, CZ, PN, RB, SS



The products on these pages are shown in Chrome. In 2ition showers come without shower arm and flange.





12" Traditional Decorative ADA Grab Bar 41612-SS

- Supports up to 500 lbs.
- when properly installed
 Finishes: Chrome, BL, CZ, PN, RB, SS
 Also available in the following lengths: 41618-SS – 18" 41624-SS - 24" 41636-SS - 36" 41642-SS - 42"

36" Angular Modern Decorative

when properly installed
Finishes: Chrome, BL, CZ, PN, RB, SS
Also available in the

■ Supports up to 500 lbs.

following lengths: 41912-SS – 12" 41918-SS - 18"

ADA Grab Bar

41936-SS





18" Transitional Decorative ADA Grab Bar 41718-SS

- Supports up to 500 lbs.
- when properly installed

 Finishes: Chrome, BL, CZ, RB, SS

 Also available in the following lengths: 41712-SS - 12" 41724-SS - 24" 41736-SS - 36" 41742-SS - 42"





Décor Assist™ Contemporary Double Towel/Assist Bar 41519-SS

- 24" length
- Supports loads exceeding
- 250 lbs. when properly installed

 Finishes: Chrome, BL, CZ, RB, SS



24" Contemporary Decorative

when properly installed
Finishes: Chrome, BL, CZ, RB, SS
Also available in the

■ Supports up to 500 lbs.

following lengths: 41812-SS – 12"

41818-SS - 18"

41836-SS - 36" 41842-SS - 42"

ADA Grab Bar

41824-SS

Décor Assist Contemporary Corner Shelf/Assist Bar 41516-SS

- Supports loads exceeding 250 lbs. when properly installed

 Finishes: Chrome, BL, CZ, RB, SS





Décor Assist Contemporary Tissue Holder/Assist Bar 41550-SS

- Supports loads exceeding 250 lbs. when properly installed

 Finishes: Chrome, BL, CZ, RB, SS



ADA Grab Bar Hand Shower Mount U6300

- Fits 1-1/2" or 1-1/4" round grab bars
- Finishes: Black, WH





ADA Grab Bar Hand Shower Mount

- Fits 1-1/4" square grab bars
- Finishes: Chrome, RB, SS



For additional product styles, visit deltafaucet.com

The products on this page are shown in Brilliance® Stainless, Chrome and Black.





24" Decorative Towel Shelf 43024

- Stainless steelMounting hardware includedFinish: Chrome



24" Decorative Double Towel Shelf 43424

- Stainless steelMounting hardware includedFinish: Chrome



18" Decorative Towel Shelf 43618

- Stainless steel
- Exposed mountingFinish: Chrome



Décor Assist™ Transitional Corner Shelf/Assist Bar 41416

- Supports loads exceeding 250 lbs. Head states in the state of the



Décor Assist Contemporary Corner Shelf/Assist Bar 41516

- Supports loads exceeding 250 lbs. when properly installed
 Finishes: Chrome, BL, CZ, RB, SS
 Shown in Chrome



5' Curved Shower Rod 42205-SS

- Adjustable
- Also available in 6' length: 42206 and 42206-SS
- Finishes: Chrome, SS
 Shown in Brilliance® Stainless



Large Corner Shower Caddy 47100

- 9-9/32" x 6-9/32"
- Stainless steelFinish: Chrome



Small Corner Shower Caddy 47000

- 6-9/32" x 5-3/32"
- Stainless steelFinish: Chrome







Brevard® Bath Accessories IAO20830 24" Double To 24" Double Towel Shelf 18" Towel Bar IA020818

18" Double Towel Bar IA020826 IA020824 24" Towel Bar 24" Double Towel Bar IA020828

■ Finish: Chrome





79980 Shower Shelf 79955 Double Tissue Holder 79956 Tissue Holder with Shelf 77612 Vanity Tray 77736 Double Robe Hook

- Finishes: Chrome, PN, SSShown in Chrome

Turning public spaces into personal experiences.

Whether they're checking into your hotel for the first time or simply attending an event at your facility, guests will eventually end up in your public restroom. And when they do, we'll make sure their experience is a pleasant one.

The faucets, flush valves and accessories we create for public spaces are available in attractive designs that complement any décor. And those styles are enhanced by our various technical innovations, such as Proximity® Sensing Technology—which creates the industry's most responsive electronic faucets. When a guest's hand approaches the faucet spout, the entire faucet body acts as a sensor, activating the flow of water automatically. When hands are removed, the water stops—saving you money, and leaving guests with a lasting positive impression.



620TP3320-SS Shown in Brilliance® Stainless









Single-Hole Solar Lavatory Faucet DEMD-320LF

- Solar-powered with battery assist
 Above-deck electronics and battery pack (4 AA)
 Standard infrared sensing with 6"-8" range
 0.5 gpm vandal-resistant spray outlet

- Finish: Chrome





Single-Hole Gooseneck with Proximity Sensing Technology 620TP3320

- 1.5 gpm vandal-resistant laminar outlet
- Finishes: Chrome, BL, SS
- Shown in Chrome









Single-Hole Electronic Soap Dispenser DESD-550 – Cast brass spout DESD-250 – Non-metal spout

- Standard 800 ml soap bottle
 Standard infrared sensing
 Fits on decks up to 2" thick
 LED indicators: Yellow = low battery, Red = low soap
- Battery operationFinish: Chrome







Recessed Paper Holder 45072

- Brass spring-activated rollersSolid brass shell
- Finish: Chrome



Ara® Single-Hole with Proximity® Sensing Technology 630TP320

- 1.5 gpm vandal-resistant laminar outletFinishes: Chrome, SSShown in Chrome









Single-Hole High-Rise with Proximity Sensing Technology 590TP0120

- 1.5 gpm vandal-resistant laminar outletFinish: Chrome









Single-Hole Electronic Soap Dispenser DESD-750

- Standard 1000 ml refillable soap bottleStandard infrared sensing
- Blue LED indicator for low soap
- Finish: Chrome



Twin Paper Holder

- Two brass spring-activated rollers
- Horizontal mounting

45272

Finish: Chrome with chrome-plated zamak posts



Spare Roll Paper Holder 45371-SS

- Stainless steel
- Dispenses two 1,500 sheet rolls
- Finish: SS





Exposed Electronic Urinal Flush Valve with Wall-Mount Sensor 81T231-WMSHWA - Hardwire

- Featuring H₂Optics® Sensing Technology
- Chloramine-resistant diaphragm
 Electronic override button
- Vandal-resistant stainless steel cover
- Factory set to 0.5 gallon flush—field adjustable
- Finish: Chrome









Exposed Electronic Urinal Flush Valve 81T231BTA-MMO-BL - Battery

- Featuring H₂Optics Sensing Technology
- Chloramine-resistant diaphragmMechanical override button
- Scratch-resistant replaceable lens window
- Factory set to 0.5 gallon flush—field adjustable
- Finishes: Chrome, BL
- Shown in Matte Black

◆ ₹





Exposed Electronic Water Closet Flush Valve 81T201BTA-MMO - Battery

- Featuring H₂Optics Sensing Technology
- Chloramine-resistant diaphragmMechanical override button
- Scratch-resistant replaceable lens window
- Factory set to 1.6 gallon flush—field adjustable
- Finish: Chrome







Single-Hole Faucet DEMD-301LF

- Battery operation
- Pre-mixed water
- Standard infrared sensing
- Adjustable maximum run time; sensor range
 Optional 4" coverplate available
- 0.5 gpm outlet with vandal-resistant wrench flat spray outlet
- Finish: Chrome







Single-Hole Dual-Inlet Faucet with Side Mixer DEMD-211LF

- Battery operation
- Above deck electronics
- Standard infrared sensing
- Non-removable side mixer to adjust water temperature
- 0.5 gpm with vandal-resistant flat spray outlet







Single-Hole Faucet with ASSE 1070 Thermostatic Mixing Valve DEMD-611LF

- Battery operation
- Above-deck solenoid and below-deck batteryStandard infrared sensing
- Integrated above-deck thermostatic mixing valve ■ Optional 4" coverplate ■ 0.66 gpm with vandal-resistant wrench
- flat spray outlet ■ .17 gallon/cycle based on 15 second maximum run time
- Finish: Chrome







Single-Inlet Wall-Mount Faucet DEMD-402LF - 8" spout DEMD-404LF - 6" spout

- Adjustable maximum run time; sensor range
- Pre-mixed water
- Hardwire operationStandard infrared sensing
- 0.5 gpm outlet
- Finish: Chrome



For a full lineup of flush valves and faucets, visit specselect.com





Trinsic® Single Handle Pull-Out Kitchen 4159-DST

- 1 or 3-hole installation Order RP64070 for
- optional escutcheon
- Finishes: Chrome, AR, BL, KS











Trinsic Single Handle Pull-Down Bar/Prep 9959-DST

- 1 or 3-hole installation
- Order RP64070 for optional escutcheon
- Finishes: Chrome, AR, BL, CZ, KS





Pivotal® Single Handle Bar 1993LF

- 1 or 3-hole installation
- Order RP92606 for
- optional escutcheon Finishes: Chrome, AR, KS, PN



Single Handle Bar 1959LF

- 1 or 3-hole installation
- Order RP77702 for
- optional escutcheon
- Finishes: Chrome, AR, BL, CZ, KS



















Mateo® Single Handle Pull-Down 9983-DST

- 1 or 3-hole installationOrder RP81914 for optional escutcheon
- Finishes: Chrome, AR, KS, RB



Essa® Single Handle Pull-Down Bar/Prep 9913-DST

- 1 or 3-hole installation
- Optional escutcheon includedFinishes: Chrome, AR, BL, RB



Collins™ Single Handle Pull-Out 4140-DST

- lacksquare 1 or 3-hole installation
- Optional escutcheon includedFinishes: Chrome, AR































Single-Lever Utility Faucet 710LF-HDF

- 2-hole installation
- Vandal-resistant elbow handle and $1.5\ \mathrm{gpm}$ outlet
- Finish: Chrome



8" Center Wall-Mount Pre-Rinse Faucet 55C1513

- Vandal-resistant 3" hooded lever handles
- Supplied with standard 1.6 gpm spray outlet and water/energy-saving 1.2 gpm option

 Finish: Chrome















8" Center Wall-Mount Service Sink Faucet 28C2383

- Cast brass body
 Adjustable top/bottom brace
 Body-mounted angle vacuum breaker with garden-hose end
- Vandal-resistant 3" hooded lever handles
- Finish: Chrome



8" Center Wall-Mount Service Sink Faucet 28T9

- Cast brass bodyIn-line vacuum breaker with garden-hose end
- Metal cross handles
- Finish: Rough Chrome



Single Handle Centerset Bathroom Faucet 520LF-HDF

- 3-hole installationSolid brass fabricated bodyVandal-resistant lever handle; aerator
- Finish: Chrome











Delta Faucet Company is committed to sustainability and providing smart water delivery solutions to maximize water savings without sacrificing comfort and convenience. Our commitment to sustainability extends to waste reduction and the preservation of natural resources and the environment. That's why we choose to print on Forest Stewardship Council® (FSC®) certified paper.

Forest Stewardship Council® and FSC® are registered trademarks of Forest Stewardship Council, A.C.



A MASCO COMPANY

Delta Faucet Company 55 E. 111th St., P.O. Box 40980 Indianapolis, IN 46280

Masco Canada Limited 350 S. Edgeware Rd. St. Thomas, Ontario N5P 4L1

deltafaucet.com 800.345.DELTA (3358)

©2019 Delta Faucet Company DL-2045 05/19