

# **BALDOR® • RELIANCE**

## **Product Information Packet**

**009016**

**2-1/2 RIBBED RIGID CPLG**

**Specs**

|                                 |               |  |  |
|---------------------------------|---------------|--|--|
| <b>ATEX Certified:</b>          | NO            |  |  |
| <b>Bore Tolerance Standard:</b> | CUSTOM        |  |  |
| <b>Product Family:</b>          | Rigid         |  |  |
| <b>Shaft Attachment:</b>        | FINISHED BORE |  |  |
| <b>Shaft Spacing:</b>           | CLOSE-COUPLED |  |  |
| <b>Torsional Rigidity:</b>      | RIGID         |  |  |
| <b>Coupling Style:</b>          | RIBBED RIGID  |  |  |

| Parts List  |                                |          |
|-------------|--------------------------------|----------|
| Part Number | Description                    | Quantity |
| 009016SC    | 2 1/2 RIBBED COUPLING ASSEMBLY | 1.000 EA |
| 440313      | 12-3/8X7-1/4X7-1/2             | 1.000 EA |
| 443128      | 5/8 X 5/8 X 9-11/16 KEY        | 1.000 EA |
| 499616      | RIBBED COUPLING MANUAL         | 1.000 EA |
| DODGE2      | DODGE LABEL 2                  | 1.000 EA |
| 439562      | PALLET BOX                     | 0.010 EA |