NOTES:

1. Gates groove profile number:

GA-01180-18-S-0

2. Mark Size:


.050


3. Install set screws:

8-32



SCALE 1.000





Pulley Data		Tolerances	
Number of Grooves:	18	Decimals .X ± .015"	
Belt Pitch:	3 mm	.XX ± .010" .XXX ± .005" Fractions ± 1/64"	
Tooth Type:	PGGT	Angles ± 1° TIR .003 Max	
Pitch Diameter:	0.677		
Outside Diameter:	0.647	This document is the property of Gates Corporation. It may not be reproduced in whole or in part or provided to third parties without written authorization from Gates Corporation. All rights are reserved including copyrights.	
Surface Finish:	125 Micro		
Flange Size:	24MP-FA		

	Drafted By:	-	
	Checked By:	-	4
	Approved By:	-	7
	This drawing is a stock power		200
component. Details shown which do not affect drive function may be changed without any notification		G	
			_

ffect drive function may be changed without any notification

Material: ALUMINUM

			l
Einich:	CLEAD	ANODIZE	

Rev	Revision	Date	Ву
	Rev	Rev Revision	Rev Revision Date

<b>Gates Corporation</b>
Denver, Colorado

Sates Part No: 3MR-18S-06

Gates Product No: 7843-6049

Finish: CLEAR ANODIZE Drawing Number: 18-3P06-6FA2