



1. Gates groove profile number: GA-01180-45-S-0
2. Mark Size: .100
3. Install set screws: 8-32




Technical drawing of a mechanical part showing a cross-section. The drawing includes the following dimensions and features:

- Overall length: $23/32$
- Overall diameter: $\varnothing 1.775$
- Outside diameter of the threaded section: $\varnothing 1.662$ Outside Dia
- Threaded section length: $.407$
- Thread specification: (2) 8-32 UNG 2B TAP THRUTO BORE
- Drill hole specification: #29 DRILL (0.140) THRUTO BORE
- Inner diameter of the unthreaded section: $\varnothing 1.300$
- Inner diameter of the threaded section: $\varnothing .251$ / $\varnothing .250$



Pulley Data		Tolerances
Number of Grooves:	45	Decimals .X $\pm .015"$.XX $\pm .010"$.XXX $\pm .005"$ Fractions $\pm 1/64"$ Angles $\pm 1^\circ$ TIR .003 Max
Belt Pitch:	3 mm	
Tooth Type:	PGGT	
Pitch Diameter:	1.692	
Outside Diameter:	1.662	This document is the property of Gates Corporation. It may not be reproduced in whole or in part or provided to third parties without written authorization from Gates Corporation. All rights are reserved including copyrights.
Surface Finish:	125 Micro	
Flange Size:	44-3M-FA	

Drafted By:	-
Checked By:	-
Approved By:	-
<p>This drawing is a stock power transmission component. Details shown which do not affect drive function may be changed without any notification</p>	
<p>Material: ALUMINUM</p>	
<p>Finish: CLEAR ANODIZ</p>	

Rev	Revision	Date	By
 <p>Gates Corporation Denver, Colorado</p>			
Gates Part No: 3MR-45S-06			
Gates Product No: 7843-6065			
E Drawing Number: 45-3P06-6FA3			