

Tri-Power® Belts

Constructed with Gates proprietary construction, this belt has a superior combination of flex and load carrying capacity, as well as less stretch resulting in less maintenance.

Markets/Applications

Suitable for all industrial applications, particularly where small or subminimal sheave diameters are required.

Features/Advantages


- **Notches molded** into the belt during manufacturing, make this belt well suited for drives with smaller diameter sheaves.
- **Belt Edge** is machined for even sheave groove contact resulting in less slip and wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves


Multi-Duty Sheaves

Notes

Tri-Power belts are available in AX, BX, and CX sizes.



Product No. Series 9012



AX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX21	\$7.86	9012-2021	23.0	.15	1
AX22	8.24	9012-2022	24.0	.16	1
AX23	8.61	9012-2023	25.0	.16	1
AX24	8.74	9012-2024	26.0	.17	1
AX25	8.86	9012-2025	27.0	.17	1
AX26	9.21	9012-2026	28.0	.19	5
AX27	9.37	9012-2027	29.0	.19	1
AX28	9.57	9012-2028	30.0	.20	1
AX29	9.69	9012-2029	31.0	.20	1
AX30	9.59	9012-2030	32.0	.23	1
AX31	9.91	9012-2031	33.0	.23	5
AX32	10.09	9012-2032	34.0	.25	1
AX33	10.28	9012-2033	35.0	.27	5
AX34	10.48	9012-2034	36.0	.27	5
AX35	10.63	9012-2035	37.0	.28	5
AX36	10.83	9012-2036	38.0	.28	5
AX37	11.33	9012-2037	39.0	.29	5
AX38	11.46	9012-2038	40.0	.30	5
AX39	11.61	9012-2039	41.0	.30	1
AX40	11.82	9012-2040	42.0	.30	1
AX41	12.04	9012-2041	43.0	.32	1
AX42	12.18	9012-2042	44.0	.32	5
AX43	12.40	9012-2043	45.0	.33	5
AX44	12.52	9012-2044	46.0	.33	1
AX45	12.65	9012-2045	47.0	.33	1
AX46	12.75	9012-2046	48.0	.34	5
AX47	12.90	9012-2047	49.0	.34	1
AX48	13.04	9012-2048	50.0	.35	5
AX49	13.19	9012-2049	51.0	.35	1
AX50	13.25	9012-2050	52.0	.36	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX51	\$13.46	9012-2051	53.0	.36	5
AX52	13.60	9012-2052	54.0	.36	1
AX53	13.73	9012-2053	55.0	.37	5
AX54	13.96	9012-2054	56.0	.37	5
AX55	14.09	9012-2055	57.0	.37	1
AX56	14.23	9012-2056	58.0	.38	1
AX57	14.39	9012-2057	59.0	.38	1
AX58	14.54	9012-2058	60.0	.39	1
AX59	14.79	9012-2059	61.0	.40	1
AX60	14.87	9012-2060	62.0	.40	5
AX61	15.12	9012-2061	63.0	.41	1
AX62	15.23	9012-2062	64.0	.41	5
AX63	15.48	9012-2063	65.0	.42	1
AX64	15.58	9012-2064	66.0	.42	5
AX65	15.82	9012-2065	67.0	.43	1
AX66	15.93	9012-2066	68.0	.44	1
AX67	16.17	9012-2067	69.0	.44	1
AX68	16.29	9012-2068	70.0	.45	1
AX69	16.64	9012-2069	71.0	.45	1
AX70	16.99	9012-2070	72.0	.46	1
AX71	17.14	9012-2071	73.0	.46	1
AX72	17.38	9012-2072	74.0	.47	1
AX73	17.47	9012-2073	75.0	.48	1
AX74	17.59	9012-2074	76.0	.48	1
AX75	17.70	9012-2075	77.0	.49	1
AX76	18.18	9012-2076	78.0	.49	1
AX77	18.42	9012-2077	79.0	.49	1
AX78	18.55	9012-2078	80.0	.50	5
AX79	18.79	9012-2079	81.0	.51	1
AX80	19.12	9012-2080	82.0	.52	1

Prices Subject To Change Without Notice



Tri-Power® Belts


Product No. Series 9012 (continued)

AX Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX81	\$19.35	9012-2081	83.0	.52	1
AX82	19.59	9012-2082	84.0	.53	1
AX83	20.05	9012-2083	85.0	.53	1
AX84	20.29	9012-2084	86.0	.53	1
AX85	20.53	9012-2085	87.0	.54	1
AX86	20.97	9012-2086	88.0	.55	1
AX87	21.01	9012-2087	89.0	.56	1
AX88	21.25	9012-2088	90.0	.56	1
AX89	21.70	9012-2089	91.0	.56	1
AX90	21.95	9012-2090	92.0	.57	1
AX91	22.29	9012-2091	93.0	.57	1
AX92	22.44	9012-2092	94.0	.57	1
AX93	22.68	9012-2093	95.0	.58	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX94	\$22.92	9012-2094	96.0	.59	1
AX96	23.37	9012-2096	98.0	.60	1
AX97	23.61	9012-2097	99.0	.61	1
AX98	23.85	9012-2098	100.0	.62	1
AX103	25.06	9012-2103	105.0	.64	1
AX105	25.49	9012-2105	107.0	.64	1
AX110	27.48	9012-2110	112.0	.68	1
AX112	28.32	9012-2112	114.0	.70	1
AX120	30.45	9012-2120	122.0	.74	1
AX128	32.57	9012-2128	130.0	.79	1
AX144	36.65	9012-2144	146.0	.91	1
AX173	44.02	9012-2173	175.0	1.13	1

HEAVY DUTY V-BELTS



Product No. Series 9013

BX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX24	\$10.23	9013-2024	27.0	.30	1
BX25	10.66	9013-2025	28.0	.31	1
BX26	11.09	9013-2026	29.0	.32	1
BX27	11.51	9013-2027	30.0	.33	1
BX28	11.94	9013-2028	31.0	.34	1
BX29	12.44	9013-2029	32.0	.35	1
BX30	12.86	9013-2030	33.0	.35	1
BX31	13.30	9013-2031	34.0	.35	1
BX32	13.42	9013-2032	35.0	.36	1
BX33	13.34	9013-2033	36.0	.37	1
BX34	13.75	9013-2034	37.0	.38	1
BX35	14.16	9013-2035	38.0	.39	5
BX36	14.58	9013-2036	39.0	.40	5
BX37	15.20	9013-2037	40.0	.43	1
BX38	15.58	9013-2038	41.0	.45	5
BX39	15.88	9013-2039	42.0	.47	1
BX40	16.29	9013-2040	43.0	.47	1
BX41	16.64	9013-2041	44.0	.47	1
BX42	16.99	9013-2042	45.0	.50	5
BX43	17.44	9013-2043	46.0	.51	1
BX44	17.85	9013-2044	47.0	.52	1
BX45	18.21	9013-2045	48.0	.53	1
BX46	18.41	9013-2046	49.0	.53	5
BX47	18.57	9013-2047	50.0	.53	1
BX48	18.99	9013-2048	51.0	.54	5
BX49	19.36	9013-2049	52.0	.55	1
BX50	19.54	9013-2050	53.0	.64	5
BX51	19.82	9013-2051	54.0	.65	5
BX52	20.04	9013-2052	55.0	.66	5
BX53	20.18	9013-2053	56.0	.67	5
BX54	20.40	9013-2054	57.0	.63	5
BX55	20.53	9013-2055	58.0	.69	5
BX56	20.68	9013-2056	59.0	.69	5
BX57	20.75	9013-2057	60.0	.70	1
BX58	20.96	9013-2058	61.0	.71	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX59	\$21.10	9013-2059	62.0	.73	5
BX60	21.26	9013-2060	63.0	.74	5
BX61	21.53	9013-2061	64.0	.75	1
BX62	21.81	9013-2062	65.0	.76	5
BX63	22.09	9013-2063	66.0	.77	5
BX64	22.37	9013-2064	67.0	.78	5
BX65	22.67	9013-2065	68.0	.79	5
BX66	22.94	9013-2066	69.0	.80	5
BX67	23.17	9013-2067	70.0	.81	5
BX68	23.37	9013-2068	71.0	.82	5
BX69	23.71	9013-2069	72.0	.83	1
BX70	24.00	9013-2070	73.0	.83	5
BX71	24.29	9013-2071	74.0	.84	5
BX72	24.64	9013-2072	75.0	.84	1
BX73	25.05	9013-2073	76.0	.85	1
BX74	25.32	9013-2074	77.0	.85	1
BX75	25.49	9013-2075	78.0	.86	5
BX76	25.83	9013-2076	79.0	.87	1
BX77	26.21	9013-2077	80.0	.87	5
BX78	26.55	9013-2078	81.0	.88	5
BX79	26.90	9013-2079	82.0	.89	1
BX80	27.27	9013-2080	83.0	.90	5
BX81	27.62	9013-2081	84.0	.91	5
BX82	28.32	9013-2082	85.0	.92	1
BX83	28.54	9013-2083	86.0	.93	5
BX84	28.88	9013-2084	87.0	.94	1
BX85	29.04	9013-2085	88.0	.95	5
BX86	29.52	9013-2086	89.0	.96	1
BX87	29.72	9013-2087	90.0	.97	1
BX88	30.07	9013-2088	91.0	.97	1
BX89	30.31	9013-2089	92.0	.98	1
BX90	30.45	9013-2090	93.0	.99	5
BX91	30.79	9013-2091	94.0	1.00	1
BX92	31.13	9013-2092	95.0	1.01	1
BX93	31.87	9013-2093	96.0	1.01	5



Prices Subject To Change Without Notice





Tri-Power® Belts

Product No. Series 9013 (continued)

BX Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX94	\$32.26	9013-2094	97.0	1.02	1
BX95	32.57	9013-2095	98.0	1.03	5
BX96	32.93	9013-2096	99.0	1.04	1
BX97	33.28	9013-2097	100.0	1.05	5
BX98	33.43	9013-2098	101.0	1.06	1
BX99	33.77	9013-2099	102.0	1.07	1
BX100	33.99	9013-2100	103.0	1.08	5
BX103	34.69	9013-2103	106.0	1.11	5
BX105	35.41	9013-2105	108.0	1.14	5
BX106	35.74	9013-2106	109.0	1.17	1
BX108	36.75	9013-2108	111.0	1.18	1
BX110	37.56	9013-2110	113.0	1.20	1
BX112	38.25	9013-2112	115.0	1.24	5
BX113	38.46	9013-2113	116.0	1.24	1
BX115	38.68	9013-2115	118.0	1.25	1
BX116	39.01	9013-2116	119.0	1.27	1
BX120	40.36	9013-2120	123.0	1.30	5
BX124	41.78	9013-2124	127.0	1.37	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX128	\$43.20	9013-2128	131.0	1.38	5
BX133	45.31	9013-2133	136.0	1.38	1
BX136	46.17	9013-2136	139.0	1.42	1
BX140	47.53	9013-2140	143.0	1.42	1
BX144	48.87	9013-2144	147.0	1.46	5
BX150	51.48	9013-2150	153.0	1.48	1
BX158	53.11	9013-2158	161.0	1.56	1
BX162	55.24	9013-2162	165.0	1.60	1
BX173	58.07	9013-2173	176.0	1.71	1
BX180	60.89	9013-2180	183.0	1.77	1
BX195	65.86	9013-2195	198.0	1.92	1
BX205	69.05	9013-2205	208.0	2.31	1
BX210	70.81	9013-2210	213.0	2.51	1
BX225	75.22	9013-2225	227.0	2.74	5
BX255	85.36	9013-2255	257.0	2.85	5
BX270	90.66	9013-2270	272.0	3.02	5
BX300	95.63	9013-2300	302.0	4.02	1

HEAVY DUTY V-BELTS

Product No. Series 9014

CX Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
CX51	\$32.57	9014-2051	55.0	1.02	1
CX60	38.25	9014-2060	64.0	1.07	1
CX68	43.20	9014-2068	72.0	1.29	1
CX75	47.44	9014-2075	79.0	1.35	1
CX81	51.70	9014-2081	85.0	1.41	1
CX85	53.11	9014-2085	89.0	1.47	1
CX90	57.36	9014-2090	94.0	1.55	5
CX96	60.89	9014-2096	100.0	1.65	5
CX100	63.45	9014-2100	104.0	1.72	1
CX101	64.08	9014-2101	105.0	1.74	1
CX105	66.57	9014-2105	109.0	1.80	5
CX106	67.13	9014-2106	110.0	1.82	1
CX109	68.98	9014-2109	113.0	1.87	1
CX112	70.81	9014-2112	116.0	1.92	1
CX115	72.66	9014-2115	119.0	1.97	1
CX120	75.76	9014-2120	124.0	2.07	5
CX123	78.18	9014-2123	127.0	2.10	1
CX128	78.81	9014-2128	132.0	2.18	5
CX133	80.74	9014-2133	137.0	2.26	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
CX136	\$82.99	9014-2136	140.0	2.31	1
CX144	90.66	9014-2144	148.0	2.44	1
CX150	95.16	9014-2150	154.0	2.56	1
CX158	99.14	9014-2158	162.0	2.67	1
CX162	101.26	9014-2162	166.0	2.74	1
CX173	108.35	9014-2173	177.0	2.92	1
CX180	113.30	9014-2180	184.0	3.04	1
CX187	118.12	9014-2187	191.0	3.15	1
CX190	120.04	9014-2190	194.0	3.20	1
CX195	122.51	9014-2195	199.0	3.29	1
CX210	132.43	9014-2210	214.0	3.53	1
CX225	140.47	9014-2225	227.0	5.33	5
CX240	148.75	9014-2240	242.0	5.64	5
CX255	159.09	9014-2255	257.0	5.95	5
CX270	167.88	9014-2270	272.0	6.26	5
CX300	186.28	9014-2300	302.0	6.88	5
CX330	204.72	9014-2330	332.0	6.90	5
CX360	223.13	9014-2360	362.0	8.55	5

Prices Subject To Change Without Notice

