

PRODUCT INFORMATION PACKET



Model No: CI4D17WK18A

Catalog No: 109077.00

..1HP-.75KW..1750RPM.80D.IP55.180V...S1.40C.1,0SF.RIGID.CI4D17WK18A.....DC WASHGUARD ALL-STAINLESS.....

IEC



Regal and Leeson are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E






Nameplate Specifications

Output KW	1.1 kW	Voltage	180 V
Current	7.5 A	Speed	1750 rpm
Service Factor	1	Efficiency	85.3 %
Duty	S1	Insulation Class	F
Frame	80D	Enclosure	IP55
Overload Protector	No	Ambient Temperature	40 °C
Drive End Bearing Size	6205	Opp Drive End Bearing Size	6203
UL	Recognized	CSA	Y
CE	Y		


Technical Specifications

Rotation	Reversible	Mounting	Rigid base
Overall Length	16.37 in	Frame Length	9.62 in
Shaft Diameter	0.750 in	Shaft Extension	2.05 in
Outline Drawing	031791-Z80	Connection Diagram	005487

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/15/2018



EXTERNAL CONNECTIONS FOR CCWLE ROTATION
VIEWING LEAD END OF MOTOR WITH RED LEAD
POSITIVE AND BLACK LEAD NEGATIVE.
FOR CW ROTATION, REVERSE POLARITY.

				TOLERANCES UNLESS SPECIFIED		 ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN PG 12/10/04		
				DEC.	INCHES		CHK		
				.X	±.1		APPD PG 12/10/04		
				.XX	±.01	TITLE WIRING DIAGRAM PMDC MOTOR	SCALE 5=8		
				.XXX	±.005		REF		
				.XXXX	±.0005		FMF 109075.00		
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH		PREV	
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT – DO NOT SCALE THIS PRINT			RFP		CAD FILE 005487		SIZE	DRAWING NO.	REV.
			DIST				A	005487.01	