Through Roof Assembly, Air Terminal, Swivel to Parallel Conductor – LPC62812



Allows for lightning protection conductors to be concealed in ceiling or walls



Part Number	LPC62812
Conductor Size, UL	Class 1 - Class 2 (4/0 Max)
Material	Copper Stainless Steel 18-8 (EN 1.4305)
Connection Material, Air Terminal	Copper
Connection Material, Parallel Conductor	Copper
Thread Size (TS)	1/2 UNC
Rod Length (L)	12"
Rod Size (RS)	1/2"
Unit Weight	1.395 lb
Certifications	UL
Standard Packaging Quantity	1 pc
UPC	78285643065

Always consult the roof manufacturer or owner for proper flashing materials.

UL, UR, cUL, cUR, cULus and cURus are registered certification marks of UL LLC.

WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at www.erico.com and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent 's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

© 2020 nVent All rights reserved nVent, nVent CADDY, nVent ERIFLEX and nVent LENTON are owned by nVent or its global affiliates.

All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without prior notice.

