

# Eaton T600EN-150R6G

Catalog Number: T600EN-150R6G

Eaton PWRSUPP 600 600-277/480 150kVA 60HZ 3R 3S w/SPD WIN, Transformer, K-Rated, NEMA 3R, ILSCO TA-350 (3-L in, out), ILSCO AV-350 (1-N Out) terminal, -10 degC to 40 degC, Gray

## General specifications

Product Name	Catalog Number
Eaton Power-Suppress 600 power conditioner	T600EN-150R6G
	UPC
	743172098542
Product Length/Depth	Product Height
32 in	38 in
Product Width	Product Weight
57 in	1470 lb
Certifications	
Contact Manufacturer	



## Product specifications

### Product Category

Transformer

### Special features

K-Rated

### Phase

Three-phase

### Input voltage

600

### Color

Gray

### Load capacity

150 kVA

### Enclosure

NEMA 3R

### Surge protection

Yes

### Mounting

Floor

### Delta input

Yes

### Type

Power conditioner

### Efficiency

98.91%

### Frequency rating

60 Hz

### Number of wires

3/4

### Operating Temperature

-10° to 40°C

### Terminals

ILSCO TA-350 (3-L in, out), ILSCO AV-350 (1-N Out)

### Voltage rating

600 V

### Application

## Resources

### Brochures

[Eaton Power-Suppress 600 brochure](#)

### Specifications and datasheets

[Eaton Specification Sheet - T600EN-150R6G](#)

Isolation, Power Conditioning

Volt ampere rating

150000

Communication

No



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.  
All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)