

Eaton PDF33F0600E3WL

Catalog Number: PDF33F0600E3WL

Power Defense Globally Rated 100% UL, Frame 3, Three Pole, 600A, 25kA/480V, PXR20 LSIG w/ Modbus RTU, ZSI and Relays, Std Term Load Only (PDG3X3TA630)

General specifications

Product Name	Catalog Number
Eaton Power Defense molded case circuit breaker	PDF33F0600E3WL
	UPC
	786679854211
Product Length/Depth	Product Height
109.1 mm	257.1 mm
Product Width	Product Weight
138.9 mm	5.92 kg
Warranty	Compliances
Eaton Selling Policy 25-000, one (1) year RoHS Compliant from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	Certifications
	CCC Marked
	IEC 60947-2



Delivery program

Amperage Rating

600 A

Circuit breaker frame type

Complete breaker

Frame

3

Number of poles

Three-pole

General information

Circuit breaker type

PD3 Global (100% UL)

Class

Class A

Trip Type

PXR 20 LSIG

Other

Communication

Modbus RTU

Technical data - Electrical

Voltage rating

600 Vac

Voltage rating - max

600 V

Technical data - Mechanical - Terminals

Terminals

Standard Terminals Load Only

Technical information

Interrupt rating

25 kAIC at 480 Vac

Interrupt rating range

35 kAIC @240V (UL)

10 kAIC Icu @250 Vdc

Trip rating

600 A

Resources

3D CAD drawing package

[Eaton Power Defense PDF33F0600E3WL 3D drawing](#)

Application notes

[Power Xpert Protection Manager x64](#)

[Power Xpert Protection Manager x32](#)

[Consulting application guide - molded case circuit breakers](#)

Brochures

[StrandAble terminals product aid](#)

[Power Defense brochure](#)

[Power Defense molded case circuit breaker selection poster](#)

[Power Defense technical selling booklet](#)

Catalogs

[Power Xpert Release trip units for Power Defense molded case circuit breakers](#)

[Molded case circuit breakers catalog](#)

Certification reports

[PDG3 UL authorization 100-400a](#)

[PDG3 UL authorization 250-600a TMTU](#)

[Power Defense Declaration concerning California's Proposition 65](#)

Installation instructions

[Power Defense Frame 3 Breaker Instructions \(IL012107EN\).pdf](#)

Multimedia

[Power Defense Frame 3 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense molded case circuit breakers](#)

[Power Defense Frame 2 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense Frame 5 Trip Unit How-To Video](#)

[Power Defense Breakers](#)

[Eaton Power Defense for superior arc flash safety](#)

[Power Defense Frame 6 Trip Unit How-To Video](#)

Specifications and datasheets

[Eaton Specification Sheet - PDF33F0600E3WL](#)

Time/current curves

[Power Defense time current curve Frame 3 - PD3](#)

Warranty guides

[Selling Policy 25-000 - Distribution and Control Products and Services](#)

White papers

[Implementation of arc flash mitigating solutions at industrial manufacturing facilities](#)

[Making a better machine](#)

[Intelligent power starts with accurate, actionable data](#)

[Molded case and low-voltage power circuit breaker health](#)

[Intelligent circuit protection yields space savings](#)

[Safer by design: arc energy reduction techniques](#)

[Molded case and low-voltage breaker health](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)