

Eaton 7523PMURF

Catalog Number: 7523PMURF

Eaton LV Unipak capacitor bank, UNIPAK, LV Fixed Capacitor Banks, 180A, 240V, Three-phase, 75 kVAR, Protected, Neon red blown-fuse indicating lights, Three slottedblade-type fuses, NEMA 1, 3R, C2 Frame



General specifications

Product Name	Catalog Number
Eaton LV Unipak capacitor bank	7523PMURF
UPC	Product Length/Depth
782116058501	11.978 in
Product Height	Product Width
36 in	19.3 in
Product Weight	Warranty
100 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Certifications	Catalog Notes
UL Listed CSA Certified	Multiply the 240V kVAR rating by 0.75 to calculate the kVAR value at 208V.

Product specifications

Fuse type

Three slottedblade type fuses with 200,000 ampere interrupting capacity

Product Category

Low Voltage Fixed Capacitor Banks

Enclosure material

14 gauge steel finished with durable powder coat finish

Frame size

C2

Type

UNIPAK

Phase

Three-phase

Rating

75 kVAR

Enclosure

NEMA 1, NEMA 3R

Voltage rating

240V

Amperage Rating

180A

Protection

Three fuses, three lights

Indicators

Red, neon blown-fuse indicating lights are protected by transparent weatherproof guard

Resources

Brochures

[Low voltage fixed and switched capacitor banks](#)

Catalogs

[Eaton's Volume 3—Power Distribution and Control Assemblies](#)

Specifications and datasheets

[Eaton Specification Sheet - 7523PMURF](#)

[Low Voltage Power Factor Correction Capacitor Banks and Harmonic Filters](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia