

Eaton M22S-D-X

Catalog Number: M22S-D-X

Eaton 22.5 mm RMQ-Titan Pushbutton,Buttonless,Black bezel,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,M22

General specifications



Product Name

Eaton M22 modular pushbutton

Catalog Number

M22S-D-X

UPC

786685275307

Product Length/Depth

2 in

Product Height

1 in

Product Width

2 in

Product Weight

1 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

Bureau Veritas
GoST-R
CE Marked

Certifications

CSA Certified
CCC Marked
Lloyd's Register Certified

Catalog Notes

Includes contact block mounting adapter.

Product specifications

Product category

Flush pushbutton

Special features

Buttonless

Operating cycles

5 million

Size

22.5 mm

Enclosure

IP69K

IP67

Mounting method

Flush

Bezel

Black

Series

M22

Type

Pushbutton

Operating mode

Momentary

Illumination

Non-illuminated

Environmental rating

IP67, IP69K, NEMA 4X, NEMA 13

Actuator function

Momentary

Button color

Buttonless

Actuator

Flush, button

Degree of protection

NEMA 13

NEMA 4X

Resources

Brochures

[M22 Pilot Devices](#)

Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

Installation instructions

[M22 Operators and Accessories](#)

Specifications and datasheets

[Global Data Sheet - M22S-D-X](#)

[Eaton Specification Sheet - M22S-D-X](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)