

Eaton 177C880G16

Catalog Number: 177C880G16

Fuse clip kit, Used with Visi-Flex DE-ION disconnect switches, Class K or H fuses, Model A or T trip, 100A at 600 Vac

General specifications

Product Name	Catalog Number
Eaton Type Visi-Flex DE-ION fuse clip kit	177C880G16
UPC	Product Length/Depth
786679684795	7.6 in
Product Height	Product Width
3.8 in	6.1 in
Product Weight	Warranty
1.55 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Catalog Notes	
Includes fuse clips and Micarta barriers.	
Will also accept non-rejection type current limiting fuses.	



Product specifications

Special features

DISCONNECT SWITCH

Fuse class provision

Class K or H fuses

Switch type

CLASS K OR H FUSES

HP rating - max

100 A AT 600 VC

Fuse configuration

FUSIBLE WITH NEUTRAL

Flex center modifications

Special fuse clips

Amperage Rating

100A

Voltage - max

600 V

Fuse clip rating

100 A at 600 Vac

Number Of Poles

Three-pole

Type

Fuse clip kit

Used with

Visi-Flex DE-ION disconnect switches

Trip type

Model A or T trip

Resources

Catalogs

Eaton's Volume 2—Commercial Distribution

Multimedia

Single-phase disconnect and bypass switches

Specifications and datasheets

Eaton Specification Sheet - 177C880G16



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)