

Eaton APS42570LTGWZT

Catalog Number: APS42570LTGWZT

Eaton Crouse-Hinds series Pauluhn AllPro APS linear fluorescent,3/4" entry,4 ft,Flat,Tempered glass lens,T5HO mini bi-pin,316 SS,2-lamp,Lamps,dual safety cable attachment,multi-point terminal block,Standard wall/ceiling,120-277 Vac,54W

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Pauluhn AllPro APS linear fluorescent light fixture	APS42570LTGWZT
	UPC
	662276388925
Product Length/Depth	Product Height
55.5 in	6 in
Product Width	Product Weight
9.75 in	34 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 1

Class III

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Lens type

Flat

Material

316 stainless steel

Lamp length

4 ft

Number of lamps

2-lamp

Light type

T5HO mini bi-pin

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Mounting

Standard wall/ceiling

Entry size

3/4"

Wattage

54W

Lens material

Tempered glass

Special features

Lamps included, dual safety cable attachment points, multi-point terminal block

Resources

Brochures

[Crouse-Hinds series Pauluhn AllPro Hazardous Area Linear Fluorescent brochure](#)

Catalogs

[Crouse-Hinds series Pauluhn AllPro Hazardous Area Linear Fluorescent](#)

[catalog page](#)

[Installation instructions](#)

[IF LBL1516 - Pauluhn AllPro Linear Fluorescent - Flat Lens](#)

[IF LBL1518 - Pauluhn AllPro Linear Fluorescent - Flat Lens, Compact](#)

[Fixture](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - APS42570LTGWZT](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia