

Eaton APS42870EM1SM

Catalog Number: APS42870EM1SM

Eaton Crouse-Hinds series Pauluhn AllPro APS linear fluorescent,3/4" entry,4 ft,Flat,Polycarbonate lens,T12HO RDC,304 SS,2-lamp,Emergency battery back-up,one lamp,277V max,shock mount,Standard wall/ceiling,120-277 Vac,48W

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Pauluhn AllPro APS linear fluorescent light fixture	APS42870EM1SM
	UPC
	662276388987
Product Length/Depth	Product Height
55.5 in	6 in
Product Width	Product Weight
9.75 in	34 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 1

Class III

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Lens type

Flat

Material

304 stainless steel

Lamp length

4 ft

Number of lamps

2-lamp

Light type

T12HO RDC

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Mounting

Standard wall/ceiling

Entry size

3/4"

Wattage

48W

Lens material

Polycarbonate

Special features

Emergency battery back-up ballast, one lamp, 277V maximum, shock mount

Resources

Brochures

[Crouse-Hinds series Pauluhn AllPro Hazardous Area Linear Fluorescent brochure](#)

Catalogs

[Crouse-Hinds series Pauluhn AllPro Hazardous Area Linear Fluorescent](#)

[catalog page](#)

[Installation instructions](#)

[IF LBL1518 - Pauluhn AllPro Linear Fluorescent - Flat Lens, Compact](#)

[Fixture](#)

[IF LBL1516 - Pauluhn AllPro Linear Fluorescent - Flat Lens](#)

[Specifications and datasheets](#)

[Eaton Specification Sheet - APS42870EM1SM](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia