

Eaton APSD42871WT

Catalog Number: APSD42871WT

Eaton Crouse-Hinds series Pauluhn AllPro APS linear fluorescent,3/4" entry,4 ft,Drop,Acrylic lens,T12HO RDC,304 SS,2-lamp,Dual safety cable attachment points,multi-point terminal block,Surface wall/ceiling,120-277 Vac,48W

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series Pauluhn AllPro APS linear fluorescent light fixture	APSD42871WT
	UPC
	662276440746
Product Length/Depth	Product Height
55.5 in	9 in
Product Width	Product Weight
9.75 in	34 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

Class II, Division 1

Class III

NEMA Rating

4X

Ingress protection (IP) ratings

IP66

Product specifications

Lamp type

Fluorescent

Lens type

Drop

Material

304 stainless steel

Lamp length

4 ft

Number of lamps

2-lamp

Light type

T12HO RDC

Voltage rating

120-277 Vac

Frequency rating

50/60 Hz

Mounting

Surface wall/ceiling

Entry size

3/4"

Wattage

48W

Lens material

Acrylic

Special features

Dual safety cable attachment points, multi-point terminal block

Resources

Brochures

[Crouse-Hinds series Pauluhn AllPro Hazardous Area Linear Fluorescent brochure](#)

Catalogs

[Crouse-Hinds series Pauluhn AllPro Hazardous Area Linear Fluorescent catalog page](#)

Installation instructions

IF LBL1519 - Pauluhn AllPro Linear Fluorescent - Drop Lens, Compact
Fixture

IF LBL1517 - Pauluhn AllPro Linear Fluorescent - Drop Lens

Specifications and datasheets

Eaton Specification Sheet - APSD42871WT



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)