

Eaton S9CMUL3A

Catalog Number: S9CMUL3A

Eaton Cooper Power series CMU cutout, No fuseholder, 27 kV, Extended bracket (5"bolts), Polymer, BIL: 150 kV, Top: Large Eyebolt, Bottom: Large Eyebolt connector



General specifications

Product Name	Catalog Number
Eaton Cooper Power series CMU cutout	S9CMUL3A
UPC	Product Length/Depth
194006116909	25 in
Product Height	Product Width
11 in	5.25 in
Product Weight	Warranty
0.001 lb	1 year
Compliances	Certifications
CSA 310-09	ANSI/IEEE Std C37.40
	ANSI/IEEE Std C37.41
	ANSI/IEEE Std C37.42

Accessories

Fusing holder option

No fuse holder

Additional specifications

Packaging

Individual packaging (standard)

Description

Material (insulation)

Polymer

Termination bottom

Large eyebolt connector

Termination top

Large eyebolt

Electrical Ratings

Basic impulse level

150kV

Voltage rating - max

27 kV

Mounting

Mounting Type

Extended NEMA B bracket

Type

Cutout type

CMU Cutout

Resources

Brochures

[UltraSIL Polymer-Insulated and Porcelain Type L Open Distribution Cutout](#)

Catalogs

[UltraSIL polymer-insulated CMU outdoor fuse open distribution cutout](#)

Installation instructions

[UltraSIL Polymer-Insulated CMU Outdoor Fuse Open Distribution Cutout Installation Instructions](#)

Specifications and datasheets

[Overhead line installation and protective equipment specifiers guide](#)

[Eaton Specification Sheet - S9CMUL3A](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)